



WAYBOM ALUMINUM

INTERIOR SLIM DOOR

One-stop slim door/related hardware
supporting expert



NEW

GET THE LATEST ▶▶

aluminum profiles and hardware for any project, with our- superior stock and R&D capabilities



WAYBOM

**focus on slim aluminum profile
for interior door industry ▶▶**





WAYBOM ALUMINUM





ENTERPRISE

BRIEF INTRODUCTION



Dear valued customers, welcome to Waybom Aluminum! We are a professional manufacturer of high-quality aluminum profiles for interior and exterior doors, with over 15 years of experience in the industry.

We specialize in producing aluminum profiles for a range of door types, including bi-folding doors, sliding doors, swing doors. At Waybom Aluminum, we understand the importance of having everything in one place, that's why we supply all related hardware to ensure that you can get everything you need from us.

Our state-of-the-art facility includes our own aluminum extruding lines and powder coating workshop, which allows us to ensure that each order is of the same color and design. We also have more than 5000 tons of stock available, which means that we can supply any quantity without a MOQ. For products in stock, we can deliver in just 7 days.

At Waybom Aluminum, we are committed to providing our customers with customized solutions that meet their unique design requirements. Our team of experts can work with you to create custom solutions according to your specific needs.

We also have an R&D department that ensures we have the newest designs in the market. Whether you are a distributor or fabricator, you can count on us to provide you with all the support you need.

Thank you for considering Waybom Aluminum for your aluminum profile and hardware needs. We look forward to working with you and providing you with the highest quality products and services.

CATALOG

1、40 Perfect System Series

a.Sliding Door-----4010/4012/4016	P 01
b.Swing Door-----4010/4012/4016	P 11
c.Ghost Door-----4012/4016	P 18
d.Soft Closing Pivot Door-----4012/4016	P 21
e.Pocket Door-----4012/4016	P 24
f.French Vintage Door-----4010/4012/4016	P 29
g.Folding Door-----4012/4016	P 34

2、Swing Glass Door Series

a.40/45 Swing Door Series	P 40
b.Nice System Universal Swing Door-----4013	P 47
c.40 Classical System Door-----4015/4006/4040/4011/4018	P 51

3、Ghost Door Series

a.40 Classical System-----4012/4016/4018	P 56
b.45 Classical System-----4516/4506	P 59

4、Pivot Door Series

a.40 Classical System-----4012/4016/4018	P 62
b.45 Classical System-----4516	P 65

5、Pocket Door Series

a.40 Classical System-----4012/4016/4018	P 68
--	------



15 YEARS +

For Slim Interior Door, Exterior Door & Window
And Minimalist Furniture Industry



WAYBOM FOCUS ON SLIM ALUMINUM
PROFILE FOR DOOR & WINDOW INDUSTRY

6、Office Partition Series

a.45 KW Series	P 71
b.45 MT Series	P 74

7、Interior Folding Door Series

a.45 Slim Folding Door	P 77
------------------------	------

8、PT/PD Door Series

a.1635 Series	P 81
b.5035 Series	P 86

9、Invisible Door Series

a.45 Series Ecological Door Regular Style	P 91
b.45 Series Ecological Door Magnetic Style	P 94
c.55 Series Painting Invisible Door	P 97
d.50 Series Invisible Door Regular Style	P 101
e.50 Series Outside Flat Inward Open Glass Invisible Door	P 105
f.Nice 4010 Outside Flat Inward Open Glass Invisible Door With Soft Close	P 108
g.18mm Wooden Panel Invisible Door	P 113

10、45 Perfect System Alu ——Wooden Door Series

a.45 Series Aluminum Wooden Hanging Sliding Door	P 117
b.45 Aluminum Wood Ghost Door/Double Side Glass Ghost Door	P 125
c.45 Aluminum Wood Pocket Door/Double Side Glass Pocket Door	P 130

SLIDING DOOR — 4010/4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame



▼ 4016 door frame



▼ 4016 solid door frame



▼ 4010 double glass door frame



▼ 4010 door frame




▼ 4010 beveled door frame




▼ 4050 door frame

(1) CAD—Sliding Door/Sliding Door Without Bottom Track




SK732A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m



D459


Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m



(for install top locks)


SK814

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m




OPK-A203-40

Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m




OPK-A204-40

Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.29 kg/m




SK823

Name : arc door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK824

Name : arc door frame (interior lock)
Thickness : 1.5mm
Weight : 0.28 kg/m



SK790


Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m



(for install top locks)


SK818

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.43 kg/m




D523

Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




D5204

Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.27 kg/m




SK821A

Name : arc door frame
Thickness : 1.5mm
Weight : 0.21 kg/m



SK822A

Name : arc door frame (interior lock)
Thickness : 1.5mm
Weight : 0.26 kg/m




SK734A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m


40 PERFECT SYSTEM SERIES

(1) CAD——Sliding Door/Sliding Door Without Bottom Track



D498


Name : vertical door frame
Thickness : 5.0mm
Weight : 0.72 kg/m



(for install top locks)


SK817

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




D497

Name : vertical door frame
Thickness : 4.0mm
Weight : 0.64 kg/m



SK733A


Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m



(for install top locks)


SK815

Name : vertical door frame
Thickness : 3.0mm
Weight : 0.51 kg/m




OPK-A229B

Name : door frame
Thickness : 1.5mm
Weight : 0.23 kg/m




SK794B

Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.24 kg/m




SK731A

Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m




SK727

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




SK728

Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.72 kg/m




SK661

Name : lock profile for 1+1
Thickness : 1.0mm
Weight : 0.33 kg/m




SK598

Name : door frame collision cover
Thickness : 1.3mm
Weight : 0.24 kg/m



OPK-A206

Name : 45 degrees corner
Thickness : 1.5mm
Weight : 0.42 kg/m






OPK-A207


Name : collision cover
Thickness : 1.5mm
Weight : 0.36 kg/m

(2) Assembly Drawing

(A).45 DEGREES CONVERTER





corner option A




corner option B



1+1 middle cover



1+1 middle cover




40 system universal corner


40 PERFECT SYSTEM SERIES

(2) Assembly Drawing


(B).SLIDING DOOR WITHOUT BOTTOM TRACK



(C).SLIDING DOOR WITH BOTTOM RAIL



(3) CAD—Perfect System Mid Slim Door




SK738

Name : mid slim horizontal door frame

Thickness : 2.0mm

Weight : 1.17 kg/m




SK737

Name : mid slim vertical door frame (thick)


Thickness : 3.8mm

Weight : 1.22 kg/m



SK736

Name : mid slim vertical door frame (thin)
Thickness : 1.8mm
Weight : 0.97 kg/m



ZH192

Name : mid slim medium horizontal frame
Thickness : 1.2mm
Weight : 0.76 kg/m




SK739H

Name : mid slim cover
Thickness : 1.2mm
Weight : 0.15 kg/m




SK741

Name : mid slim vertical door frame with hooks
Thickness : 1.2mm
Weight : 0.19 kg/m



SK742



Name : mid slim top & bottom frame
Thickness : 1.5mm
Weight : 0.30 kg/m




GT068

Name : lattice
Thickness : 1.0mm
Weight : 0.33 kg/m

(4) Assembly Drawing



40 PERFECT SYSTEM SERIES




40 system universal corner

system 40 regular thin

(5) CAD

(A).SLIDING DOOR WITHOUT BOTTOM TRACK




OPK-A102H

Name : high hanging rail(for 1+1,2+2)
Thickness : 2.5mm
Weight : 1.47 kg/m




SG209

Name : high hanging rail side cover
Thickness : 1.2mm
Weight : 0.25 kg/m




OPK-A101H

Name : hanging rail
Thickness : 2.5mm
Weight : 1.35 kg/m



SG198

Name : double hanging rail
Thickness : 2.5mm
Weight : 2.43 kg/m



SG199

Name : triple hanging rail
Thickness : 2.5mm
Weight : 3.55 kg/m




SG232

Name : mid-rail side cover
Thickness : 1.0mm
Weight : 0.2 kg/m




D162A

Name : rail bottom side-cover
Thickness : 1.4mm
Weight : 0.10 kg/m



D163A

Name : rail bottom mid-cover
Thickness : 1.4mm
Weight : 0.16 kg/m




OPK-A308A

Name : concealed track cap
Thickness : 1.0mm
Weight : 0.18 kg/m


(5) CAD

(B).SLIDING DOOR WITH BOTTOM RAIL




OPK-A112H

Name : single top track
Thickness : 1.2mm
Weight : 0.8 kg/m




SG200

Name : double top track
Thickness : 1.2mm
Weight : 1.35 kg/m




SG201

Name : triple top track
Thickness : 1.3mm
Weight : 1.97 kg/m



OPK-A322-40

Name : side cover
Thickness : 1.0mm
Weight : 0.2 kg/m




OPK-A312

Name : side bottom cover
Thickness : 1.4mm
Weight : 0.066 kg/m




OPK-A311-40

Name : middle bottom cover
Thickness : 1.0mm
Weight : 0.11 kg/m




XG136

Name : single bottom rail
Thickness : 1.2mm
Weight : 0.32 kg/m



XG137

Name : double track bottom track
Thickness : 1.2mm
Weight : 0.55 kg/m




XG138

Name : triple bottom track
Thickness : 1.2mm
Weight : 0.77 kg/m

40 PERFECT SYSTEM SERIES

(5) CAD

(C).UNIVERSAL PROFILES




BF179

Name : single rail side column profile

Thickness : 1.2mm

Weight : 0.56 kg/m




BF180

Name : double rail side column profile

Thickness : 1.2mm

Weight : 0.9 kg/m




BF181

Name : triple rail side column profile

Thickness : 1.3mm

Weight : 1.26 kg/m




BF182

Name : four rail side column profile

Thickness : 1.4mm

Weight : 1.81 kg/m




BF153

Name : cap for side column profile

Thickness : 1.2mm

Weight : 0.094 kg/m




OPK-A301

Name : cap

Thickness : 1.0mm

Weight : 0.66 kg/m




D-A470

Name : door casing profile

Thickness : 0.8mm

Weight : 0.67 kg/m




BT060

Name : door casing profile

Thickness : 0.8mm

Weight : 0.68 kg/m




BT068

Name : semi-recessed F trim

Thickness : 1.0mm

Weight : 0.118 kg/m




S015

Name : rail Inclusive F strip

Thickness : 1.0mm

Weight : 0.147 kg/m




BT070H

Name : door casing trim

Thickness : 1.2mm

Weight : 0.42 kg/m



BT058H

Name : trim

Thickness : 1.2mm

Weight : 0.36 kg/m

(6) Color Card & Hardware



Common Hardware



▼ square U shape handle for SK732 & SK790 (10108)



▼ perfect handle



▼ perfect sliding door handle lock for SK732 (09764)



▼ lock with key



▼ square adhesive handle



▼ synchronize door for both side fixed frame accessory (WB0001)



▼ perfect sliding door handle lock (08731)



▼ roller set (for the panel need to work together) for the middle panel (left direction) 08729



▼ roller set (for the panel need to work together) for the middle panel (right direction) 09803



▼ roller set match OPK-A102H high track for synchronize door left panel (11334)



▼ roller set match OPK-A102H high track synchronize door right panel (08611)



▼ perfect sliding door mid-door set-8726



▼ synchronize door for both side fixed frame top& bottom rail match customized 2#



▼ screw for SK790 & SK731 connection(08609)



▼ 3.4*4 brush strip for interlock vertical frame(10853)



▼ plastic for connecting two tracks together



▼ for two doors pocket door accessories (9025+9731+9530+8729)



▼ tooling for locating the screw hole(09251)



▼ belt clamp

SWING DOOR — 4010/4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame



▼ 4016 door frame



▼ 4016 solid door frame



▼ 4010 door frame




▼ 4010 bevel door frame




▼ 4050 door frame

(1) CAD—Swing Door




SK732A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459

Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m



SK790

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




OPK-A203-40

Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m




D523

Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK734A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




SK733A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m




OPK-A229B

Name : door frame
Thickness : 1.5mm
Weight : 0.23 kg/m




SK731A

Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m




D-A630

Name : closing
Thickness : 1.2mm
Weight : 0.63 kg/m




BT058H

Name : trim
Thickness : 1.2mm
Weight : 0.36 kg/m




D-A563H

Name : push in door Jamb
Thickness : 1.2mm
Weight : 0.84 kg/m



D-A613


Name : semi-recessed door frame
Thickness : 1.2mm
Weight : 0.79 kg/m



D-A566

Name : push in door Jamb
Thickness : 1.2mm
Weight : 0.63 kg/m

40 PERFECT SYSTEM SERIES




D-A562

Name : push in door Jamb
Thickness : 1.2mm
Weight : 0.88 kg/m




D-A550

Name : F strip
Thickness : 1.0mm
Weight : 0.09 kg/m



D-A470


Name : door casing profile
Thickness : 0.8mm
Weight : 0.67 kg/m









BT060



Name : door casing profile
Thickness : 0.8mm
Weight : 0.68 kg/m

(2) Assembly Drawing






40 PERFECT SYSTEM SERIES




(3) CAD——Swing Door (Mid Slim Swing Door)




SK780

Name : door frame
Thickness : 1.2mm
Weight : 0.62 kg/m




D-A614

Name : front wall cover
Thickness : 1.1mm
Weight : 0.8 kg/m




H682A

Name : wall cover
Thickness : 1.1mm
Weight : 0.52 kg/m




D-A615

Name : reverse wall cover
Thickness : 1.1mm
Weight : 0.82 kg/m




GT044

Name : lattice
Thickness : 0.8mm
Weight : 0.1 kg/m




D-A630

Name : closing
Thickness : 1.2mm
Weight : 0.63 kg/m



D-A550






Name : F-strip
Thickness : 1.0mm
Weight : 0.09 kg/m



D-A470

Name : grommets
Thickness : 0.8mm
Weight : 0.67 kg/m

(4) Assembly Drawing



40 PERFECT SYSTEM SERIES

(5) Color Card & Hardware



Common Hardware



▼ screw for SK732&SK731 (08609)



▼ handle lock for SK732 with and with key and magnetic (07488)



▼ top & bottom pivot hidden hinge for outframe (07908)



▼ side hidden two-dimensional hinge



▼ perfect air hinge base (09272)



▼ wall covered outframe bracket connector (07458)



▼ option: bracket for outer frame (match side hidden hinge) 07859



▼ option: normal visible hinge (3 pcs) 10995



▼ 5.4 rubber strip for outframe (07043)



▼ punching mold (07924)



▼ swing door outer frame fixed wall connect accessory (08608)



▼ latch lock for double open vertical sealing profile (11965)



▼ normal hinge



▼ invisible hinge



40 PERFECT SYSTEM SERIES

GHOST DOOR SERIES — 4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame




▼ 4016 door frame



▼ 4016 solid door frame


40 PERFECT SYSTEM SERIES

(1) CAD—Ghost Door Series




SK732A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459

Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




SK790

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




OPK-A203-40

Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m



S523


Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK731A

Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m

(2) Assembly Drawing





(3) Color Card & Hardware



Common Hardware



▼ ghost door fittings set (10233)



▼ screw for SK732&SK731 (08609)



▼ perfect air hinge base (09272)



▼ ghost door wheels accessories set



▼ ghost door fittings set

SOFT CLOSING PIVOT DOOR SERIES

— 4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame




▼ 4016 door frame




▼ 4016 solid door frame

(1) CAD—Soft Closing Pivot Door Series




SK732A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459

Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




SK790

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




OPK-A203-40

Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m



S523


Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK731A

Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m

(2) Assembly Drawing



40 PERFECT SYSTEM SERIES



(3) Color Card & Hardware



Common Hardware



▼ new center axis door accessories (DZ-2036)



▼ new offset axis door accessories (D-1062)



▼ slim revolving door fittings (09870)



▼ screw for SK732&SK731 (08609)



40 PERFECT SYSTEM SERIES

POCKET DOOR SERIES — 4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame




▼ 4016 door frame



▼ 4016 solid door frame


40 PERFECT SYSTEM SERIES

(1) CAD——Pocket Door Series




SK732A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459

Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




(for install top locks) SK814

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m




OPK-A203-40

Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m




SK823

Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK790

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




(for install top locks) SK818

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.43 kg/m




D523

Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK821A

Name : door frame
Thickness : 1.5mm
Weight : 0.21 kg/m




SK734A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m



D498


Name : vertical door frame
Thickness : 5.0mm
Weight : 0.72 kg/m



(for install top locks) SK817


Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m

(1) CAD—Pocket Door Series




D497

Name : vertical door frame
Thickness : 4.0mm
Weight : 0.64 kg/m



(for install top locks) SK817


Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m



(for install top locks)


SK815

Name : vertical door frame
Thickness : 3.0mm
Weight : 0.51 kg/m




OPK-A229B

Name : door frame
Thickness : 1.5mm
Weight : 0.23 kg/m




SK731A

Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m




OPK-A326

Name : connecting strip
Thickness : 1.2mm
Weight : 0.24 kg/m




OPK-A329

Name : frames
Thickness : 1.0mm
Weight : 0.24 kg/m




OPK-A327

Name : outer frame cover
Thickness : 1.0mm
Weight : 0.126 kg/m



OPK-A205

Name : door casing profile
Thickness : 1.0mm
Weight : 0.56 kg/m




OPK-A328

Name : outer frame cover
Thickness : 1.0mm
Weight : 0.177 kg/m



OPK-A310

Name : hanging rail side cover
Thickness : 1.4mm
Weight : 0.078 kg/m




OPK-A308A

Name : concealed track cap
Thickness : 1.0mm
Weight : 0.18 kg/m

40 PERFECT SYSTEM SERIES

(2) Assembly Drawing



(3) Color Card & Hardware



Common Hardware



▼ square U shape handle for SK732 & SK790 (10108)



▼ side handle for pocket door (10286)



▼ perfect sliding door handle lock for SK732 (09764)



▼ Rubber for top track (between track and ceiling, reduce the noise) (08606)



▼ screw for SK790 & SK731 connection (08609)



▼ perfect system pocket door bouncer set (09530)



▼ perfect sliding door handle lock (08731)

FRENCH VINTAGE DOOR SERIES

— 4010/4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame



▼ 4016 door frame




▼ 4016 solid door frame



▼ 4010 beveled door frame


(1) CAD——French Vintage Door Series (Sliding/Swing Door Series)

(A) STYLES A




SK732A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459

Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




OPK-A203-40

Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m



OPK-A204-40


Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.29 kg/m



(for install top locks)


SK814

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m



SK823


Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m



SK824


Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.28 kg/m

(B) STYLES B




SK734A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m



D498


Name : vertical door frame
Thickness : 5.0mm
Weight : 0.72 kg/m



(for install top locks)


SK817

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m



OPK-A229B

Name : door frame
Thickness : 1.5mm
Weight : 0.23 kg/m




SK794B

Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.24 kg/m


40 PERFECT SYSTEM SERIES

(C) STYLES C




SK790

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




D523

Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m



D5204


Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.27 kg/m



(for install top locks)


SK818

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.43 kg/m



SK821A


Name : door frame
Thickness : 1.5mm
Weight : 0.21 kg/m



SK822A


Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.26 kg/m

(D).UNIVERSAL PROFILES



S473

Name : rounded lattice
Thickness : 1.0mm
Weight : 0.076 kg/m




S472

Name : checkered stripes
Thickness : 1.2mm
Weight : 0.11 kg/m




GT069

Name : decorative strip
Thickness : 1.5mm
Weight : 0.17 kg/m




GT066

Name : decorative strip (for aluminum)
Thickness : 1.5mm
Weight : 0.52 kg/m




GT065H

Name : B-type middle horizontal
Thickness : 1.5mm
Weight : 0.43 kg/m




GT064

Name : decorative strip (for glass)
Thickness : 1.5mm
Weight : 0.169 kg/m




GT063

Name : decorative strip (for aluminum)
Thickness : 1.5mm
Weight : 0.429 kg/m



GT075

Name : centre cross
Thickness : 1.0mm
Weight : 0.25 kg/m



GT074

Name : centre cross
Thickness : 1.0mm
Weight : 0.51 kg/m




GT071A


Name : decorative strip
Thickness : 0.7mm
Weight : 0.54 kg/m

(2) Assembly Drawing

(A). SWING SERIES



(B). SLIDING SERIES



40 PERFECT SYSTEM SERIES

(3) Color Card & Hardware



Common Hardware



▼ screw for SK790 & SK731 connection(08609)



▼ swing door lock



▼ 40 system air hinge (not divided into left and right) (07908)



▼ perfect air hinge base (09272)



▼ (covered) 5.4 sponge leather strip-7043(07043)



▼ 5.4 door frame strips(new)



▼ side hidden two-dimensional hinge



▼ center column plastic base-6883



▼ ZH187 milling cutter (SK561)-6880



▼ ZHT124 L-shaped plug-8138



▼ ZHT190 mid-horizontal splicing base-8136



▼ decorative strip acrylic glue-8139(10579)



▼ ZHT128 pumpkin lock (gold)-8135



▼ 8MM aluminum panel (white)-8141



▼ 8MM aluminum panel (white)-8140



40 PERFECT SYSTEM SERIES

INTERIOR FOLDING DOOR SERIES

— 4012/4016



40 PERFECT SYSTEM FRAME




▼ 4016 door frame



▼ 4012 door frame


40 PERFECT SYSTEM SERIES

(1) CAD—Folding Door Series




SK732A

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




SK790

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




OPK-A203-40

Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m




D523

Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK731A

Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m




OPK-A101H

Name : hanging rail
Thickness : 2.5mm
Weight : 1.35 kg/m




D163A

Name : closing
Thickness : 1.5mm
Weight : 0.28 kg/m



D162A


Name : rail bottom side-cover
Thickness : 1.4mm
Weight : 0.10 kg/m



(equal width folding)

C378

Name : vertical outer frame
Weight : 0.8 kg/m







(equal width folding)

C379

Name : vertical outer frame
Weight : 0.55 kg/m

(2) Assembly Drawing





40 PERFECT SYSTEM SERIES

(3) Color Card & Hardware



Common Hardware



▼ screw for SK790 & SK731 connection (08609)



▼ rubber for top track (between track and ceiling, reduce the noise) (08606)



▼ tooling for locating the screw hole (09251)



▼ folding door hardware set for 2.5 door panels (L/R) (07488, CA480018-001, CN122840A)



▼ folding door vertical synchronous rod (per door one set) (07488, A1942-X001, OPK-A384)



▼ folding door hardware set for first and second panel (L/R) (07488, CA480017-021, CN123212A)


(4) CAD—Special Design

(A).CARD 10MM GLASS OR 5+5 GLUED GLASS




OPK-A202-40

Name : vertical door frame
Thickness : 1.5mm
Weight : 0.46 kg/m




S988

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.53 kg/m




S987

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.51 kg/m




OPK-A201-40

Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.79 kg/m




S668

Name : glass divider
Thickness : 1.5mm
Weight : 0.6 kg/m



S989

Name : glass divider
Thickness : 1.5mm
Weight : 0.56 kg/m



D145

Name : glass divider

Thickness : 1.5mm


Weight : 0.44 kg/m



▼ glass strip




(5) Assembly Drawing

(A).SLIDING DOOR WITHOUT BOTTOM TRACK



40 PERFECT SYSTEM SERIES

(B).SLIDING DOOR WITH BOTTOM RAIL





SWING GLASS DOOR SERIES

40/45 SWING DOOR SERIES



40/45 SWING DOOR SERIES



▼ vertical door frame




▼ front trim

SWING GLASS DOOR SERIES


(1) CAD

(A).40 LARGE BEVELLED FLUSH INWARD OPENING FLUSH DOOR WITH CONCEALED FRAME




SK689

Name : vertical door frame
Thickness : 2.6mm
Weight : 0.95 kg/m




D-A570

Name : push in door Jamb
Thickness : 2.0mm
Weight : 0.88 kg/m




D-A613

Name : push in door Jamb
Thickness : 1.2mm
Weight : 0.79 kg/m



D-A563H


Name : push in door Jamb
Thickness : 1.2mm
Weight : 0.84 kg/m



D-A568

Name : front trim
Thickness : 1.2mm
Weight : 1.15 kg/m

(B).45 LARGE BEVELLED FLUSH INWARD OPENING FLUSH DOOR WITH CONCEALED FRAME




SK688

Name : vertical door frame
Thickness : 2.6mm
Weight : 0.99 kg/m




D-A569

Name : push in door Jamb
Thickness : 2.0mm
Weight : 0.96 kg/m



D-A565H

Name : push in door Jamb
Thickness : 1.2mm
Weight : 0.87 kg/m




D-A567

Name : front trim
Thickness : 1.2mm
Weight : 1.19 kg/m

(2) Assembly Drawing



(A).40 LARGE BEVELLED FLUSH INWARD OPENING FLUSH DOOR WITH CONCEALED FRAME



SWING GLASS DOOR SERIES


(2) Assembly Drawing

(A).40 LARGE BEVELLED FLUSH INWARD OPENING FLUSH DOOR WITH CONCEALED FRAME



(2) Assembly Drawing



(B).45 LARGE BEVELLED FLUSH INWARD OPENING FLUSH DOOR WITH CONCEALED FRAME



SWING GLASS DOOR SERIES


(2) Assembly Drawing

(B).45 LARGE BEVELLED FLUSH INWARD OPENING FLUSH DOOR WITH CONCEALED FRAME




(3) CAD

(C).40/45 SERIES UNIVERSAL PROFILES




BT056

Name : door casing with trim
Thickness : 1.1mm
Weight : 1.13 kg/m




BT057

Name : door casing with trim
Thickness : 1.4mm
Weight : 1.78 kg/m




BT058H

Name : trim
Thickness : 1.2mm
Weight : 0.36 kg/m



D-A470P

Name : door casing profile
Thickness : 0.8mm
Weight : 0.67 kg/m



D-A550

Name : inner side trim
Thickness : 1.0mm
Weight : 0.09 kg/m

(4) Color Card & Hardware



powder coating black powder coating white PVDF painting moon grey PVDF painting aurora black PVDF painting aurora grey anodized ceramic black PVDF painting meteorite grey black oak color natural wood color anodized brush gold

Common Hardware



▼ invisible door corner code



▼ stainless steel corner screws (flat material)



▼ ultra-narrow outer frame corner code



▼ swing door lock



▼ hidden door external hinge



▼ super narrow 45 hinge

NICE SYSTEM UNIVERSAL SWING DOOR



NICE SERIES



▼ vertical door frame



▼ magnetic door frame

(1) CAD—Nice System Universal Swing Door—4013



DX115

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.8 kg/m




D-A642

Name : magnetic door frame
Thickness : 2.0mm
Weight : 0.54 kg/m



DX119

Name : door frame
Thickness : 1.4mm
Weight : 0.45 kg/m




DX114A

Name : door cover line
Thickness : 1.0mm
Weight : 0.29 kg/m




DX118

Name : clap strip
Thickness : 0.9mm
Weight : 0.07 kg/m




D-A630

Name : closing
Thickness : 1.2mm
Weight : 0.63 kg/m




DX117

Name : reverse outframe
Thickness : 1.2mm
Weight : 0.62 kg/m



DX116

Name : positive outframe
Thickness : 1.2mm
Weight : 0.62 kg/m




GT075

Name : centre cross
Thickness : 1.0mm
Weight : 0.25 kg/m




GT071A

Name : decorative strip
Thickness : 0.7mm
Weight : 0.54 kg/m



GT074


Name : centre cross
Thickness : 1.0mm
Weight : 0.51 kg/m



D-A470P

Name : clap
Thickness : 0.8mm
Weight : 0.67 kg/m

(2) Assembly Drawing



(3) Color Card & Hardware



Common Hardware



▼ bracket for door frame connection



▼ wall covered outframe bracket connector match DX114A



▼ handle lock for DX115 with and with key and magnetic



▼ top & bottom pivot hidden hinge for outframe (left)




▼ top & bottom pivot hidden hinge for outframe (right)



▼ bracket for outer frame match (use normal hinge)



▼ normal visible hinge (3 pcs)



▼ double opening swing door top & bottom latch lock for



▼ anti-collision rubber strip for outframe



▼ tooling for locating the screw hole(09251)



▼ punching machine (sash frame & outframe corner hole)DX115



▼ punching machine (outframe top & bottom pivot hinge hole)DX116

40 CLASSICAL SYSTEM DOOR —4015/4006/4040/4011/4018



40 CLASSICAL SYSTEM DOOR FRAME




▼ vertical door frame




▼ vertical door frame

(1) CAD—40 System (Sliding/Swing Door Series)




S947

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.66kg/m




SK760

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.70 kg/m



SK785

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




GT066

Name : decorative strip (for aluminum)
Thickness : 1.5mm
Weight : 0.52 kg/m



GT069

Name : decorative strip
Thickness : 1.5mm
Weight : 0.17 kg/m



GT065H

Name : B-type middle horizontal
Thickness : 1.5mm
Weight : 0.43 kg/m



DX134

Name : decorative strip
Thickness : 1.0mm
Weight : 0.13 kg/m



DX122

Name : centre cross
Thickness : 1.0mm
Weight : 0.31 kg/m




S472

Name : decorative strip
Thickness : 1.2mm
Weight : 0.115 kg/m




S473

Name : rounded lattice
Thickness : 1.0mm
Weight : 0.076 kg/m




GT064

Name : C-type middle horizontal small split
Thickness : 1.5mm
Weight : 0.169 kg/m




GT063

Name : C-type middle horizontal
Thickness : 1.5mm
Weight : 0.42 kg/m



GT075


Name : centre cross
Thickness : 1.0mm
Weight : 0.25 kg/m




GT074

Name : centre cross
Thickness : 1.0mm
Weight : 0.51 kg/m


FRENCH VINTAGE DOOR SERIES



GT071A
Name : decorative strip
Thickness : 0.7mm
Weight : 0.54 kg/m




ZH194
Name : decorative strip
Thickness : 1.1mm
Weight : 0.33 kg/m




ZH193
Name : locking material
Thickness : 1.5mm
Weight : 1.27 kg/m

(2) Assembly Drawing



(2) Assembly Drawing



(3) Color Card



FRENCH VINTAGE DOOR SERIES

(4) Hardware

Common Hardware



▼ swing door lock



▼ swing door lock



▼ side hidden two-dimensional hinge



▼ Hinge



▼ ZHT128 pumpkin lock (gold)-8135



▼ 40 system air hinge (not divided into left and right) (07908)



▼ perfect air hinge base (09272)



▼ ZH187 milling cutter (SK561)-6880



▼ center column plastic base-6883



▼ ZHT190 mid-horizontal splicing base-8136



▼ (covered) 5.4 sponge leather strip-7043(07043)



▼ 5.4 door frame strips(new)



▼ screw for SK790 & SK731 connection(08609)



▼ 8MM aluminum panel (white)-8141



▼ 8MM aluminum panel (white)-8140



▼ honeycomb



▼ ZHT124 L-shaped plug-8138



▼ decorative strip acrylic glue-8139(10579)



40 CLASSICAL SYSTEM

— 40I2/40I6/40I8



40 CLASSICAL SYSTEM DOOR FRAME



▼ vertical door frame



▼ vertical door frame




▼ vertical door frame



▼ vertical door frame

GHOST DOOR SERIES

(1) CAD——40 Classical System——4012/4016/4018




S947

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.65 kg/m




SK760

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.70 kg/m




SK785

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




SK639

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.72 kg/m



SK633


Name : vertical door frame
Thickness : 2.0mm
Weight : 0.76 kg/m




SK648

Name : vertical door frame
Thickness : 2.7mm
Weight : 0.78 kg/m

(2) Assembly Drawing





(3) Color Card & Hardware



Common Hardware



▼ ghost door fittings set



▼ SK478 single glass corner code (universal CD type)-7046



▼ SK478H inner glue 8mm card strip-7454

45 CLASSICAL SYSTEM — 45I6/4506



45 CLASSICAL SYSTEM DOOR FRAME




▼ vertical door frame




▼ vertical door frame

(1) CAD——45 Classical System —— 4516/4506



SK478H


Name : single glass door frame
Thickness : 2.0mm
Weight : 0.69 kg/m




SK520

Name : single glass door frame
Thickness : 2.0mm
Weight : 0.73 kg/m

(2) Assembly Drawing



GHOST DOOR SERIES



(3) Color Card & Hardware




Common Hardware



▼ ghost door fittings set



▼ SK478 single glass corner code (universal CD type)-7046



▼ SK478H inner glue 8mm card strip-7454



40 CLASSICAL SYSTEM — 4012/4016/4018



40 CLASSICAL SYSTEM DOOR FRAME



▼ vertical door frame



▼ vertical door frame




▼ vertical door frame



▼ vertical door frame

PIVOT DOOR SERIES

(1) CAD——40 Classical System —— 4012/4016/4018




S947

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.66 kg/m




SK760

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.68 kg/m




SK785

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.7 kg/m




SK639

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.72 kg/m



SK633


Name : vertical door frame
Thickness : 2.0mm
Weight : 0.76 kg/m




SK648

Name : vertical door frame
Thickness : 2.7mm
Weight : 0.79 kg/m

(2) Assembly Drawing





(3) Color Card & Hardware




Common Hardware



▼ slim revolving door fittings



▼ SK478 single glass corner code (universal CD type)-7046



▼ plastic glazing gasket channel for 8mm glass for SK478H



▼ 1000mm length pivot door big vertical stainless steel handle-black (07488)



▼ ground lock

45 CLASSICAL SYSTEM — 4516



45 CLASSICAL SYSTEM SERIES




▼ vertical door frame



▼ top and bottom frame

(1) CAD——45 Classical System——4516




SK478H

Name : vertical door frame

Thickness : 2.0mm

Weight : 0.7 kg/m




SK479H


Name : top and bottom frame

Thickness : 2.0mm

(2) Assembly Drawing



PIVOT DOOR SERIES



(3) Color Card & Hardware



Common Hardware



▼ slim revolving door fittings



▼ SK478 single glass corner code (universal CD type)-7046



▼ plastic glazing gasket channel for 8mm glass for SK478H



▼ 1000mm length pivot door big vertical stainless steel handle-black (07488)



▼ ground lock



40 CLASSICAL SYSTEM — 4012/4016/4018



40 CLASSICAL SYSTEM DOOR FRAME



▼ vertical door frame



▼ vertical door frame




▼ vertical door frame



▼ vertical door frame

POCKET DOOR SERIES

(1) CAD—— 40 Classical System —— 4012/4016/4018




S947

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.65 kg/m




SK760

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.70 kg/m




SK785

Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




SK639

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.72 kg/m



SK633


Name : vertical door frame
Thickness : 2.0mm
Weight : 0.76 kg/m




SK648

Name : vertical door frame
Thickness : 2.7mm
Weight : 0.78 kg/m

(2) Assembly Drawing





(3) Color Card & Hardware



Common Hardware



▼ bracket for outer frame connection
match S470 (KM005)




▼ corner for partition frame
connection match S470 (KM001)



▼ rubber strip

45 KW SERIES




45 KW SERIES DOOR FRAME




▼ vertical door frame

(1) CAD




SK478H

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.69 kg/m




X648

Name : trim
Thickness : 2.0mm
Weight : 0.95 kg/m




S467

Name : side column
Thickness : 2.0mm
Weight : 0.99 kg/m




S468

Name : center column
Thickness : 2.0mm
Weight : 1.14 kg/m



D-A544




Name : line of pressure
Thickness : 1.0mm
Weight : 0.16 kg/m




X931A

Name : door panel horizontal frame
Weight : 2.25 kg/m

(2) Assembly Drawing



OFFICE PARTITION SERIES



(3) Color Card & Hardware



Common Hardware



▼ bracket for outer frame connection match S470 (KM005)



▼ corner for partition frame connection match S470 (KM001)



▼ rubber strip



▼ flush door lock



▼ sealing brush strip 18.5*3mm for door panel horizontal bottom frame (KM007)



▼ pivot door bottom lock with key-silver (07488)



▼ 1000mm length pivot door big vertical stainless steel handle-black (07488)



▼ soft closing hydraulic pivot hinge for 100kg(side pivot) (D-1062)



▼ heavy hydraulic pivot hinge for 600kg(middle pivot) (3001)



▼ bracket for partition centre frame connection



OFFICE PARTITION SERIES

45 MT SERIES




45 MT SERIES DOOR FRAME



▼ vertical door frame


OFFICE PARTITION SERIES

(1) CAD



SK478H

Name : vertical door frame
Thickness : 2.0mm
Weight : 0.69 kg/m




D-A543H

Name : center column
Thickness : 2.2mm
Weight : 0.88 kg/m




D-A544

Name : line of pressure
Thickness : 1.0mm
Weight : 0.16 kg/m



D-A541



Name : push in door Jamb
Thickness : 2.0mm
Weight : 0.92 kg/m




D-A542

Name : push in door Jamb
Thickness : 1.5mm
Weight : 0.79 kg/m

(2) Assembly Drawing



(B)



(3) Color Card & Hardware



Common Hardware



▼ perfect angle screw



▼ SK478 single glass corer code (universal C, D type)



▼ aluminum corner code



▼ Ecological door external hinge-6216



▼ Latch-5170



▼ SK478H inner glue 8mm card strip-7454



▼ SK703 stainless steel corner screws (flat material)-9012

45 SLIM FOLDING DOOR



45 SLIM FOLDING DOOR FRAME




▼ vertical door frame




▼ double glass door frame

(1) CAD—45 Slim Folding Door




JY-45ZD-01

Name : vertical door frame
Thickness : 1.8mm
Weight : 0.77 kg/m




JY-45ZD-02

Name : double glass door frame
Thickness : 1.8mm
Weight : 0.76 kg/m




JY-45ZD-10

Name : vertical door frame
Thickness : 1.8mm
Weight : 0.68 kg/m




JY-45ZD-05

Name : column profile
Thickness : 1.2mm
Weight : 0.97 kg/m




JY-45ZD-06

Name : ceiling rails
Thickness : 1.35mm
Weight : 1.24 kg/m




JY-45ZD-07

Name : bottom rail
Thickness : 1.4mm
Weight : 0.20 kg/m




JY-45ZD-12

Name : Door frame collision cover
Thickness : 1.2mm
Weight : 0.59 kg/m




OPK-A206-40

Name : bottom rail
Thickness : 1.3mm
Weight : 0.89 kg/m




JY-45ZD-04

Name : Door frame collision cover
Thickness : 1.2mm
Weight : 0.53 kg/m




JY-ZYM-07

Name : ceiling rails
Thickness : 3.0mm
Weight : 2.10 kg/m




JY-ZYM-06

Name : rail cap
Thickness : 1.4mm
Weight : 0.47 kg/m



JY-45ZD-09

Name : electric border
Thickness : 1.2mm
Weight : 0.033 kg/m




JY-45ZD-03

Name : electric above accessories
Thickness : 1.2mm
Weight : 0.41 kg/m

INTERIOR FOLDING DOOR SERIES

(2) Assembly Drawing


321 ASSEMBLY METHOD




330 ASSEMBLY METHOD



431 ASSEMBLY METHOD



440 ASSEMBLY METHOD



422 ASSEMBLY METHOD



(3) Color Card & Hardware



Common Hardware



▼ 6.0*25.7 vertical door frame angle code



▼ 4.8*40.8 vertical door frame angle code (ZD45001)



▼ 70 folding double page top wheel (ZD45003)



▼ 70 folding single page top wheel (ZD45004)



▼ 70 folding single bottom positioning wheel with cover (ZD45008)



▼ 70 folding double page bottom wheel with cover (ZD45007)



▼ Z4501 EPDM adhesive tape vertical door frame strip (ZD45014)



▼ 70 folding double-page lower positioning wheel (ZD45005)



▼ 70 single page bottom positioning wheel (ZD45006)



▼ 70 folding single hinge (ZD45009)



▼ 70 folding double page handle (ZD45010)



▼ 70 folding single page handle (ZD45011)



▼ 45 folding latch (ZD45012)



▼ 8*5 border strip (ZD45013)



▼ handle lock with key (ZD45015)



▼ round lock Used for odd-numbered doors (ZD45017)



▼ stainless steel rail for bottom track (ZD45018)



▼ punching mould (ZD45016)

I635 PT/PD DOOR SERIES



PT/PD DOOR SERIES FRAME



▼ bottom frame




▼ top frame




▼ door frame

(1) CAD——1635 Series




JY-WP-76

Name : door frame
Weight : 0.56 kg/m




JY-WP-89

Name : door frame (interior lock)
Weight : 0.99 kg/m




JY-WP-92

Name : handle
Weight : 1.1 kg/m




JY-WP-30

Name : door frame (interior lock)
Weight : 1.62 kg/m




JY-WP-77

Name : handle
Weight : 1.37 kg/m




JY-WP-22

Name : bottom frame
Weight : 0.87 kg/m




JY-WP-21A

Name : top frame
Weight : 0.92 kg/m




JY-WP-02

Name : two door top horizontal outframe
Weight : 1.55 kg/m




JY-WP-01

Name : two door vertical outframe
Weight : 1.16 kg/m




JY-WP-14

Name : three door top horizontal outframe
Weight : 2.07 kg/m




JY-WP-13

Name : three door vertical outframe
Weight : 1.57 kg/m



JY-35PT-03


Name : two door top track for sliding
Weight : 3.34 kg/m




JY-35PT-07

Name : three door top track for sliding
Weight : 6.16 kg/m

(2) Assembly Drawing



(2) Assembly Drawing



(3) Color Card



PT/PD DOOR SERIES

(4) Hardware

1635 / Common Hardware



▼ two door zinc alloy door closer A+B (left) (PT-001L)



▼ two door zinc alloy door closer A+B (right) (PT-001R)



▼ two door swing top track zinc alloy cover (left) (PT-001R)



▼ two door swing top track zinc alloy cover (right) (PT-002R)



▼ zinc alloy hinges 4pcs/door (PT-005)



▼ positioner with magnetic function (one door one set) (PT-006)



▼ top track stainless steel rail-6m (PT-007)



▼ rubber strip for vertical outer frame (PT-JT-01)



▼ brushes for vertical outer frame (PT-JT-02)



▼ anti-collision rubber strip for install hinge cover frame (PT-JT-03)



▼ anti-collision rubber strip for vertical interlock frame (PT-JT-04)



▼ plastic cover for vertical interlock frame (PT-JT-05)



▼ brushes for door panel horizontal bottom frame match JY-WP-22 (PT-JT-06)



▼ 16/25 double way soft closed top wheel (1+1) (PT-010A)



▼ 16/25 bottom hook wheel (left) (PT-AC-006L)



▼ 16/25 bottom hook wheel (right) (PT-AC-006R)



▼ 16/25 lock 14.5 (black) (PT-AC-017)



▼ 16/25 aluminum handle base (grey/white/black color) (PT-013A)



▼ aluminum handle pole (grey/white/black color) match 013A 4.8m/pcs (cut the length depend on your requirement) (JY-LS-05)



▼ 16/25 End caps for vertical frame with handles (top&bottom) (PT-AC-016)



▼ 16/25 two panels bottom horizontal door frame connection bracket (PT-016)



▼ three panels telescopic linkage wheel accessories set (PT-008)



▼ 16/25 top wheel without soft closed (2 pcs/set) (PT-009A)



▼ 16PT three panels telescopic bottom horizontal door frame connection bracket (PT-015)



▼ punching machine (door panel frame hole) (PT-PM-001)



5035 PT/PD DOOR SERIES



PT/PD DOOR SERIES FRAME



▼ vertical door frame



▼ vertical door frame




▼ vertical door frame




▼ vertical door frame

PT/PD DOOR SERIES


(1) CAD—5035 Series




JY-WP-97
Name : door frame
Weight : 0.96 kg/m




JY-WP-96
Name : door frame (interior lock)
Weight : 1.28 kg/m




JY-WP-98
Name : handle
Weight : 1.47 kg/m




JY-WP-82
Name : door frame (interior lock)
Weight : 1.57 kg/m




JY-WP-83
Name : handle
Weight : 1.78 kg/m




JY-WP-01
Name : two door vertical outframe
Weight : 1.16 kg/m




JY-WP-02
Name : two door top horizontal outframe
Weight : 1.55 kg/m




JY-WP-13
Name : three door vertical outframe
Weight : 1.57 kg/m



JY-WP-14
Name : three door top horizontal outframe
Weight : 2.07 kg/m






JY-35PT-02
Name : two door top horizontal outframe
Weight : 3.28 kg/m




JY-35PT-06
Name : three door top horizontal outframe
Weight : 6.09 kg/m

(2) Assembly Drawing



PT/PD DOOR SERIES

(2) Assembly Drawing



(3) Color Card & Hardware



5035 / Common Hardware



▼ two door zinc alloy door closer A+B (left) (PT-001L)



▼ two door zinc alloy door closer A+B (right) (PT-001R)



▼ two door swing top track zinc alloy cover(left) (PT-002L)



▼ two door swing top track zinc alloy cover(right) (PT-002R)



▼ zinc alloy hinges (PT-005)



▼ positioner with magnetic function (one door one set) (PT-006)



▼ top track stainless steel rail-6m (PT-007)



▼ rubber strip for vertical outer frame (PT-JT-01)



▼ brushes for vertical outer frame (PT-JT-02)



▼ anti-collision rubber strip for install hinge cover frame (PT-JT-03)



▼ anti-collision rubber strip for vertical interlock frame (PT-JT-04)



▼ plastic cover for vertical interlock frame (PT-JT-05)



▼ brushes for door panel horizontal bottom frame (PT-JT-06)



▼ 50PT lock slot plastic cover (PT-018)



▼ 16/25 bottom hook wheel (left) (PT-AC-006L)



▼ 16/25 bottom hook wheel (right) (PT-AC-006R)



▼ 50/70 top wheel (2 pcs/set) (PT-009B)



▼ 50/70 double way soft closed top wheel (1+1) (PT-010B)



▼ 50PT lock without key (PT-012)



▼ 50PT lock with key (PT-012A)



▼ 50/70 aluminum handle base (grey/white/black color) (PT-013B)



▼ aluminum handle pole (grey/white/black color) match 013A 4.8m/pcs (cut the length depend on your requirement) (JY-LS-05)



▼ 50/70 End caps for vertical frame with handles (top&bottom) (PT-014B)



▼ 50PT door panel connection bracket (PT-015)



▼ 50PT door panel connection corner 1# (PT-016)



▼ 50PT door panel connection corner 2# (PT-017)



▼ threepanels telescopic linkage wheel accessories set (PT-008)



▼ punching machine (door panel frame hole) (PT-PM-001)

45 SERIES ECOLOGICAL DOOR —REGULAR STYLE



45 SERIES




▼ sub-frame




▼ main frame


(1) CAD—45 Series (Normal Outer Frame)




D-A571
Name : main frame
Thickness : 1.4mm
Weight : 0.94 kg/m




D-A572
Name : sub-frame
Thickness : 1.2mm
Weight : 0.32 kg/m




D-A580
Name : support pole (4/5mm)
Thickness : 1.4mm
Weight : 0.53 kg/m




D-A627
Name : support pole (8/9mm)
Thickness : 1.8mm
Weight : 0.59 kg/m



D-A575
Name : side cover (5mm)
Thickness : 2.0mm
Weight : 0.25 kg/m




D-A585
Name : moisture-proof strip
Thickness : 1.2mm
Weight : 0.23 kg/m



D-A575B
Name : collision cover
Thickness : 2.0mm
Weight : 0.26 kg/m

(2) Assembly Drawing (Can Make Double Panel Swing Door)



INVISIBLE DOOR SERIES

(3) Color Card & Hardware



Common Hardware



▼ board door panel keel connection bracket match D-A636/D-A638 (0071)



▼ corner piece of package set (without hole) (0062)



▼ wall covered outframe connection corner (0073)



▼ wall covered outframe connection bracket (0085)



▼ 50kg big side hidden hinge-black (3pec/set for one door) (0455)



▼ common side hidden hinge-black (3pec/set for one door) (0568)



▼ visible normal hinge-black (3pec/set for one door) (0132)



▼ anti-collision rubber for outer frame match D-A571 /573/576 (0087)



▼ mis handle lock with hidden key-black (0335)




▼ normal brand handle lock (0029)



▼ plastic lock base match 0029 (E45-10)



▼ mis Hydraulic cushioning suction (0403)



▼ aluminum honeycomb core for 9mm board installed 710MM LENGTH (one door one set) (0001)



▼ punching mold machine for ourframe corner holes (PM4501)



▼ 0.6*5.4m 9mm honeycomb (A-BT066)




▼ 1.22*2.75m 9mm carbon crystal plate (0273)



45 SERIES ECOLOGICAL DOOR MAGNETIC STYLE



Door bottom dust strip



45 MAGNETIC STYLE



▼ sub-frame



▼ main frame


INVISIBLE DOOR SERIES

(1) CAD——45 Series - Magnetic Model




D-A571

Name : main frame
Thickness : 1.4mm
Weight : 0.94 kg/m



D-A572

Name : sub-frame
Thickness : 1.2mm
Weight : 0.32 kg/m




D-A697

Name : support pole
Thickness : 1.8mm
Weight : 0.75 kg/m




D-A698

Name : side cover
Thickness : 2.0mm
Weight : 0.23 kg/m




D-A699

Name : side cover
Thickness : 2.0mm
Weight : 0.3 kg/m




D-A700

Name : side cover
Thickness : 1.3mm
Weight : 1.02 kg/m



D-A585


Name : moisture-proof strip
Thickness : 1.2mm
Weight : 0.23 kg/m



D-A470H

Name : cap
Thickness : 1.0mm
Weight : 0.62 kg/m

(2) Assembly Drawing



(3) Color Card & Hardware



Common Hardware



▼ board door panel keel connection bracket match D-A636/D-A638 (0071)



▼ corner piece of package set (without hole) (0062)



▼ wall covered outframe connection corner (0073)



▼ wall covered outframe connection bracket (0065)



▼ 50kg big side hidden hinge-black (3pec/set for one door) (0455)



▼ common side hidden hinge-black (3pec/set for one door) (0568)



▼ visible normal hinge-black (3pec/set for one door) (0132)



▼ anti-collision rubber for outer frame match D-A571 /573/576 (0087)



▼ mis handle lock with hidden key-black (0335)



▼ normal brand handle lock (0029)



▼ plastic lock base match 0029 (E45-10)



▼ mis Hydraulic cushioning suction (0403)



▼ aluminum honeycomb for 9mm board 700MM LENGTH (one door one set) (0002)



▼ punching mold machine for outframe corner holes (PM4501)



▼ 0.6*5.4m 9mm honeycomb (A-BT066)



▼ 1.22*2.75m 9mm carbon crystal plate (0273)


55 SERIES PAINTING INVISIBLE DOOR —GRAY STYLE



55 SERIES




▼ sub-frame



▼ main frame-push in

(1) CAD——55 Series (6mm Style)




D-A634

Name : main frame-push in
Thickness : 3.0mm
Weight : 1.58 kg/m




D-A732

Name : main frame-pull out
Thickness : 2.5mm
Weight : 1.72 kg/m




D-A572

Name : sub-frame
Thickness : 1.2mm
Weight : 0.32 kg/m




D-A636

Name : support pole (4/5mm)
Thickness : 2.0mm
Weight : 0.75 kg/m




D-A585

Name : moisture-proof strip
Thickness : 1.2mm
Weight : 0.23 kg/m




D-A596

Name : lower horizontal (4/5mm)
Thickness : 1.5mm
Weight : 0.86 kg/m




D-A470H

Name : cap
Thickness : 1.0mm
Weight : 0.62 kg/m




D-A647

Name : cover
Thickness : 1.4mm
Weight : 0.21 kg/m



D-A614

Name : F strip
Thickness : 1.0mm
Weight : 0.2 kg/m





D-A640


Name : side cover
Thickness : 1.4mm
Weight : 0.3 kg/m

INVISIBLE DOOR SERIES

(2) Assembly Drawing



(3) Color Card & Hardware



Common Hardware



▼ bracket for outer frame
match D-A634
(0064)



▼ board door panel keel
connection bracket match
D-A636/D-A638 (0071)



▼ wall covered outframe
connection corner
match D-A572 (0073)



▼ wall covered outframe
connection bracket
match D-A572 (0065)



▼ outer frame fixed
with wall connector
(0070)



▼ connect corner for the door
panel bottom and vertical frame
(0074)



▼ mis 3D adjust concealed
hinge-black 3pcs/set
(0027)



▼ PDS 3D adjust concealed
hinge-black 3pcs/set
(0095)



▼ 50kg big side hidden
hinge-black(3pec/set
for one door) (0055)



▼ common side hidden
hinge-black (3pec/set
for one door) (0068)



▼ visible normal hinge-black
(3pec/set for one door)
(0132)



▼ visible hinge set with soft close
function-black(two hydraulic
+ one load-bearing) (0110)



▼ mis concealed hinge set with
soft closing(Two hydraulic
+ one load-bearing) (0112)



▼ mis handle lock with
hidden key-black
(0335)



▼ normal brand
handle lock (0029)



▼ plastic lock base
match 0029 (E45-10)




▼ mis single side
handle lock (E50-18)



▼ mis hydraulic
cushioning suction
(0403)



▼ magnetic latch lock for
double opening door-black
(0164)



▼ aluminum honeycomb for
9mm board 700MM LENGTH
(one door one set) (0008)



▼ dust strips (0082)



▼ punching mold machine for
ourframe corner holes
(PM5003)



▼ 0.6*5.4m 9mm
honeycomb (A-BT066)



▼ anti-collision rubber for
outer frame match D-A633
(0314)

50 SERIES INVISIBLE DOOR REGULAR STYLE



50 SERIES



▼ main frame-push in




▼ main frame-pull out




▼ sub-frame

(1) CAD—50 Series




D-A633

Name : main frame-push in
Thickness : 3.0mm
Weight : 1.51 kg/m




D-A671

Name : main frame-pull out
Thickness : 3.0mm
Weight : 1.79 kg/m




D-A572

Name : sub-frame
Thickness : 1.2mm
Weight : 0.32 kg/m




D-A635

Name : support pole (4/5mm)
Thickness : 1.4mm
Weight : 0.61 kg/m




D-A636

Name : support pole (4/5mm)
Thickness : 2.0mm
Weight : 0.75 kg/m




D-A637

Name : support pole (4/5mm)
Thickness : 1.4mm
Weight : 0.61 kg/m




D-A638

Name : support pole (8/9mm)
Thickness : 2.0mm
Weight : 0.66 kg/m




D-A596

Name : lower horizontal frame (4/5mm)
Thickness : 1.5mm
Weight : 0.86 kg/m




D-A624

Name : lower horizontal frame (8/9mm)
Thickness : 1.5mm
Weight : 0.79 kg/m




D-A639

Name : main frame cover (5mm)
Thickness : 2.0mm
Weight : 0.308 kg/m




D-A641

Name : pins pads (9mm)
Thickness : 2.0mm
Weight : 0.26 kg/m




D-A681

Name : main frame cover (4mm)
Thickness : 1.8mm
Weight : 0.27 kg/m



D-A682


Name : pins pads (8mm)
Thickness : 1.8mm
Weight : 0.26 kg/m




D-A595

Name : cover (5/9mm)
Thickness : 1.6mm
Weight : 0.22 kg/m

INVISIBLE DOOR SERIES



(2) Assembly Drawing



(3) Color Card & Hardware



Common Hardware



▼ bracket for outer frame
match D-A633
(0064)



▼ board door panel keel
connection bracket match
D-A636/D-A638 (0071)



▼ wall covered outframe
connection corner
match D-A572 (0073)



▼ wall covered outframe
connection bracket
match D-A572 (0065)



▼ outer frame fixed
with wall connector
(0070)



▼ connect corner for the door
panel bottom and vertical frame
(0074)



▼ mis 3D adjust concealed
hinge-black 3pcs/set
(0227)



▼ PDS 3D adjust concealed
hinge-black 3pcs/set
(0095)



▼ 50kg big side hidden
hinge-black(3pec/set
for one door) (0455)



▼ common side hidden
hinge-black (3pec/set
for one door) (0568)



▼ visible normal hinge-black
(3pec/set for one door)
(0132)



▼ visible hinge set with soft close
function-black(two hydraulic
+ one load-bearing) (0110)



▼ mis concealed hinge set with
soft closing(two hydraulic
+ one load-bearing) (0112)



▼ mis handle lock with
hidden key-black
(0335)



▼ normal brand
handle lock (0029)



▼ plastic lock base
match 0029 (E45-10)




▼ mis single side
handle lock (E50-18)



▼ mis hydraulic
cushioning suction
(0403)



▼ magnetic latch lock for
double opening door-black
(0164)



▼ aluminum honeycomb for
9mm board 700MM LENGTH
(one door one set) (0008)



▼ dust strips (0082)



▼ punching mold machine for
ourframe corner holes
(PM5001)



▼ 0.6*5.4m 9mm
honeycomb (A-BT066)



▼ anti-collision rubber for
outer frame match D-A633
(0314)

50 SERIES OUTSIDE FLAT INWARD OPEN GLASS INVISIBLE DOOR




50 SERIES



▼ sub-frame

(1) CAD—50 Series Full Hidden Glass Door




D-A632

Name : main frame

Thickness : 1.4mm

Weight : 1.15 kg/m



D-A572

Name : sub-frame

Thickness : 1.2mm

Weight : 0.32 kg/m




KX-YM07

Name : glass door frame

Thickness : 3.5mm

Weight : 0.93 kg/m




D-A614

Name : F strip

Thickness : 1.0mm

Weight : 0.2 kg/m

(2) Assembly Drawing



SWING DOOR SERIES

(3) Color Card & Hardware



Common Hardware



▼ bracket for outer frame match D-A633 (0064)



▼ wall covered outframe connection corner match D-A572 (0073)



▼ wall covered outframe connection bracket match D-A572 (0065)



▼ outer frame fixed with wall connector (0070)



▼ 4.7X22.2 bracket for leaf frame match YM07 (0077)



▼ screw for door frame connection YM07-50mm length (07933)



▼ 50kg big side hidden hinge-black (3pec/set for one door) (0455)



▼ visible normal hinge-black (3pec/set for one door) (0132)



▼ anti-collision rubber for outer frame match D-A633 (0085)



▼ handle lock without key for glass panel-black (0358)



▼ mis hydraulic cushioning suction (0403)



▼ punching mold machine for ourframe corner holes (PM5004)



NICE 4010 OUTSIDE FLAT INWARD OPEN GLASS INVISIBLE DOOR WITH SOFT CLOSE



NICE SYSTEM




▼ vertical door frame



▼ vertical door frame

SWING DOOR SERIES

(1) CAD—Swing Door



D-A622

Name : vertical door frame

Thickness : 2.0mm

Weight : 0.86 kg/m




D-A623

Name : vertical door frame

Thickness : 2.0mm

Weight : 0.9 kg/m




D-A633

Name : buffer horizontal frame

Thickness : 1.6mm

Weight : 1.06 kg/m



D-A617A

Name : vertical frame

Thickness : 1.8mm

Weight : 0.82 kg/m



D-A632B

Name : door frame cover line

Thickness : 1.5mm

Weight : 0.46 kg/m




D-A619

Name : F strip

Thickness : 1.0mm

Weight : 0.23 kg/m




D-A621B

Name : wood edging

Thickness : 1.8mm

Weight : 0.168 kg/m




D-A625B

Name : positive outframe

Thickness : 1.8mm

Weight : 1.19 kg/m




D-A624

Name : closing

Thickness : 1.5mm

Weight : 0.92 kg/m



D-A626

Name : positive outframe

Thickness : 1.8mm

Weight : 0.89 kg/m




DX18A

Name : door frame cover

Thickness : 1.4mm

Weight : 0.4 kg/m



D-A470P


Name : clap

Thickness : 0.8mm

Weight : 0.67 kg/m

(2) Assembly Drawing


(A).4010 ULTRA-NARROW FLAT AND OPEN INSIDE + WITH DOOR STOPPER



SWING DOOR SERIES

(2) Assembly Drawing

(B).4010 ULTRA NARROW FLAT AND OPEN INSIDE



(3) Color Card & Hardware



Common Hardware



▼ D-A622 vertical door frame aluminium corner code (3.3*23.4) (11648)



▼ SK703 stainless steel corner screws (flat material) (09012)



▼ with screws group corner piece (14.6*1.8) (01620)



▼ D-A622 swing door lock (11961)



▼ top & bottom pivot hidden hinge for outframe (left) (11962)



▼ top & bottom pivot hidden hinge for outframe (right) (11963)



▼ anti-collision rubber strip for outframe (11964)



▼ double opening swing door top & bottom latch lock for (11965)



▼ outside flat inside opening double damping (12124)



▼ D-A622 corner-piecing jig (11969)



▼ punching machine(sash frame & outframe corner hole) (11968)

18MM ECOLOGICAL DOOR



18MM WOODEN PANEL INVISIBLE DOOR



18MM WOODEN PANEL INVISIBLE DOOR




▼ 18mm main outer frame




▼ 18mm board door frame

(1) CAD—18mm Wooden Panel Invisible Door




D-A734

Name : 18mm main outer frame
Thickness : 2.5mm
Weight : 1.394 kg/m




D-A735

Name : 18mm board door frame
Thickness : 2.0mm
Weight : 0.976 kg/m




D-A736

Name : 18mm door frame covered
Thickness : 1.5mm
Weight : 0.218 kg/m



D-A738

Name : 18mm board door panel keel
Thickness : 1.8mm
Weight : 0.801 kg/m




D-A737

Name : vertical sealing for double opening
Thickness : 1.5mm
Weight : 0.365 kg/m




XW-1804

Name : both side covered
Thickness : 0.9mm
Weight : 0.099 kg/m




XW-1805

Name : mid connect strip
Thickness : 0.7mm
Weight : 0.158 kg/m




XW-1806

Name : skirt line with light
Thickness : 1.0mm
Weight : 0.385 kg/m




XW-1801

Name : 90° corner strip
Weight : 0.171 kg/m



XW-1802

Name : 90° corner strip
Weight : 0.159 kg/m





XW-1803

Name : mid-connect strip
Thickness : 0.9mm
Weight : 0.114 kg/m

18MM ECOLOGICAL DOOR

(2) Assembly Drawing





(3) Hardware

Common Hardware



▼ outer frame fixed with wall connector match (0157)



▼ board door panel keel connection bracket match D-A735 (90071)



▼ mis 3D adjust concealed hinge-black 3pcs/set (0227)



▼ concealed hinge set with soft closing (two hydraulic + one load-bearing) 07488



▼ anti-collision rubber for outer frame match D-A633 (0314)



▼ mis handle lock with hidden key-black (0335)



▼ mis single side handle lock (E50-18)



▼ mis hydraulic cushioning suction (0403)



▼ magnetic latch lock for double opening door -black (0164)



▼ customized: punching mold for ourframe corner holes & bottom beam cover gap (PM1801)

45 SERIES ALUMINUM WOODEN HANGING SLIDING DOOR



45 STYLE




▼ horizontal door frame



▼ wooden board door
panel frame

(1) CAD—45 Series Aluminum Wooden Hanging Sliding Door



KX-WM037

Name : wooden board door panel frame
Thickness : 2.0mm
Weight : 1.04 kg/m



(for double side glass)


KX-WM042

Name : double glass door panel frame
Thickness : 2.0mm
Weight : 0.7 kg/m




KX-WM036

Name : horizontal door frame
Thickness : 1.3 mm
Weight : 0.68 kg/m




KX-WM03

Name : single hanging rail
Thickness : 2.5mm
Weight : 0.94 kg/m




KX-WM02

Name : double hanging rail
Thickness : 2.5mm
Weight : 2.34 kg/m



KX-WM01

Name : triple hanging rail
Thickness : 2.5mm
Weight : 3.42 kg/m




KX-WM08

Name : door vertical outer frame
Thickness : 1.2mm
Weight : 0.55 kg/m




KX-WM07

Name : two door vertical outer frame
Thickness : 1.3mm
Weight : 0.98 kg/m



KX-WM06

Name : triple door vertical outer frame
Thickness : 1.3mm
Weight : 1.34 kg/m




KX-WM013

Name : closing
Thickness : 1.5mm
Weight : 0.35 kg/m



KX-WM14

Name : top track bottom side cover
Thickness : 1.1mm
Weight : 0.096 kg/m




KX-WM015

Name : top track bottom middle cover
Thickness : 1.1mm
Weight : 0.16 kg/m

45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES

(1) CAD—45 Series Aluminum Wooden Hanging Sliding Door




KX-WM017

Name : vertical interlock frame

Thickness : 1.1mm

Weight : 0.23 kg/m




KX-WM16

Name : linear rail cover

Thickness : 1.1mm

Weight : 0.15 kg/m



KX-WM041

Name : vertical frame decorative strips

Thickness : 1.6mm

Weight : 0.23 kg/m




KX-WM034

Name : vertical outframe cover

Thickness : 1.2mm

Weight : 0.094 kg/m




KX-WM035

Name : edge frame

Thickness : 1.0mm

Weight : 0.42 kg/m



KX-WM038

Name : vertical door panel frame

Thickness : 2.0mm

Weight : 0.29 kg/m



KX-WM039

Name : vertical interlock frame

Thickness : 2.0mm

Weight : 0.3 kg/m



KX-WM040


Name : vertical frame excipients

Thickness : 1.0mm

Weight : 0.14 kg/m

(2) Assembly Drawing




(A).HIDDEN ALUMINUM-WOOD HANGING SLIDING DOOR



45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES





(2) Assembly Drawing

(B).NON-HIDDEN ALUMINUM-WOOD HANGING SLIDING DOOR



(2) Assembly Drawing






(A).HIDDEN DOUBLE SIDE GLASS HANGING SLIDING DOOR



45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES

(2) Assembly Drawing

(B).NON-HIDDEN DOUBLE SIDE GLASS HANGING SLIDING DOOR



(3) Color Card & Hardware



Common Hardware



▼ insert magnetic handle (0246)



▼ Screw for WN036 & WN037 connection (0282)



▼ 3M double-sided tape (0293)



▼ structural silicone adhesive (0280)




▼ 2750*1220*29mm inside filling honeycomb plate (0248)




▼ (aluminum-wood) single door pulley set (0277)



▼ (aluminum-wood) triple linkage middle door set (0279)



▼ 1.8*3.3 rubber for door panel vertical frame (0276)



▼ brush strip for top & bottom frame & vertical interlock frame (0281)

45 ALUMINUM WOOD GHOST DOOR /DOUBLE SIDE GLASS GHOST DOOR



45 STYLE




▼ horizontal door frame



▼ wooden board door
panel frame


45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES

(1) CAD—45 Aluminum Wood Ghost Door/Double Side Glass Ghost Door



KX-WM037


Name : wooden board door panel frame
Thickness : 2.0mm
Weight : 1.04 kg/m



(for double side glass)


KX-WM042

Name : double glass door panel frame
Thickness : 2.0mm
Weight : 0.7 kg/m




KX-WM036

Name : horizontal door frame
Thickness : 1.3 mm
Weight : 0.68 kg/m




KX-WM018

Name : upper rail cover
Thickness : 1.0mm
Weight : 0.37 kg/m



KX-WM019

Name : horizontal outer frame top track
Thickness : 1.5mm
Weight : 0.87 kg/m



KX-WM020

Name : vertical wall covered outer frame
Thickness : 1.5mm
Weight : 0.82 kg/m




KX-WM021

Name : horizontal outer bottom track
Thickness : 2.0mm
Weight : 0.4 kg/m




KX-WM022

Name : horizontal bottom track base
Thickness : 1.2mm
Weight : 0.15 kg/m



KX-WM023

Name : single cover strip
Thickness : 1.0mm
Weight : 0.2 kg/m




KX-WM038

Name : cover
Thickness : 2.0mm
Weight : 0.29 kg/m



KX-WM040

Name : vertical honeycomb connection
Thickness : 1.0mm
Weight : 0.14 kg/m




KX-WM041

Name : vertical frame decorative strips
Thickness : 1.6mm
Weight : 0.23 kg/m

45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES






(2) Assembly Drawing

(A).45 ALUMINUM WOOD GHOST DOOR



(2) Assembly Drawing

(B).DOUBLE SIDE GLASS GHOST DOOR



45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES

(3) Color Card & Hardware



Common Hardware



▼ insert magnetic handle (0246)



▼ Screw for WN036 & WN037 connection (0282)



▼ 3M double-sided tape (0293)



▼ structural silicone adhesive (0280)



▼ 2750*1220*29mm inside filling honeycomb plate (0248)



▼ wall covered outframe connection corner match D-A572 & WM019 & WM020




▼ wall covered outframe connection bracket match D-A572 & WM019 & WM020




▼ ghost door fittings set



▼ ghost door wheels accessories set



▼ 1.8*3.3 rubber for door panel vertical frame (0276)



▼ brush strip for top & bottom frame & vertical interlock frame (0281)



45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES

45 ALUMINUM WOOD POCKET DOOR /DOUBLE SIDE GLASS POCKET DOOR



45 STYLE




▼ horizontal door frame



▼ wooden board door
panel frame


45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES

(1) CAD—45 Aluminum Wood Pocket Door/Double Side Glass Pocket Door




KX-WM037

Name : door panel frame
Thickness : 2.0mm
Weight : 1.04 kg/m



KX-WM036

Name : horizontal door frame
Thickness : 1.3 mm
Weight : 0.68 kg/m




KX-WM024

Name : pocket door wall panel
Thickness : 1.5 mm
Weight : 0.35 kg/m




KX-WM018

Name : pocket door U-shaped positioning strip
Thickness : 1.0mm
Weight : 0.126 kg/m




KX-WM026

Name : single cover F strip
Thickness : 1.0mm
Weight : 0.17 kg/m



KX-WM027

Name : double cover F strip
Thickness : 1.0mm
Weight : 0.24 kg/m




KX-WM030

Name : track splice strip
Thickness : 1.1mm
Weight : 0.21 kg/m



KX-WM028

Name : pocket door sealing plate
Thickness : 1.0mm
Weight : 0.62 kg/m



KX-WM029

Name : embed F strip
Thickness : 1.0mm
Weight : 0.105 kg/m




KX-WM038

Name : cover
Thickness : 2.0mm
Weight : 0.29 kg/m



KX-WM040

Name : vertical frame excipients
Thickness : 1.0mm
Weight : 0.14 kg/m





KX-WM041

Name : vertical frame decorative strips
Thickness : 1.6mm
Weight : 0.23 kg/m

(2) Assembly Drawing



(A).HIDDEN ALUMINUM WOODEN POCKET DOOR



45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES



(2) Assembly Drawing

(B).NON-HIDDEN ALUMINUM WOODEN POCKET DOOR



(2) Assembly Drawing






(A).HIDDEN DOUBLE SIDE GLASS POCKET DOOR



45 PERFECT SYSTEM ALU-WOODEN DOOR SERIES

(2) Assembly Drawing

(B).NON-HIDDEN DOUBLE SIDE GLASS POCKET DOOR



(3) Color Card & Hardware



Common Hardware



▼ insert magnetic handle (0246)



▼ Screw for WN036 & WN037 connection (0282)



▼ 3M double-sided tape (0293)



▼ structural silicone adhesive (0280)




▼ 2750*1220*29mm inside filling honeycomb plate (0248)




▼ (aluminum-wood) single door pulley set (0277)



▼ pocket door accessories bouncer (0290)



▼ 1.8*3.3 rubber for door panel vertical frame (0276)



▼ brush strip for top & bottom frame & vertical interlock frame (0281)



GET THE LATEST

aluminum profiles and hardware for any project, with our
superior stock and R&D capabilities

Foshan Waybom Aluminum Co.,Ltd

Show Room Address: WAYBOM ALUMINUM, Building B, No. 1, Tiedun Industrial Zone, Zhongbian Avenue,
Nanhai District, Foshan, Guangdong, China

www.wb-aluminum.com/ Follow us on [waybom_aluminum](#)

