





 Waybom Aluminum

40 Perfect System


One profile for **8** types of doors.




Hanging Sliding Door




Sliding Door




Synchronized Sliding Door




Folding Door




Swing Door



Pocket Door



Ghost Door




Pivot Door




SLIDING DOOR — 4010/4012/4016




40 PERFECT SYSTEM SERIES




(1) CAD — Sliding Door/Sliding Door Without Bottom Track




SK732A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459
Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m



(for install top locks)
SK814
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m




OPK-A203-40
Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m




OPK-A204-40
Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.29 kg/m




SK823
Name : arc door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK824
Name : arc door frame (interior lock)
Thickness : 1.5mm
Weight : 0.28 kg/m




SK790
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




(for install top locks)
SK818
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.43 kg/m



D523
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




D5204
Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.27 kg/m



SK821A
Name : arc door frame
Thickness : 1.5mm
Weight : 0.21 kg/m




SK822A
Name : arc door frame (interior lock)
Thickness : 1.5mm
Weight : 0.26 kg/m




SK734A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m


(1) CAD——Sliding Door/Sliding Door Without Bottom Track




D498
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.72 kg/m




(for install top locks)
SK817
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




D497
Name : vertical door frame
Thickness : 4.0mm
Weight : 0.64 kg/m



SK733A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m




(for install top locks)
SK815
Name : vertical door frame
Thickness : 3.0mm
Weight : 0.51 kg/m




OPK-A229B
Name : door frame
Thickness : 1.5mm
Weight : 0.23 kg/m




SK794B
Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.24 kg/m




SK731A
Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m




SK727
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




SK728
Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.72 kg/m




SK661
Name : lock profile for 1+ 1
Thickness : 1.0mm
Weight : 0.33 kg/m



SK598
Name : door frame collision cover
Thickness : 1.3mm
Weight : 0.24 kg/m





OPK-A206
Name : 45 degrees corner
Thickness : 1.5mm
Weight : 0.42 kg/m



OPK-A207
Name : collision cover
Thickness : 1.5mm
Weight : 0.36 kg/m

(2) Assembly Drawing

(A).45 DEGREES CONVERTER




corner option A




corner option B



1+1 middle cover




1+1 middle cover




40 system universal corner

(2) Assembly Drawing


(B).SLIDING DOOR WITHOUT BOTTOM TRACK




(C).SLIDING DOOR WITH BOTTOM RAIL




(3) CAD—Perfect System Mid Slim Door




SK738
Name : mid slim horizontal door frame
Thickness : 2.0mm
Weight : 1.17 kg/m



SK737
Name : mid slim vertical door frame (thick)
Thickness : 3.8mm
Weight : 1.22 kg/m




SK736
Name : mid slim vertical door frame (thin)
Thickness : 1.8mm
Weight : 0.97 kg/m




ZH192
Name : mid slim medium horizontal frame
Thickness : 1.2mm
Weight : 0.76 kg/m




SK739H
Name : mid slim cover
Thickness : 1.2mm
Weight : 0.15 kg/m



SK741
Name : mid slim vertical door frame with hooks
Thickness : 1.2mm
Weight : 0.19 kg/m






SK742
Name : mid slim top & bottom frame
Thickness : 1.5mm
Weight : 0.30 kg/m



GT068
Name : lattice
Thickness : 1.0mm
Weight : 0.33 kg/m



(4) Assembly Drawing






(5) CAD

(A).SLIDING DOOR WITHOUT BOTTOM TRACK



(5) CAD

(B).SLIDING DOOR WITH BOTTOM RAIL



(5) CAD

(C).UNIVERSAL PROFILES

BF179
Name : single rail side column profile
Thickness : 1.2mm
Weight : 0.56 kg/m

BF180
Name : double rail side column profile
Thickness : 1.2mm
Weight : 0.9 kg/m

BF181
Name : triple rail side column profile
Thickness : 1.3mm
Weight : 1.26 kg/m

BF182
Name : four rail side column profile
Thickness : 1.4mm
Weight : 1.81 kg/m

BF153
Name : cap for side column profile
Thickness : 1.2mm
Weight : 0.094 kg/m

OPK-A301
Name : cap
Thickness : 1.0mm
Weight : 0.66 kg/m

D-A470
Name : door casing profile
Thickness : 0.8mm
Weight : 0.67 kg/m

BT060
Name : door casing profile
Thickness : 0.8mm
Weight : 0.68 kg/m


BT068
Name : semi-recessed F trim
Thickness : 1.0mm
Weight : 0.118 kg/m

S015
Name : rail Inclusive F strip
Thickness : 1.0mm
Weight : 0.147 kg/m

BT070H
Name : door casing trim
Thickness : 1.2mm
Weight : 0.42 kg/m

BT058H
Name : trim
Thickness : 1.2mm
Weight : 0.36 kg/m

(6) Color Card & Hardware



Common Hardware

▼ square U shape handle for SK732 & SK790 (10108)

▼ perfect handle

▼ perfect sliding door handle lock for SK732 (09764)

▼ lock with key

▼ square adhesive handle

▼ synchronize door for both side fixed frame accessory (WB0001)

▼ perfect sliding door handle lock (08731)

▼ roller set (for the panel need to work together)for the middle panel (left direction) 08729

▼ roller set (for the panel need to work together)for the middle panel (right direction) 09803

▼ roller set match OPK-A102H high track for synchronize door left panel (11334)

▼ roller set match OPK-A102H high track synchronize door right panel (08611)

▼ perfect sliding door mid-door set-8726

▼ synchronize door for both side fixed frame top& bottom rail match customized 2#

▼ screw for SK790 & SK731 connection(08609)

▼ 3.4*4 brush strip for interlock vertical frame(10853)

▼ plastic for connecting two tracks together

▼ for two doors pocket door accessories (9025+9731+9530+8729)

▼ tooling for locating the screw hole(09251)

▼ belt clamp




SWING DOOR — 4010/4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame



▼ 4016 door frame



▼ 4016 solid door frame



▼ 4010 door frame




▼ 4010 beveled door frame




▼ 4050 door frame


(1) CAD — Swing Door




SK732A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459
Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




SK790
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




OPK-A203-40
Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m



D523
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK734A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




SK733A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m




OPK-A229B
Name : door frame
Thickness : 1.5mm
Weight : 0.23 kg/m




SK731A
Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m




D-A630
Name : closing
Thickness : 1.2mm
Weight : 0.63 kg/m




BT058H
Name : trim
Thickness : 1.2mm
Weight : 0.36 kg/m




D-A563H
Name : push in door Jamb
Thickness : 1.2mm
Weight : 0.84 kg/m





D-A613
Name : semi-recessed door frame
Thickness : 1.2mm
Weight : 0.79 kg/m




D-A566
Name : push in door Jamb
Thickness : 1.2mm
Weight : 0.63 kg/m




(2) Assembly Drawing







(3) CAD——Swing Door (Mid Slim Swing Door)




SK780
Name : door frame
Thickness : 1.2mm
Weight : 0.62 kg/m




D-A614
Name : front wall cover
Thickness : 1.1mm
Weight : 0.8 kg/m




H682A
Name : wall cover
Thickness : 1.1mm
Weight : 0.52 kg/m




D-A615
Name : reverse wall cover
Thickness : 1.1mm
Weight : 0.82 kg/m




GT044
Name : lattice
Thickness : 0.8mm
Weight : 0.1 kg/m



D-A630
Name : closing
Thickness : 1.2mm
Weight : 0.63 kg/m




D-A550
Name : F-strip
Thickness : 1.0mm
Weight : 0.09 kg/m




D-A470
Name : grommets
Thickness : 0.8mm
Weight : 0.67 kg/m

(4) Assembly Drawing



(5) Color Card & Hardware



Common Hardware

▼ screw for SK732&SK731 (08609)	▼ handle lock for SK732 with and with key and magnetic (07488)	▼ top & bottom pivot hidden hinge for outframe (07908)	▼ side hidden two-dimensional hinge	▼ perfect air hinge base (09272)
▼ wall covered outframe bracket connector (07458)	▼ option: bracket for outer frame (match side hidden hinge) 07859	▼ option: normal visible hinge (3 pcs) 10995	▼ 5.4 rubber strip for outframe (07043)	▼ punching mold (07924)
▼ swing door outer frame fixed wall connect accessory (08608)	▼ latch lock for double open vertical sealing profile (11965)	▼ normal hinge	▼ invisible hinge	



GHOST DOOR SERIES — 4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame




▼ 4016 door frame




▼ 4016 solid door frame


(1) CAD——Ghost Door Series




SK732A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459
Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




SK790
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m



OPK-A203-40
Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m





S523
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK731A
Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m

(2) Assembly Drawing



(3) Color Card & Hardware



Common Hardware



ghost door fittings set (10233)



screw for SK732&SK731 (08609)



perfect air hinge base (09272)



ghost door wheels accessories set



ghost door fittings set




SOFT CLOSING PIVOT DOOR SERIES
— 40I2/40I6




40 PERFECT SYSTEM SERIES




(1) CAD——Soft Closing Pivot Door Series




SK732A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459
Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




SK790
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m



OPK-A203-40
Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m





S523
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK731A
Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m

(2) Assembly Drawing





(3) Color Card & Hardware



Common Hardware



▼ new center axis door accessories (DZ-2036)



▼ new offset axis door accessories (D-1062)



▼ slim revolving door fittings (09870)



▼ screw for SK732&SK731 (08609)




POCKET DOOR SERIES — 40I2/40I6



40 PERFECT SYSTEM SERIES



▼ 40I2 door frame




▼ 40I6 door frame




▼ 40I6 solid door frame


(1) CAD——Pocket Door Series




SK732A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459
Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




(for install top locks)
SK814
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m



OPK-A203-40
Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m




SK823
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK790
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




(for install top locks)
SK818
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.43 kg/m




D523
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK821A
Name : door frame
Thickness : 1.5mm
Weight : 0.21 kg/m



SK734A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




D498
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.72 kg/m




(for install top locks)
SK817
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m


(1) CAD——Pocket Door Series




D497
Name : vertical door frame
Thickness : 4.0mm
Weight : 0.64 kg/m




(for install top locks)
SK817
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




(for install top locks)
SK815
Name : vertical door frame
Thickness : 3.0mm
Weight : 0.51 kg/m




OPK-A229B
Name : door frame
Thickness : 1.5mm
Weight : 0.23 kg/m




SK731A
Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m




OPK-A326
Name : connecting strip
Thickness : 1.2mm
Weight : 0.24 kg/m




OPK-A329
Name : frames
Thickness : 1.0mm
Weight : 0.24 kg/m




OPK-A327
Name : outer frame cover
Thickness : 1.0mm
Weight : 0.126 kg/m




OPK-A205
Name : door casing profile
Thickness : 1.0mm
Weight : 0.56 kg/m



OPK-A328
Name : outer frame cover
Thickness : 1.0mm
Weight : 0.177 kg/m




OPK-A310
Name : hanging rail side cover
Thickness : 1.4mm
Weight : 0.078 kg/m




OPK-A308A
Name : concealed track cap
Thickness : 1.0mm
Weight : 0.18 kg/m

(2) Assembly Drawing



(3) Color Card & Hardware



Common Hardware



▼ square U shape handle for SK732 & SK790 (10108)



▼ side handle for pocket door (10286)



▼ perfect sliding door handle lock for SK732 (09764)



▼ Rubber for top track (between track and ceiling, reduce the noise) (08606)



▼ screw for SK790 & SK731 connection (08609)



▼ perfect system pocket door bouncer set (09530)



▼ perfect sliding door handle lock (08731)



FRENCH VINTAGE DOOR SERIES
— 4010/4012/4016



40 PERFECT SYSTEM SERIES



▼ 4012 door frame



▼ 4016 door frame




▼ 4016 solid door frame




▼ 4010 beveled door frame

(1) CAD——French Vintage Door Series (Sliding/Swing Door Series)


(A) STYLES A




SK732A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




D459
Name : vertical door frame
Thickness : 4.0mm
Weight : 0.79 kg/m




OPK-A203-40
Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m




OPK-A204-40
Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.29 kg/m



(for install top locks)
SK814
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.49 kg/m




SK823
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




SK824
Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.28 kg/m


(B) STYLES B




SK734A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




D498
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.72 kg/m



(for install top locks)
SK817
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.51 kg/m




OPK-A229B
Name : door frame
Thickness : 1.5mm
Weight : 0.23 kg/m




SK794B
Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.24 kg/m


(C) STYLES C




SK790
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




D523
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m




D5204
Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.27 kg/m



(for install top locks)
SK818
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.43 kg/m




SK821A
Name : door frame
Thickness : 1.5mm
Weight : 0.21 kg/m




SK822A
Name : door frame (interior lock)
Thickness : 1.5mm
Weight : 0.26 kg/m


(D).UNIVERSAL PROFILES




S473
Name : rounded lattice
Thickness : 1.0mm
Weight : 0.076 kg/m




S472
Name : checkered stripes
Thickness : 1.2mm
Weight : 0.11 kg/m




GT069
Name : decorative strip
Thickness : 1.5mm
Weight : 0.17 kg/m




GT066
Name : decorative strip (for aluminum)
Thickness : 1.5mm
Weight : 0.52 kg/m




GT065H
Name : B-type middle horizontal
Thickness : 1.5mm
Weight : 0.43 kg/m




GT064
Name : decorative strip (for glass)
Thickness : 1.5mm
Weight : 0.169 kg/m




GT063
Name : decorative strip (for aluminum)
Thickness : 1.5mm
Weight : 0.429 kg/m



GT075
Name : centre cross
Thickness : 1.0mm
Weight : 0.25 kg/m




GT074
Name : centre cross
Thickness : 1.0mm
Weight : 0.51 kg/m




GT071A
Name : decorative strip
Thickness : 0.7mm
Weight : 0.54 kg/m

(2) Assembly Drawing


(A). SWING SERIES




(B). SLIDING SERIES



(3) Color Card & Hardware



Common Hardware

 ▼ screw for SK790 & SK731 connection(08609)	 ▼ swing door lock	 ▼ 40 system air hinge (not divided into left and right) (07908)	 ▼ perfect air hinge base (09272)	 ▼ (covered)5.4 sponge leather strip-7043(07043)	 ▼ 5.4 door frame strips(new)
 ▼ side hidden two-dimensional hinge	 ▼ center column plastic base-6883	 ▼ ZH187 milling cutter (SK561)-6880	 ▼ ZHT124 L-shaped plug-8138	 ▼ ZHT190 mid-horizontal splicing base-8136	 ▼ decorative strip acrylic glue-8139(10579)
 ▼ ZHT128 pumpkin lock (gold)-8135	 ▼ 8MM aluminum panel (white)-8141	 ▼ 8MM aluminum panel (white)-8140			



INTERIOR FOLDING DOOR SERIES
—— 40I2/40I6



40 PERFECT SYSTEM FRAME




▼ 4016 door frame




▼ 4012 door frame


(1) CAD——Folding Door Series




SK732A
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.48 kg/m




SK790
Name : vertical door frame
Thickness : 5.0mm
Weight : 0.69 kg/m




OPK-A203-40
Name : door frame
Thickness : 1.5mm
Weight : 0.27 kg/m




D523
Name : door frame
Thickness : 1.5mm
Weight : 0.24 kg/m



SK731A
Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.78 kg/m




OPK-A101H
Name : hanging rail
Thickness : 2.5mm
Weight : 1.35 kg/m




D163A
Name : closing
Thickness : 1.5mm
Weight : 0.28 kg/m



D162A
Name : rail bottom side-cover
Thickness : 1.4mm
Weight : 0.10 kg/m






(equal width folding)
C378
Name : vertical outer frame
Weight : 0.8 kg/m




(equal width folding)
C379
Name : vertical outer frame
Weight : 0.55 kg/m

(2) Assembly Drawing



(3) Color Card & Hardware



Common Hardware

▼ screw for SK790 & SK731 connection (08609)

▼ rubber for top track (between track and ceiling, reduce the noise) (08606)

▼ tooling for locating the screw hole (09251)

▼ folding door hardware set for 2.5 door panels (L/R) (07488, CA480018-001, CN122840A)

▼ folding door vertical synchronous rod (per door one set) (07488, A1942-X001, OPK-A384)

▼ folding door hardware set for first and second panel (L/R) (07488, CA480017-021, CN123212A)

(4) CAD——Special Design

(A).CARD 10MM GLASS OR 5+5 GLUED GLASS

OPK-A202-40
Name : vertical door frame
Thickness : 1.5mm
Weight : 0.46 kg/m


S988
Name : vertical door frame
Thickness : 2.0mm
Weight : 0.53 kg/m

S987
Name : vertical door frame
Thickness : 2.0mm
Weight : 0.51 kg/m

OPK-A201-40
Name : top and bottom frame
Thickness : 1.5mm
Weight : 0.79 kg/m

S668
Name : glass divider
Thickness : 1.5mm
Weight : 0.6 kg/m

S989
Name : glass divider
Thickness : 1.5mm
Weight : 0.56 kg/m




D145
Name : glass divider
Thickness : 1.5mm
Weight : 0.44 kg/m



(5) Assembly Drawing

(A).SLIDING DOOR WITHOUT BOTTOM TRACK



40 PERFECT SYSTEM SERIES

(B).SLIDING DOOR WITH BOTTOM RAIL

