

GET THE LATEST

Aluminum profiles and hardware for any project, with our superior stock and R&D capabilities.

ALUMINUM EXTERIOR DOOR AND WINDOW CATALOG

Foshan Waybom Aluminum Co.,Ltd

Show Room Address: WAYBOM ALUMINUM, Building B, No. 1, Tiecun Industrial Zone, Zhongbian Avenue, Nanhai District, Foshan, Guangdong, China

 www.wb-aluminum.com/ |
  Follow us on: [waybom_aluminum](#)



WAYBOM ALUMINUM

SPECIALIZING IN ALUMINUM PROFILES FOR DOORS, WINDOWS, AND CABINETS FOR OVER 15 YEARS

COMPANY PROFILE

Dear valued customers, welcome to Waybom Aluminum! We are a professional manufacturer of high-quality aluminum profiles for interior and exterior doors, with over 15 years of experience in the industry.

We specialize in producing aluminum profiles for a range of door types, including bi-folding doors, sliding doors, swing doors. At Waybom Aluminum, we understand the importance of having everything in one place, that's why we supply all related hardware to ensure that you can get everything you need from us.

Our state-of-the-art facility includes our own aluminum extruding lines and powder coating workshop, which allows us to ensure that each order is of the same color and design. We also have more than 5000 tons of stock available, which means that we can supply any quantity without a MOQ. For products in stock, we can deliver in just 7 days.

At Waybom Aluminum, we are committed to providing our customers with customized solutions that meet their unique design requirements. Our team of experts can work with you to create custom solutions according to your specific needs.

We also have an R&D department that ensures we have the newest designs in the market. Whether you are a distributor or fabricator, you can count on us to provide you with all the support you need.

Thank you for considering Waybom Aluminum for your aluminum profile and hardware needs. We look forward to working with you and providing you with the highest quality products and services.



CATALOG

SLIDING SYSTEM

01

A. 150 panoramic sliding door	P 01
B. 150 panoramic sliding window	P 12
C. ZP150 motorized vertical sliding window	P 16
D. 130+195 heavy-duty lift sliding door	P 21
E. 130 lift sliding window	P 29
F. 128 floating sliding window	P 35
G. 50 slim sliding door	P 43

02

CASEMENT SYSTEM

A. DFZ 110 casement window	P 54
B. PJ90 casement window	P 64
C. Casement door bottom threshold series	P 72

03

FOLDING SYSTEM

A. 50 vertical lift window	P 73
B. 45/50/60 vertical folding window	P 76
C. 42 free folding door/window	P 80
D. 68pro fully sealed folding door	P 84
E. 68 heavy duty folding door	P 88
F. 75KS medium narrow folding door	P 94
G. 75 heavy duty folding door	P 99

04

ENTRANCE DOOR SYSTEM

A. Thermal break pivot entrance door	P 103
B. Thermal break entrance door with side hinge	P 107
C. Thermal break entrance door with a view	P 110
D. Non-thermal break entrance door	P 113
E. Glass pivot entrance door	P 117

150 Panoramic Sliding Door >>>




Product Features :

- ① Sleek 25mm frame for breathtaking views.
- ② Massive yet stable panels (3m x 6m, 1000kg load).
- ③ Flush, self-draining track for all weather. Smooth, rock-solid operation.


>>> SLIDING SYSTEM




► Two Track




JNW-CT1798F2
double top tracks and side seals
Weight : 3.44 kg/m




JNW-CT1805F2
pre-embedded double bottom tracks
Weight : 3.7 kg/m




JNW-XT1890
additional drainage channels
Weight : 1.16 kg/m




JNW-CT1887F2
double-track vertical drainage
Weight : 3.1 kg/m




JNW-CT1861F
intelligent double top tracks
Weight : 2.9 kg/m



JNW-XT1863
intelligent track with additional material in the middle
Weight : 1.62 kg/m




JNW-XT1864
motor support plate
Weight : 0.9 kg/m




JNW-CT1862F
intelligent additional top track
Weight : 4.5 kg/m


► Three Track



JNW-CT1811F3
three-track top tracks and side seals
Weight : 5.25 kg/m



JNW-CT1813F3
panoramic door with three-track bottom tracks
Weight : 5.54 kg/m




JNW-CT1805F3
three-track pre-embedded bottom tracks
Weight : 5.61 kg/m

**JNW-XT1883**


diamond mesh cover
Weight : 0.168 kg/m

**JNW-XT1884**


diamond mesh strip
Weight : 0.42 kg/m

**JNW-XT1812D**


panoramic door with double hooks frame
Weight : 1.53 kg/m

**JNW-XT1863**


intelligent track with additional material in the middle
Weight : 1.62 kg/m

**JNW-CT1881F3**


intelligent three-track top tracks
Weight : 4.24 kg/m

**JNW-CT1882F3**


intelligent three-track top track
Weight : 6.05 kg/m

**JNW-XT1890**

additional drainage channel
Weight : 2.1 kg/m

**JNW-CT1891F3**


three-track vertical drainage
Weight : 4.69 kg/m

► **Four Track****JNW-CT1811F4**


four-track top track, side seal
Weight : 7.0 kg/m

**JNW-XT1817**

frame center cover plate
Weight : 0.34 kg/m

**JNW-CT1813F4**


panoramic door four-track bottom track
Weight : 7.35 kg/m

► **Five Track****JNW-CT1811F5**


five-track top track, side seal
Weight : 8.82 kg/m

**JNW-XT1817**

frame center cover plate
Weight : 0.34 kg/m

**JNW-CT1813F5**

panoramic door five-track bottom track
Weight : 9.29 kg/m

► **Universal Profiles****JNW-XT1803F**


suspension track
Weight : 0.94 kg/m

**JNW-XT1806F**

suspension side cover
Weight : 0.178 kg/m

**JNW-XT1807**


suspension middle cover
Weight : 0.42 kg/m

**JNW-XT1818**


tile-style suspension track
Weight : 1.071 kg/m

**JNW-XT1810**


tile side cover
Weight : 0.189 kg/m

**JNW-XT1815**


tile center cover
Weight : 0.42 kg/m

**JNW-CT1865F**


intelligent electric door panel
Weight : 3.18 kg/m

**JNW-CT1915F**


4.0 door panel
Weight : 3.81 kg/m

**JNW-CT1918F**


single handle door panel
Weight : 2.73 kg/m


JNW-CT1801F


panoramic door top frame
Weight : 1.15 kg/m


JNW-CT1802F


panoramic door bottom frame
Weight : 1.81 kg/m


JNW-XT1816


frame cover plate
Weight : 0.35 kg/m


JNW-XT1913


6.0 reinforced vertical door frame with hook
Weight : 6.3 kg/m


JNW-XT1919


6.0 vertical door frame with hook
Weight : 1.43 kg/m


JNW-XT1808D


panoramic door vertical door frame with hook
Weight : 2.1 kg/m


JNW-XT1893


panoramic door closure
Weight : 0.63 kg/m


JNW-XT1892


lock slot
Weight : 0.57 kg/m


JNW-XT1740E

invisible door cover frame
Weight : 0.94 kg/m


JNW-XT1877



drainage cover
Weight : 0.63 kg/m



JNW-XT1804

additional drainage track
Weight : 1.31 kg/m


▶ Assembly Diagram

TWO TRACK







(intelligent electric double-track double-opening)




(intelligent electric double-opening)




THREE TRACK




(three-track three-panel opening)




(three-track six-panel opening)




(intelligent three-panel opening)




(intelligent three-panel opening)




(intelligent three-panel opening)




(Non-intelligent) three-panel opening or three-track double-opening + six-panel opening with diamond mesh



FOUR TRACK



FIVE TRACK



► Accessories



top track roller
(Positioning wheel) -2pcs/panel



steel bottom track roller
(Load-bearing wheels
150kg/pcs)-2-8pcs/panel



side lock



plastic accessories for two track
(anti-collision parts, handle top
& bottom covered, windproof parts,
vertical outer frame covered)



anti-collision rubber for
vertical interlock frame(left)



lock point



smart fingerprint
password lock



electric motor-load-bearing 300kg
bluetooth remote control
smart door and window controller 3C



5*4 brush strip for top track
and vertical outer frame



solid stainless steel rail for
bottom track (more than 250kg)



I shape handle



I shape handle



face recognition
system switch



infrared sensor anti
-collision system



human body
sensor switch



16.5*12.4 bracket for
outer frame connection




sealing anti-collision rubber
strip for vertical outer frame
match JNW-XT1809



plastic anti-collision strip
base for vertical interlock frame
match JNW-XT1808D




anti-collision rubber for vertical
interlock frame match 8559



punching mold for drainage
holes and screw holes


150 Panoramic Sliding Window >>>




Technical Specifications :

Parameter	Specification
Profile Width	25mm
Max. Single Panel Size	3000mm (H)x6000mm (w)
Max. Load Capacity	1000kg / panel
Glass Thickness	10-36mm(Customizable)
Track System	High-profile track, hidden recessed track, tile-embedded linear track
Operation	Smooth Interlock & Stacking


► 150 Panoramic Sliding Window

**JNW-CT1798F2**


one fixed, one movable top track + side seal
Weight : 3.44 kg/m

**JNW-CT9000**


monorail bottom track
Weight : 3.54 kg/m

**JNW-CT1865F**


intelligent electric door panel
Weight : 3.18 kg/m

**JNW-CT1801F**


panoramic door top frame
Weight : 1.15 kg/m

**JNW-CT1802F**


panoramic door bottom frame
Weight : 1.81 kg/m

**JNW-XT1803F**


suspended track
Weight : 0.94 kg/m

**JNW-XT1816**


frame cover plate
Weight : 0.35 kg/m

**JNW-XT1808D**


vertical door frame with hook
Weight : 2.1 kg/m

**JNW-XT1920**


lock slot
Weight : 0.47 kg/m

**JNW-XT1927**


fixed clip
Weight : 0.168 kg/m

**JNW-CT1923F**


one fixed, one movable, fixed glass conversion
Weight : 1.81 kg/m

**JNW-CT1926F**


one fixed, one movable fixed center column
Weight : 1.81 kg/m

**JNW-XT1806F**


small suspended cover
Weight : 0.178 kg/m

**JNW-XT1921**

ultra-narrow vertical door frame
Weight : 1.10 kg/m


**JNW-XT1928**

small suspended cover
Weight : 0.28 kg/m


**JNW-XT1929**

large suspended cover
Weight : 0.63 kg/m


► Assembly Diagram



► Assembly Diagram




ZP150 Motorized Vertical Sliding Window >>>




Product Features :


- ① Two motors, chain drive, wide field of view
- ② Rain sensor, automatic closing when it rains
- ③ Maximum width 4.8m, maximum height 2.5m
- ④ Infrared anti-pinch design, can be equipped with anti-mosquito screens

▶ **ZP150 Motorized Vertical Sliding Window****JNW-SJC22A**


150 upper frame
Weight : 4.24 kg/m

**JNW-ZN023**


screen cover
Weight : 1.79 kg/m

**JNW-SJC24A**


screen upper frame
Weight : 2.4 kg/m

**JNW-SJC26A**


150 side frame
Weight : 3.50 kg/m

**JNW-SJC28A**


150 side frame transform
Weight : 3.45 kg/m

**JNW-ZN029**


150 side frame cover
Weight : 0.84 kg/m

**JNW-ZN031**


150 handrail
Weight : 3.99 kg/m

**JNW-SJC33A**


150 lower frame
Weight : 2.8 kg/m

**JNW-ZN032**


not screen mesh closing
Weight : 0.31 kg/m

**JNW-ZN034**


clip
Weight : 0.49 kg/m

**JNW-ZN036**


screen frame
Weight : 0.36 kg/m

**JNW-ZN035**


clip
Weight : 0.43 kg/m

**JNW-ZN037**


150 not screen mesh cover
Weight : 1.05 kg/m

**JNW-ZN030**


screen profile
Weight : 1.37 kg/m

**JNW-ZN038**


150 upper frame cover
Weight : 0.89 kg/m

**JNW-SJC09**


glass door panel
Weight : 2.36 kg/m

**JNW-SJC12**


glass door with hook
Weight : 2.7 kg/m

**JNW-SJC23**


strengthen glass door
Weight : 3.55 kg/m

**JNW-SJC25**


strengthen glass door with hook
Weight : 3.9 kg/m

**JNW-SJC31**


strengthen glass door
Weight : 3.41 kg/m

**JNW-SJC33**


strengthen glass door with hook
Weight : 3.75 kg/m

**JNW-SJC14**

strengthen inner frame
Weight : 4.17 kg/m


**JNW-SJC039**

glass door panel
Weight : 2.15 kg/m


**JNW-SJC041**

glass door with hook
Weight : 2.49 kg/m

► Assembly Diagram



► Accessories



130+195 Heavy-Duty Lift Sliding Door >>>




Product Features :

- ① Hidden bottom rail floor drain design
- ② Lifting sliding for better sealing performance
- ③ Positioned at will, easy to adjust the ventilation area
- ④ Sound and heat insulation, energy efficient

>>> SLIDING SYSTEM

► Sinking And Embedded Profiles




JNW-TS1120G

pre-embedded two-rail bottom rail
Weight : 3.5 kg/m



JNW-TS1519F


pre-embedded three-rail bottom rail
Weight : 4.8 kg/m



JNW-XT1119G


pre-embedded sinking hidden drain
Weight : 1.11 kg/m

► Automatic Profiles




JNW-XT863

intelligent two-rail top rail
Weight : 1.87 kg/m




JNW-XT861

intelligent three-rail top rail
Weight : 2.7 kg/m




JNW-XT864

intelligent two-rail additional rail
Weight : 2.50 kg/m



JNW-XT862


intelligent three-rail additional rail
Weight : 3.55 kg/m




JNW-XT860

intelligent top rail cover
Weight : 0.54 kg/m


► 130+195 Thermal Break Profiles

**JNW-TS911F**


75 lifting door frame
Weight : 1.87 kg/m

**JNW-XT914**


75 door slot
Weight : 0.24 kg/m

**JNW-XT936**


75 vertical door frame with hook
Weight : 0.21 kg/m

**JNW-TS1281F**


90 lift gate
Weight : 2.65 kg/m

**JNW-XT1488**


90 liftgate slot
Weight : 0.525 kg/m

**JNW-XT1284**


90 vertical door frame with hook
Weight : 0.24 kg/m

**JNW-TS929F**


inside slim vertical door frame
Weight : 1.29 kg/m

**JNW-TS935F**

outside slim vertical door frame
Weight : 1.29 kg/m

**JNW-TS930F**


double vertical door frame with hook
Weight : 1.38 kg/m

**JNW-TS1121F**


reinforce inner vertical door frame
Weight : 2.21 kg/m

**JNW-TS1122F**


outside reinforced vertical door frame
Weight : 2.21 kg/m

**JNW-TS939F**


screen center
Weight : 1.43 kg/m

**JNW-BF923F**


two rail side seal
Weight : 2.02 kg/m

**JNW-BF950F**


three-rail side seal
Weight : 2.02 kg/m

**JNW-XT951**

side sealing cover plate
Weight : 0.38 kg/m

**JNW-ZT938F**

two rail inner frame
Weight : 2.1 kg/m

**JNW-ZT954F**


three track inner frame
Weight : 2.8 kg/m

**JNW-XT1080F**


fixing glass door clip
Weight : 0.18 kg/m

**JNW-XT913D**

door clip
Weight : 0.157 kg/m

**JNW-XT1008**

75 intelligent lock slot
Weight : 0.44 kg/m

**JNW-XT931F**


closing
Weight : 0.69 kg/m

**JNW-XT924F**


side closure slots
Weight : 0.46 kg/m

**JNW-XT937**

single vertical door frame with hook
Weight : 0.28 kg/m


**JNW-XT953**

double vertical door frame with hook
Weight : 0.32 kg/m

**JNW-A-016**


f groove

Weight : 0.189 kg/m

**JNW-A-015**

p-strip

Weight : 0.189 kg/m

**D-A470**


100 buckle plate

Weight : 0.51 kg/m

**JNW-XT916**


diamond mesh clip

Weight : 0.105 kg/m

**JNW-XT1217**


highly transparent mesh sub-frame

Weight : 0.47 kg/m

**JNW-XT915**


diamond mesh sub-frame

Weight : 0.43 kg/m

**JNW-TS918F**


lifting two-rail top rail

Weight : 2.98 kg/m

**JNW-TS952F**


lifting three-rail top rail

Weight : 4.2 kg/m

**JNW-XT917**


lift the top rail cover plate

Weight : 0.24 kg/m

**JNW-TS921F**


lifting two-rail bottom rail

Weight : 3.15 kg/m

**JNW-TS955F**

lifting three-rail bottom rail

Weight : 4.25 kg/m

**JNW-A-009**

two rail flat rail

Weight : 0.93 kg/m


**JNW-A-020**

three track flat track






Weight : 1.28 kg/m

> **Assembly Diagram**

Two track



Triple track



Accessories



glass fan corner code
(20.6*11.4)



central column corner code
(11.3*20.6)



stainless steel dust-proof strip for bottom
rail of thermal break heavy-duty door



pre-built dust-proof strip for
heavy-duty door(9*78)



70 lifting hardware with key
170kg load capacity



55 special lock metal gray
(without key, left)



zinc alloy bumpers



195 heavy-duty door special
top wheel (90/102/112 special
upper wheel 28.5 high)



thermal break heavy door
high track composite steel wheel
four bottom wheels (15 * 27)



handle lock double
point lock accessories
for 3765/3766/3409/3458




CMECH I SHAPE
HANDLE LOCK WITH KEY
(silver/black)



CMECH I shape handle
lock with key-silver

130 Lift Sliding Window >>>




Product Features :

- ① Lifting sliding for better sealing performance
- ② Positioned at will, easy to adjust the ventilation area
- ③ Sound and heat insulation, energy efficient


>>> SLIDING SYSTEM




► Automatic Profiles



JNW-XT1185
intelligent top rail
Weight : 2.26 kg/m




JNW-XT1186
intelligent top rail additional groove
Weight : 1.86 kg/m




JNW-XT860
intelligent top rail cover
Weight : 0.52 kg/m


► Lifting Profiles



JNW-GD925F
lifting top rails
Weight : 2.75 kg/m




JNW-GD919F
lifting bottom rail
Weight : 2.6 kg/m




JNW-XT917
lift the top rail cover plate
Weight : 0.24 kg/m


► 130 Lift Sliding Window




JNW-BF923F
side frame
Weight : 2.02 kg/m




JNW-BF925F
two-fixed, two-activated side seals
Weight : 2.52 kg/m




JNW-ZT938F
center column
Weight : 2.1 kg/m




JNW-TS1121F
inner strengthen door frame
Weight : 2.21 kg/m




JNW-TS911F
75 lifting door
Weight : 1.87 kg/m




JNW-TS1917F
inside slim vertical door frame
Weight : 2.1 kg/m

**JNW-TS929F**


inside slim vertical door frame
Weight : 1.29 kg/m

**JNW-CT1564F**


drainage conversion for bottom rails
Weight : 0.85 kg/m

**JNW-CT1566F**


thermal break reinforced hook center frame
Weight : 2.03 kg/m

**JNW-XT1022**


two-way reinforced center frame
Weight : 1.89 kg/m

**JNW-A-042**


60 packs
Weight : 0.80 kg/m

**JNW-XT934F**

sinking sealing aluminum strip
Weight : 0.22 kg/m

**JNW-XT913D**


door clip
Weight : 0.157 kg/m

**JNW-XT1080F**


fixing glass door clip
Weight : 0.189 kg/m

**GD-131**


outdoor clip
Weight : 0.168 kg/m

**JNW-XT926F**


indoor cover
Weight : 0.199 kg/m

**JNW-A-012**


fixing glass conversion cover plate
Weight : 0.77 kg/m

**JNW-XT933**


treadle cover
Weight : 0.46 kg/m

**JNW-XT924F**


side closure slots
Weight : 0.46 kg/m

**JNW-XT951**


side sealing cover plate
Weight : 0.38 kg/m

**JNW-XT914**


75 door slot
Weight : 0.24 kg/m

**JNW-XT1008**


intelligent lock slot
Weight : 0.44 kg/m

**JNW-XT931F**


closing
Weight : 0.69 kg/m

**JNW-XT240**


glass guardrail
Weight : 0.73 kg/m

**JNW-A-016**


f groove
Weight : 0.189 kg/m

**JNW-A-015**

p-strip
Weight : 0.189 kg/m

**GD-014**

universal slot cover
Weight : 0.052 kg/m

**D-A470**


100 buckle plate
Weight : 0.51 kg/m

**JNW-XT927**

hooked center frame
Weight : 1.37 kg/m

**JNW-XT1023**




reinforced hook center frame
Weight : 1.9 kg/m



JNW-XT956

bottom rail drainage conversion
Weight : 1.37 kg/m

► Assembly Diagram



► Accessories



glass fan corner code
(20.6*11.4)



central column corner code
(11.3*20.6)



stainless steel dust-proof strip for bottom
rail of thermal break heavy-duty door



thermal break heavy door
high track composite steel wheel
four bottom wheels (15 * 27)



70 lifting hardware with key
170kg load capacity




55 special lock metal gray
(without key, left)



zinc alloy bumpers



195 heavy-duty door special
top wheel (90/102/112 special
upper wheel 28.5 high)



thermal break heavy door
do sealing balcony sliding
window mold (7 head)

128 Floating Sliding Window >>>




Product Features :


- ① Resistant to wind force 12, very good sealing
- ② Superior drainage system
- ③ Maximum span 7.5 metres
- ④ Hidden track, easy to push and pull, easy to clean

>>> SLIDING SYSTEM


► Two Track Profile




JNW-CT1487F
two-track suspended upper rail
Weight : 2.4 kg/m




JNW-CT1459F
two-track suspended bottom rail
Weight : 2.4 kg/m




JNW-CT1416F
two rail side seal
Weight : 1.4 kg/m




JNW-CT1420F
two-track side frame transform
Weight : 2.1 kg/m



JNW-CT1343E
two tracks fixed up and down
Weight : 1.44 kg/m




JNW-CT1343G
two rail inner frame
Weight : 1.61 kg/m




JNW-CT1676F
two-track suspended bottom rail(landing)
Weight : 2.29 kg/m


► Triple Track Profiles




JNW-CT1485F
three-track suspended upper rail
Weight : 3.19 kg/m




JNW-CT1460F
three-track suspended bottom rail
Weight : 3.22 kg/m




JNW-CT1708F
3.0 three-track suspended bottom rail
Weight : 4.06 kg/m

**JNW-CT1417F**


three rail side seal
Weight : 1.78 kg/m

**JNW-CT1418F**


three-track side frame transform
Weight : 1.94 kg/m

**JNW-CT1329F**


three tracks fixed up and down
Weight : 0.93 kg/m

**JNW-CT1347F**


three track inner frame
Weight : 2.08 kg/m

**JNW-CT1458F**


three-track suspended bottom rail(landing)
Weight : 3.11 kg/m

► **Five Track Profiles****JNW-CT1554F**


five-track suspended upper rail
Weight : 4.79 kg/m

**JNW-CT1552F**


five-track suspended bottom rail
Weight : 6.14 kg/m

**JNW-CT1548F**


five-track side frame
Weight : 2.6 kg/m

**JNW-CT1555F**


five tracks fixed up and down
Weight : 2.88 kg/m

**JNW-CT1546F**


five tracks central column
Weight : 3.12 kg/m

**JNW-XT1545**


five-track side frame transform outside
Weight : 1.3 kg/m

**JNW-XT1551**


five-track side frame transform inside
Weight : 1.1 kg/m

**JNW-XT1547**


five-track side frame two covers
Weight : 0.73 kg/m

**JNW-XT1549**


five-track side frame three covers
Weight : 1.15 kg/m

**JNW-XT1550**


five-track side frame four covers
Weight : 1.5 kg/m

► **Universal Profiles****JNW-CT1461F**


upper door frame
Weight : 0.97 kg/m

**JNW-CT1462F**


bottom door frame
Weight : 0.95 kg/m

**JNW-CT1325F**


single vertical door frame with hook
Weight : 0.89 kg/m

**JNW-CT1325G**


double vertical door frame with hook
Weight : 0.95 kg/m

**JNW-CT1324F**


hidden door frame
Weight : 0.82 kg/m

**JNW-XT1463**


mesh door upper frame
Weight : 1.41 kg/m




JNW-XT1464
mesh door bottom frame
Weight : 1.36 kg/m




JNW-XT1465F
hidden mesh door
Weight : 1.26 kg/m




JNW-XT1466F
mesh door with hook
Weight : 1.22 kg/m




JNW-XT1671
outside mesh door with hook
Weight : 1.3 kg/m




JNW-XT1469
suspended track
Weight : 0.73 kg/m




JNW-XT1672
suspended track with woolen strips
Weight : 0.73 kg/m




JNW-XT1468
bottom double side frame cover
Weight : 0.39 kg/m




JNW-XT1467
bottom single side frame cover
Weight : 0.24 kg/m




JNW-XT1331
side frame double cover
Weight : 0.48 kg/m




JNW-XT1332F
side frame single cover
Weight : 0.43 kg/m




JNW-XT1342
indoor square clip
Weight : 0.31 kg/m



GD-131
outdoor clip
Weight : 0.168 kg/m




JNW-XT1355F
mesh door clip
Weight : 0.073 kg/m




GD-014
universal slot cover
Weight : 0.052 kg/m




JNW-XT1333
side frame anti-collision strips
Weight : 0.157 kg/m




JNW-XT1334
closing
Weight : 0.32 kg/m




JNW-XT389
clothes drying guardrail frame
Weight : 0.52 kg/m




JNW-XT263
additional european standard slot
Weight : 0.21 kg/m



JNW-XT051F
two-color grid
Weight : 0.42 kg/m




GD-036A
integrated grid strip
Weight : 0.38 kg/m




JNW-XT1470
handrail
Weight : 1.58 kg/m

► Automatic Profiles









JNW-CT1584F
128 intelligent top rail
Weight : 3.09 kg/m



JNW-XT1586
suspended window intelligent upper track additional track
Weight : 1.99 kg/m

► Assembly Diagram



► Accessories



120 sliding window drying guardrail pin code (21*14.7)



125 thermal break scenery window center column code (JM-18.55ZH)



128 suspended window special self-tightening 23 high upper wheel



drilling sealant



125 thermal break scenery window special lock black (left) nice style



scenery sliding window 150kg load-bearing rubyfour wheels




scenery sliding window special self-tightening ruby high upper wheel



3MM semicircular stainless steel rail

50 Slim Sliding Door >>>




Product Features :


- ① Can be double-glazed, single-glazed
- ② Side visible surface 40mm+slim interlock 18mm
- ③ Available in 52, 65 and 75 Vertical door frame
- ④ This two track width 106, three track 159
- ⑤ Vertical door frame with Hook visible surface 18.5mm

>>> SLIDING SYSTEM


► 50 Slim Sliding Door




KY01-041
2.0 two-track frame
Weight : 1.64 kg/m




KY01-055
two-track
Weight : 0.53 kg/m




KY01-003F
two-track high track
Weight : 2.0 kg/m




KY01-005
two-track double-row wheel flat track
Weight : 0.53 kg/m




KY01-038
two-track single-row wheel flat track
Weight : 0.48 kg/m




KY01-006
two-track center column
Weight : 1.27 kg/m




KY01-007
two-track frame cover frame
Weight : 0.52 kg/m




KY01-009
two-track suspended track
Weight : 2.33 kg/m




KY01-010F
suspended track clip
Weight : 0.4 kg/m




KY01-011
suspended track cover frame
Weight : 0.27 kg/m




KY01-025
suspended track
Weight : 0.94 kg/m




KY01-004
double-row wheel bottom track
Weight : 0.34 kg/m

**KY01-040**


single-row wheel bottom track
Weight : 0.32 kg/m

**KY01-060**


three-sided sealed double groove 2.0
Weight : 2.1 kg/m

**KY01-061**


three-sided sealed single groove 2.0
Weight : 2.0 kg/m

**KY01-015**


three-track suspended track
Weight : 3.19 kg/m

**KY01-051**


2.0 three-track top track
Weight : 2.84 kg/m

**KY01-014F**


three-track high track
Weight : 2.92 kg/m

**KY01-016**


three-track double-row wheel flat track
Weight : 0.8 kg/m

**KY01-039**


three-track single-row wheel flat track
Weight : 0.74 kg/m

**KY01-017**


three-track center column
Weight : 1.78 kg/m

**KY01-018**


three-track cover frame
Weight : 0.75 kg/m

**KY01-053**


two-track electric top track
Weight : 1.93 kg/m

**KY01-054**


two-track electric top track groove
Weight : 2.84 kg/m

**KY01-064**


three-track electric top track groove
Weight : 2.21 kg/m

**KY01-065**


three-track electric top track groove
Weight : 2.49 kg/m

**KY01-066**


three-track electric top track cover frame
Weight : 0.54 kg/m

**KY01-024**

65-panel closure
Weight : 0.5 kg/m

**KY01-008**


fixed clip
Weight : 0.199 kg/m

**KY01-026**


screen mesh center horizontal
Weight : 0.7 kg/m

**KY01-027**

screen mesh clip
Weight : 0.199 kg/m

**KY01-045**


bottom track cover frame
Weight : 0.25 kg/m

**KY01-047**


frame cover
Weight : 0.199 kg/m

**KY01-048**


glass conversion material
Weight : 0.26 kg/m

**KY01-030**


3.0-52 panels
Weight : 1.4 kg/m

**KY01-034**


5.0-52 panels
Weight : 1.53 kg/m




KY01-031
52 panels single vertical door frame with hook
Weight : 0.32 kg/m




KY01-032
52 panels double vertical door frame with hook
Weight : 0.5 kg/m




KY01-035
5.0-65 panels
Weight : 1.72 kg/m




KY01-049
3.0-75 lifting panels
Weight : 1.82 kg/m




KY01-022
65 panels single vertical door frame with hook
Weight : 0.35 kg/m




KY01-023
65 panels double vertical door frame with hook
Weight : 0.56 kg/m



KY01-046
4.0-18 reinforced panels
Weight : 1.7 kg/m




KY01-033
4.0-18 panels
Weight : 0.89 kg/m




KY01-050
75 lifting sash lock slot
Weight : 0.29 kg/m




KY01-028
inner F slot
Weight : 0.147 kg/m




KY01-029
outer F slot
Weight : 0.168 kg/m




JNW-A-042
60 wall cover frame
Weight : 0.8 kg/m




D-A470
clip plate
Weight : 0.51 kg/m



KY01-019
2.0-65 sashes
Weight : 1.38 kg/m





JNW-XT1442
glass railing
Weight : 0.54 kg/m




JNW-XT1003
glass railing
Weight : 0.52 kg/m




► Assembly Diagram

52 PROFILE DOUBLE TRACK ASSEMBLY DIAGRAM








52 PROFILE TRIPLE TRACK ASSEMBLY DIAGRAM





52 PROFILE ELECTRIC ASSEMBLY DIAGRAM




75 PROFILE DOUBLE TRACK ASSEMBLY DIAGRAM



75 PROFILE TRIPLE TRACK ASSEMBLY DIAGRAM



75 PROFILE ELECTRIC ASSEMBLY DIAGRAM



► Accessories



08603

plastic accessory set for two high track sliding door left



09090

plastic accessory set for two track sliding door-right



08604

medium narrow additional plastic accessories



08593

self-adhesive waterproof gasket for top & bottom track



08594

KY01-two track waterproof gasket(lower)



08595

KY01-three track waterproof gasket(up)



08596

KY01-three track waterproof gasket (lower)



08586

15*17 single row (four wheels) single track high rail use



08600

(20.6*11.4) Bracket for door frame TS911F



08601

(11.3*20.6) connect bracket for interlock frame



08585

KY01-19.5*20 high upper wheel(52) door



00284

(7*5) brush strip for top & bottom track & vertical outframe



03258

(F-3695) 4.0 composite type universal sealing strip (side frame sealing anti-collision strip)



03146

(F-3672) 120 sliding window automotive grade anti-collision leather strip (for 52 narrow door frame with hook use)




04586

plastic cover strip for vertical outframe



07488

CMECH I shape handle lock with key-silver



06456

3mm semicircular stainless steel rail



01751

zinc alloy anti-collision parts



08591

CMECH I SHAPE HANDLE LOCK WITH KEY (silver/black)



08592


KY01- single point lock (18 long) for 52 door

DFZ 110 Casement Window >>>




Product Features :


- ① Hidden bottom rail floor drain design
- ② Lifting sliding for better sealing performance
- ③ Positioned at will, easy to adjust the ventilation area
- ④ Sound and heat insulation, energy efficient

► **Extremely Slim Outward Opening Profile**


JNW-BK812A
injection molded frame
Weight : 1.77 kg/m




JNW-ZH813A
injection molded center post
Weight : 1.91 kg/m



DZ-CT797F
slim subframe
Weight : 1.62 kg/m




DZ-CT795F
slim glass sash
Weight : 1.42 kg/m




DZ-793
slim screen sash
Weight : 0.61 kg/m




DZ-794
mesh door clip
Weight : 0.09 kg/m

► **Standard Outward Opening Profile**


JNW-BK812A
injection molded frame
Weight : 1.77 kg/m




JNW-ZH813A
injection molded center post
Weight : 1.91 kg/m



JNW-HC847A
75 new clip glass fan
Weight : 1.45 kg/m




JNW-FK773A
subframe
Weight : 1.35 kg/m



HC235B
center frame for glass fans
Weight : 1.05 kg/m



JNW-XT846B
clip
Weight : 0.157 kg/m



GD-026
sash center frame
Weight : 0.58 kg/m



JNW-XT770
sash without folded edge
Weight : 0.73 kg/m




JNW-XT769
sash square crimp
Weight : 0.168 kg/m




JNW-XT1219
55 mesh panel center horizontal frame
Weight : 0.73 kg/m




JNW-XT280
75 mesh panel center horizontal frame
Weight : 0.71 kg/m

► **Inward Opening Profile**


JNW-BK812A
injection molded frame
Weight : 1.77 kg/m




JNW-ZH813A
injection molded center post
Weight : 1.91 kg/m



JNW-HC847A
75 new clip glass fan
Weight : 1.45 kg/m



JNW-FK823A
inward-opening subframe
Weight : 1.59 kg/m




JNW-1006
75 screen sash
Weight : 0.76 kg/m




JNW-1010
75 mesh door clip
Weight : 0.136 kg/m


► Double Inward Opening Profile

**JNW-BK812A**


injection molded frame
Weight : 1.77 kg/m

**JNW-ZH813A**


injection molded center post
Weight : 1.91 kg/m

**JNW-HC807A**

double inside out glass fan
Weight : 1.73 kg/m

**JNW-XT815**

clip
Weight : 0.29 kg/m

**JNW-XT287**


double inside opening sash
Weight : 0.63 kg/m

**JNW-XT267**

mesh door clip
Weight : 0.157 kg/m


**JNW-XT816**

additional european standard slot
Weight : 0.168 kg/m


**JNW-XT902**

screen sas subframe
Weight : 0.315 kg/m

► Universal Profile

**JNW-XT1230**


guardrail frame
Weight : 0.126 kg/m

**JNW-XT1231**


latticework
Weight : 0.21 kg/m

**JNW-XT772**


beveled edge clip
Weight : 0.336 kg/m

**JNW-XT778**


diamond clip
Weight : 0.42 kg/m

**JNW-XT780**


bent clip
Weight : 0.525 kg/m

**GD-014**


universal slot cover
Weight : 0.0525 kg/m

**JNW-XT1009**


outside the 90° slim corner
Weight : 1.19 kg/m

**JNW-XT1010**


inside a 90° slim corner
Weight : 0.39 kg/m

**JNW-XT208**


frame splicing strip
Weight : 0.29 kg/m

**ZJ110A**


110 corners - 90°
Weight : 1.49 kg/m

**ZJ110B**

110 degree corner - 135°
Weight : 1.18 kg/m

**DZ-L1559F**


closed-end beveled edge seam
Weight : 0.37 kg/m

**JNW-XT768**


guardrail frame
Weight : 0.36 kg/m

**JNW-1012**

fixed guardrail frame
Weight : 0.178 kg/m

**JNW-XT051F**

two-color grid
Weight : 0.21 kg/m



GD-036A


integrated grid bar
Weight : 0.38 kg/m

JNW-ZT802


strengthen inner frame
Weight : 3.42 kg/m

► **Assembly Diagram**


110 EXTREME SLIM OUTWARD-OPENING WINDOW




110 DFZ - INWARD-OPENING + DOUBLE INWARD-OPENING WINDOW





110 DFZ - MODEL A 1.8 + MODEL C 3.0 OUTWARD-OPENING WINDOW





SWING DOOR - ASSEMBLY DRAWING



Accessories



casement window
keeper for sash



30mm casement window
operator for sash frame



11mm casement window
operator for mesh frame



casement window
locking point for sash



L shape handle for
casement sash - black



14-inch casement
hinge-left



90 degree hinge
for mesh frame



outswing casement and
awining hardware set-left

► Accessories



standard: 9-inch casement stay
sash width:570--800mm



option: 8-inch casement stay
sash width:490--570mm



handle lock for
casement door



visible hinge for
casement door



lock body for
casement door



lock cylinder for
casement door



lock base for
casement door



18.5*27.6 bracket for
outer frame connection



12.4*1.0*1.2 corner for
outer frame connection



JNW11001FM sealing
rubber for inner outer frame



F-3147 sealing rubber
for sash and mesh frame



1.8 floor drain
drain cover



milling cutter for
milling machine 2057


PJ90 Casement Window >>>



Product Features :


- ① Multi-cavity structure design, better thermal insulation effect
- ② Efficient airtight and watertight performance, new floor drain type drainage
- ③ Ten kinds of opening programmes, 6 kinds of pressure line optional

► Universal Aluminium Profiles

**JNW-CT1249D**


outer frame

Weight : 1.93 kg/m

**JNW-CT1251D**

center column

Weight : 1.96 kg/m

**JNW-CT1738F**


strengthen center column

Weight : 2.54 kg/m

**DZ-014**


bending clip screw cover

Weight : 0.0525 kg/m

**JNW-XT1721**

double glass bevel edge clip


Weight : 0.3 kg/m

**JNW-XT1729**

three glass sash double thermal break clip


Weight : 0.28 kg/m

► 65 Medium Narrow Glass Fan Series - Double Inside Opening

**JNW-CT1254E**


65 medium narrow double inner open glass sash

Weight : 1.59 kg/m

**JNW-XT267**


65 medium narrow sash clip

Weight : 0.157 kg/m

**JNW-XT1256F**

65 medium narrow sash


Weight : 0.65 kg/m

**JNW-XT1677**

65 glass door double inward open double glass clip


Weight : 0.178 kg/m

► 65 Medium Narrow Glass Fan Series - Single Inside Opening

**JNW-CT1255F**

65 medium narrow single inner open glass sash


Weight : 1.9 kg/m

**JNW-XT1675**

65 single inner open double glass clip


Weight : 0.24 kg/m

► 90 Glass Fan Series - Single Outside Opening

**JNW-CT1736F**


90 single outward open glass door

Weight : 2.28 kg/m

**JNW-CT1733F**

90 outward open subframe


Weight : 1.57 kg/m

**JNW-XT1675**

65 single inner open double glass clip


Weight : 0.24 kg/m

► 90 Glass Fan Series - Single Inside Door or Counter Door

**JNW-CT1272F**


90 single inward open door

Weight : 2.4 kg/m

**JNW-CT1271F**

double door closing


Weight : 1.53 kg/m

**JNW-XT1675**


90 double glass clip

Weight : 0.24 kg/m

► 55 Slim Glass Fans Series - Double Inside Opening

**JNW-CT1720F**


55 ultra narrow double inner open glass sash
Weight : 1.25 kg/m

**JNW-XT1718**

55 ultra narrow double inner open glass sash
Weight : 0.525 kg/m


**JNW-XT518**

55 ultra narrow double inner open glass sash clip
Weight : 0.157 kg/m


**JNW-XT1732F**

55 ultra narrow double inner open double glass sash clip
Weight : 0.168 kg/m

► 55 Slim Glass Series - Single Opening


**JNW-CT1716F**

55 ultra narrow single inner open sash
Weight : 1.55 kg/m


**JNW-XT1717F**

55 single inner open double glass sash clip
Weight : 0.23 kg/m

► Micro Ventilation Double Casement

**JNW-CT1723F**


micro ventilation sash
Weight : 1.36 kg/m

**JNW-XT1718**

55 ultra narrow double inner open glass sash
Weight : 0.525 kg/m


**JNW-XT518**

55 ultra narrow double inner open glass sash clip
Weight : 0.157 kg/m


**FG100A**

micro ventilation square tube
Weight : 1.23 kg/m


► 90 Glass Fan Series - Single Outside Opening

**JNW-CT1728F**

flat sliding door
Weight : 1.995 kg/m

**JNW-CT1725F**


flat sliding sub-frame
Weight : 1.82 kg/m


**JNW-XT1727**

flat sliding double inner glass clip
Weight : 0.189 kg/m

► Assembly Diagram


55 EXTREMELY SLIM GLASS SASH + MICRO-VENTILATION + SLIDING WINDOW SERIES








65 MEDIUM-SLIM GLASS SASH SERIES

90 glass panel, double doors + outward-opening



90 glass panel, double doors + inward-opening



▶ Accessories



casement window
keeper for sash



anti-pick roller
strike plate



30mm casement window
operator for sash frame



casement window
locking point for sash



D-42 plastic gasket
for fixed frame glass



1.8 floor drain drain cover



14-inch casement hinge-left



14-inch casement hinge-right



multi-point locking 33mm



r85*30mm lock cylinder



adjustable strike plate



anti-pick roller locking point



L shape handle for casement sash - black



the connection corner of sealing rubber for inner outer frame



milling cutter of milling machine for mid-outer frame



L shape handle installation screw



21.4*21.3 bracket for outer frame outer side connection



bracket for mid-outer frame outer side connection




double size handle




load capacity 120kg hinge-right

► Casement Door Bottom Threshold Series




JNW-MK100

100 threshold
Weight : 1.19 kg/m




JNW-MK110

110 threshold
Weight : 1.26 kg/m




JNW-MK115

115 threshold
Weight : 1.3 kg/m



JNW-MK120


120 threshold
Weight : 1.34 kg/m



JNW-MK125

125 threshold
Weight : 1.44 kg/m

► Assembly Diagram



50 Vertical Lift Window >>>




Product Features :

- ① Lifting windows provide better lighting and a wider field of vision
- ② Easy installation and removal of window sashes
- ③ Less friction when sliding up and down

>>> FOLDING SYSTEM




> 50 Vertical Lift Window




JY-50TS-01A

side frame
Weight : 0.87 kg/m




JY-50TS-02

fixed door frame with hook
Weight : 0.53 kg/m



JY-50TS-03

movable door frame with hook
Weight : 0.53 kg/m




JY-50TS-04

upper frame
Weight : 0.75 kg/m



JY-50TS-05


door frame
Weight : 0.27 kg/m



JY-50TS-06

outframe cover
Weight : 0.073 kg/m

> Assembly Diagram



► Accessories



spring5N ⑥ position
spring7N ⑥ position



spring5N ⑤ position
spring7N ⑤ position



spring5N ④ position
spring7N ④ position



spring5N ③ position
spring7N ③ position



spring5N ② position
spring7N ② position



spring5N ① position
spring7N ① position



upper folding window springs



flat handle



side hinge



handle hinge



aluminum latch rod



two-way lock box


45/50/60 Vertical Folding Window >>>




Product Features :

- ① The window sash folds upwards, the accessories are hidden, and it does not take up the bottom space.
- ② Manually pull upwards, the folding sash can be hovered at any position and the height can be adjusted.
- ③ Suitable for installation at home and in shops and other application scenarios.

► 45/50/60 Vertical Folding Window


**YC-SZ-4501**

45 side frame
Weight : 0.74 kg/m


**YC-SZ-4502**

45 door frame
Weight : 0.62 kg/m


*Can be double glazed:

**YC-SZ-4504**

45 center column
Weight : 0.58 kg/m


**YC-SZ-5001**

50 side frame
Weight : 1.06 kg/m


**YC-SZ-5002**

50 door frame
Weight : 0.88 kg/m


*Can be double glazed:

**YC-SZ-5004**

50 center column
Weight : 0.7 kg/m


**YC-SZ-6001**

60 side frame
Weight : 1.31 kg/m


**YC-SZ-6002**

60 door frame
Weight : 0.91 kg/m


*Can be double glazed:

**YC-SZ-6003**

60 center column
Weight : 0.76 kg/m


**YC-SZ-5003**

burclose 2
Weight : 0.159 kg/m

**YC-SZ-4503**

burclose 1
Weight : 0.119 kg/m

► Assembly Diagram



► Accessories



spring5N ⑥ position
spring7N ⑥ position



spring5N ⑤ position
spring7N ⑤ position



spring5N ④ position
spring7N ④ position



spring5N ③ position
spring7N ③ position

► Accessories



spring5N ② position
spring7N ② position



spring5N ① position
spring7N ① position



upper folding sword handle



upper folded turning bar



upper folding two-way lock box (15)



upper folding slide lock



50/60 upper folding hinge



45 upper folding hinge



50/60 upper folding handle



45 upper folding handle



doorframe connector
21X33.8 one piece connector



water blocking strip for
vertical outer frame



upper folding spring seat



EP4501B EPDM rubber stripe



electric motor accessories set



side frame rubber stripe
EP4546C EPDM rubber stripe


42 Free Folding Door / Window >>>




Product Features :

- ① Large opening space
- ② Foldable on both sides, unfolding in any position
- ③ Large ventilation with a large field of view


► 42 Free Folding Door / Window

**JY-42ZD-18**


door frame
Weight : 1.16 kg/m

**JY-42ZD-01**


door frame
Weight : 0.94 kg/m

**JY-42ZD-23**


door frame
Weight : 0.92 kg/m

**JY-42ZD-19**


upper track/outframe
Weight : 1.78 kg/m

**JY-42ZD-02**


upper track/outframe
Weight : 1.74 kg/m

**JY-42ZD-24**


clip
Weight : 0.18 kg/m

**JY-42ZD-06**


closing
Weight : 0.157 kg/m

**JY-42ZD-03**


side frame cover
Weight : 0.095 kg/m

**JY-42ZD-04**


vertical door frame auxiliary part
Weight : 0.12 kg/m

**JY-42ZD-15**


side frame
Weight : 1.45 kg/m

**JY-42ZD-16**


clip
Weight : 0.49 kg/m

**JY-42ZD-12**

handrail
Weight : 2.07 kg/m

**JY-42ZD-14**


center column
Weight : 1.63 kg/m

**JY-42ZD-10**

corners
Weight : 0.78 kg/m


**JY-42ZD-13**

handrail auxiliary part
Weight : 0.29 kg/m

**JY-42ZD-17**

outframe auxiliary part
Weight : 0.73 kg/m

► Assembly Diagram



► Accessories



14.6*17.5 bracket for fixed outer frame (match JY-42ZD-15)



17.6*14.5 bracket for fixed middle outer frame (match JY-42ZD-14)



4.9*16.4 bracket for outer frame (match JY-42ZD-20)



11.7*39 bracket for sash panel frame (match JY-42ZD-01)



8*1.4 corner for sash panel frame (match JY-42ZD-01)



top wheel



bottom wheel



42 folding window handrail cover + hook



rubber for sash panel frame (match JY-42ZD-01)



rubber for vertical interlock frame (match JY-42ZD-06)



rubber for fixed outer frame (match JY-42ZD-15)



rubber for outer frame (match JY-42ZD-20)



base part for the wheel



normal hinge for sash panel



handle



lock




transmission box for lock



latch lock




punching mold



transmission rod for lock


68pro Fully Sealed Folding Door >>>




Product Features :

- ① This door can be up to 6m high
- ② Good sound and heat insulation
- ③ Anti-pinch design for better safety
- ④ Automatic lock, hidden hardware


► 68pro Fully Sealed Folding Door

**JY-68PRO-04**


door frame
Weight : 1.55 kg/m

**JY-68PRO-01**


side frame
Weight : 1.93 kg/m

**JY-68PRO-05**


door frame closing
Weight : 1.6 kg/m

**JY-68PRO-10**

hanging rail
Weight : 3.19 kg/m

**JY-68PRO-02**


big center column
Weight : 2.29 kg/m

**JY-68PRO-03**


small center column
Weight : 2.14 kg/m

**JY-68PRO-11**


big lower rail
Weight : 1.54 kg/m

**JY-68PRO-12**

small lower rail
Weight : 0.98 kg/m

**JY-68PRO-06**


outframe auxiliary part
Weight : 0.72 kg/m

**JY-68PRO-07**


outframe closing
Weight : 1.01 kg/m

**JY-68PRO-08**


small center column closing
Weight : 0.53 kg/m

**JY-58PRO-13**


upper and lower frame auxiliary part
Weight : 0.16 kg/m

**YC-68-13**

corner material
Weight : 1.12 kg/m

**YC-68-20**


window centre columns
Weight : 1.31 kg/m

**YC-68-21**


window clip
Weight : 0.164 kg/m

► Assembly Drawing


330 folding door assembly drawing




321 folding door assembly drawing



431 folding door assembly drawing



440 folding door assembly drawing



422 folding door assembly drawing



► Accessories



aluminium toggle handle
(incl. puller) silver/18mm



14.5 bidirectional actuator B



68 folding door hinge G



68PRO top locating wheel R



bottom load-bearing pulley set 3+1



80 folding door latch B



aluminium door handle
assembly (silver/92mm)



30*92 flush door lock body



96 ickel brushed lock cylinder
(48/48 single opening centre parting)



80 folding door top and
bottom pins 13*M8



80 folding door fixed
connecting column M8



12.3*15 bracket of the outer
frame connection(small)



EP2467F



EP2467F



EP2466F




rubber for door outer frame



stainless steal bottom rail


68 Heavy Duty Folding Door >>>




Product Features :

- ① This door can be up to 6m high
- ② Thermal break, good sound insulation and heat insulation effect
- ③ Anti-pinch design for better safety
- ④ Automatic lock, hidden hardware


► 68 Heavy Duty Folding Door

**YC-68-07**


door frame
Weight : 1.39 kg/m

**YC-68-25**


door frame
Weight : 1.66 kg/m

**YC-68-28**


door frame
Weight : 1.41 kg/m

**YC-68-05**


small center column closing
Weight : 0.67 kg/m

**YC-68-04**


single +0 outer frame closure
Weight : 0.92 kg/m

**YC-68-06**


single +0 vertical door frame closure
Weight : 0.96 kg/m

**YC-68-01**


outer frame top track
Weight : 1.24 kg/m

**YC-68-08**


door frame closing
Weight : 1.42 kg/m

**YC-68-14**

hanging rail
Weight : 1.99 kg/m

**YC-68-10**


anti-pinch column accessories
Weight : 0.36 kg/m

**YC-68-12**


hinge accessories
Weight : 0.22 kg/m

**YC-68-21**


window clip
Weight : 0.16 kg/m

**YC-68-03**


top and bottom tracks
Weight : 0.82 kg/m

**YC-68-27**


accessories for the top track frame
Weight : 0.65 kg/m

**YC-68-16**


center column
Weight : 1.18 kg/m

**YC-68-18**


buckle plate
Weight : 0.91 kg/m

**YC-68-09A**


big center column
Weight : 1.37 kg/m

**YC-68-17**


conversion
Weight : 0.57 kg/m

**YC-68-20**


window centre columns
Weight : 1.31 kg/m

**YC-68-13**


corner material
Weight : 1.17 kg/m

**YC-68-22**

small center column
Weight : 1.35 kg/m

**YC-68-23**


waterproof bottom rail
Weight : 1.06 kg/m

**YC-68-24**

outer frame top track
Weight : 1.44 kg/m


**YC-68-02**

small outframe
Weight : 0.84 kg/m



YC-68-08A

closing
Weight : 1.36 kg/m




YC-68-27


closing
Weight : 1.044 kg/m

► Assembly Drawing


330 folding door assembly drawing




321 folding door assembly drawing




431 folding door assembly drawing



422 folding door assembly drawing



440 folding door assembly drawing



► Accessories



aluminum handle with lock function
between two door(intall inside)



aluminum handle between
two door(intall outside)



bidirectional actuator match
KS-XN0003AL-02



aluminum handle with key outside
& lock insdie between two door
(install on the last folding panel)



bidirectional actuator
match KS-XN0006AL-02



top & bottom latch lock



handle lock with key
for swing door



lock body for swing door
match KS-ZS0002PL-02



lock cylinder match KS-CD0145BX
-62 & KS-ST0035HB-32



top Windproof positioning wheel
install with top hanging roller
(KS-HL0051SL-02/KS-HL0052SL-02)



top hanging roller for
one door side



top hanging roller for
two door side




bottom load-bearing roller
for one door side



bottom load-bearing roller
for one door side



hinge



38.7*15 bracket of the door
frame connection



17.8*1.0*1.2 corner of the door frame connection



12.3*15 bracket of the outer frame connection(small)



rubber for small center column



rubber for small side frame / big center column / small center column / door frame



rubber for small side frame / big center column



rubber for door frame



rubber for door outer frame



30*92 flush door lock body



96 ickel brushed lock cylinder (48/48 single opening centre parting)



80 folding door top and bottom pins 13*M8



stainless steal bottom rail




punching machine

75KS Medium Narrow Folding Door >>>




Product Features :

- ① The visible surface is only 42.5mm, and the door frame is even narrower
- ② Have thermal break option, which has better sound insulation and heat insulation effects

► **75KS Medium Narrow Folding Door (non-thermal break)****JY-75ZD-28**

hanging rail

Weight : 3.37 kg/m

**JY-75ZD-17**


side frame

Weight : 2.01 kg/m

**JY-75ZD-06**


low track

Weight : 0.96 kg/m

**JY-75ZD-26**


even-numbered central column

Weight : 1.82 kg/m

**JY-75ZD-27**


door frame

Weight : 1.98 kg/m

**JY-75ZD-31**


outframe closing

Weight : 0.77 kg/m

**JY-75ZD-04**


door frame closing

Weight : 0.46 kg/m

**YC-CDG**


flat aluminum transmission rod

Weight : 0.094 kg/m

**JY-75ZD-09**


corner

Weight : 1.135 kg/m

**JY-75ZD-29**


bottom frame accessories

Weight : 0.28 kg/m

**JY-75ZD-39**


bottom rail

Weight : 1.16 kg/m

► **75KS Medium Narrow Folding Door (thermal break)****JY75ZD-24 + JY75ZD-25**


hanging rail

Weight : 1.98 kg/m , 1.59 kg/m

**JY75ZD-18 + JY75ZD-19**


side frame

Weight : 1.5 kg/m , 1.11 kg/m

**JY75ZD-38 + JY75ZD-37**


side frame

Weight : 1.19 kg/m , 0.95 kg/m

**JY75ZD-21 + JY75ZD-20**


door frame

Weight : 0.88 kg/m , 0.97 kg/m

**JY-75ZD-22**


center column

Weight : 0.90 kg/m


**JY-75ZD-23A**

door frame clip


Weight : 0.21 kg/m

► **Assembly Diagram**


① 220 folding door assembly drawing:




② 321 folding door assembly drawing:




③ 330 folding door assembly drawing:



④ 431 folding door assembly drawing:



⑤ 422 folding door assembly drawing:



► Accessories



15 two-way drive (90 degrees)



30*92 swing door lock body



slave handle



bolt deadbolt



hinges A



hinges C



upper positioning wheel



bottom wheels



stainless steel



corner connector



rubber strip A



rubber strip B



rubber strip C



rubber strip D




rubber strip E



rubber strip F

75 Heavy Duty Folding Door >>>




Product Features :

- ① Can be up to 5m high
- ② Hot sale in middle east market


>>> FOLDING SYSTEM

► 75 Heavy Duty Folding Door (non-thermal break)




JY-75ZD-02

side frame
Weight : 2.06 kg/m



JY-75ZD-01

door frame
Weight : 1.99 kg/m




JY-75ZD-07

door frame
Weight : 2.01 kg/m




JY-75ZD-06

bottom rail
Weight : 0.96 kg/m




JY-75ZD-04

closing 1
Weight : 0.46 kg/m




JY-75ZD-05

closing 2
Weight : 0.53 kg/m




JY-75ZD-03

excipients
Weight : 0.38 kg/m




YC-CDG

flat aluminum transmission rod
Weight : 0.094 kg/m




JY-75ZD-08

closing door frame
Weight : 1.76 kg/m



JY-75ZD-09


corner
Weight : 1.13 kg/m



JY-75ZD-10


hanging rail
Weight : 2.94 kg/m

► 75 Heavy Duty Folding Door(thermal break)

**JY-75DQ-01 + JY-75DQ-02**


sash frame

Weight : 1.26 kg/m , 0.96 kg/m

**JY-75DQ-03 + JY-75DQ-04**

out frame

Weight : 1.172 kg/m , 1.005 kg/m



**JY-75DQ-05 + JY-75DQ-06**

hanging rail



Weight : 2.33 kg/m , 0.94 kg/m

► Assembly Diagram



① 220 folding door assembly drawing:




② 321 folding door assembly drawing:




③ 330 folding door assembly drawing:



④ 422 folding door assembly drawing:



⑤ 431 folding door assembly drawing:



► Accessories



29.5*15 bracket for outer frame connection



C4.8*11.5 stainless steel rail for bottom track



top roller for single door



lower wheel single hinge steel casting



hinge with handle



top roller for double door



lower wheel double hinge steel casting



anti-collision rubber for door vertical frame



swing door lock



lock cylinder





sword shape handle



punching machine

Thermal Break Pivot Entrance Door >>>




Product Features :

- ① Thermal break design for excellent insulation
- ② Maximum height of 6-7 meters
- ③ Standard hinges rated for 300 kg, with optional 500 kg hinges available
- ④ Optional aluminum panels, ceramic tiles, wood panels, or other panel types
- ⑤ Optional electric, facial recognition, or fingerprint unlocking

>>> ENTRANCE DOOR SYSTEM




► Thermal Break Pivot Entrance Door




JNW-CT03-01

frame
Weight : 3.51 kg/m



JNW-CT05-01

offset frame
Weight : 3.1 kg/m




JNW-CT05-02

offset door top frame
Weight : 2.92 kg/m




XY05-005

offset door bottom track
Weight : 1.28 kg/m




XY05-006

offset door bottom track cover
Weight : 0.178 kg/m




JNW-CT03-04

sash crossbar
Weight : 2.07 kg/m




JNW-CT03-05

sash closure
Weight : 2.63 kg/m




XY02-026

35 and 24 conversion material
Weight : 0.32 kg/m




XY02-027

24 wide cover
Weight : 0.105 kg/m




XY03-012

light strip handle
Weight : 1.33 kg/m




JNW-CT07-01

entrance door top and bottom
Weight : 2.83 kg/m



JNW-CT07-02

entrance door lock sash
Weight : 3.31 kg/m




JNW-CT07-03
entrance door side sash
Weight : 3.36 kg/m




XY02-028
fixed clip
Weight : 0.4 kg/m

► Assembly Diagram

OFFSET SINGLE DOOR + FIXED GLASS + WALL PANEL



OFF-AXIS DOUBLE DOOR



Thermal Break Entrance Door With Side Hinge >>>




Product Features :

- ① Thermal break design for excellent heat insulation
- ② Stainless steel hinges with a load capacity of 200 kg
- ③ Maximum height of 5-6 meters
- ④ Can be equipped with electric, facial recognition, and fingerprint unlocking features


>>> ENTRANCE DOOR SYSTEM

WAYBOM


► Thermal Break Entrance Door With Side Hinge




JNW-CT03-01
frame
Weight : 3.51 kg/m




JNW-CT03-02
door panel
Weight : 2.79 kg/m




JNW-CT03-03
bottom threshold
Weight : 1.95 kg/m



JNW-CT03-04
sash crossbar
Weight : 2.07 kg/m




JNW-CT03-05
sash crossbar
Weight : 2.63 kg/m



XY02-026
35 and 24 conversion material
Weight : 0.32 kg/m




XY02-027
24 wide cover
Weight : 0.105 kg/m




XY01-002F
door casing
Weight : 0.69 kg/m





XY03-011
door panel edge trim
Weight : 0.042 kg/m



XY03-012
light strip handle
Weight : 1.33 kg/m




JNW-CT05-02
off-axis door upper frame
Weight : 2.92 kg/m



no bottom threshold


Thermal Break Entrance Door With A View >>>




Product Features :

- ① Thermal break design for excellent heat insulation
- ② Stainless steel hinges with a load capacity of 200 kg
- ③ Maximum height of 5-6 meters
- ④ Can be equipped with electric, facial recognition, and fingerprint unlocking features


► Thermal Break Entrance Door With A View

**JNW-CT04-01**


one door, one scene frame
Weight : 3.4 kg/m

**JNW-CT04-02**


one door, one scene door panel
Weight : 2.82 kg/m

**JNW-CT04-03**


one door, one scene bottom threshold
Weight : 1.91 kg/m

**JNW-CT04-04**

one door, one scene door panel
center horizontal bar
Weight : 2.07 kg/m

**JNW-CT04-05**


one door, one scene door panel edge trim
Weight : 2.78 kg/m

**XY02-026**

35 and 24 conversion material
Weight : 0.32 kg/m



**XY02-027**

24-inch wide cover
Weight : 0.105 kg/m

**XY03-012**

light strip handle
Weight : 1.33 kg/m

► Assembly Diagram




Non - Thermal Break Entrance Door >>>

>>> ENTRANCE DOOR SYSTEM


WAYBOM

► Non - Thermal Break Entrance Door




XY01-001F

90 door frame
Weight : 3.024 kg/m




XY01-002

door casing
Weight : 0.693 kg/m



XY01-003

bottom threshold
Weight : 1.35 kg/m




XY01-004

door panel
Weight : 2.16 kg/m




XY01-005

door panel cover
Weight : 0.21 kg/m




XY01-006

door panel center horizontal
Weight : 1.12 kg/m



XY01-007

closure
Weight : 1.43 kg/m




Product Features :


- ① Maximum height of 5-6 meters
- ② Stainless steel hinges with a load capacity of 200 kg
- ③ Options for aluminum panels, tiles, wood panels, and facings
- ④ Options for electric, facial recognition, and finger-print unlocking

► Assembly Diagram


SINGLE DOOR



DOUBLE SWING DOOR



Glass Pivot Entrance Door >>>




Product Features :

- ① Dustproof sealing strip at the top and bottom
- ② Maximum height of 6-7 meters
- ③ Stainless steel hinges with a standard load capacity of 300 kg, with an optional load capacity of 500 kg
- ④ Available in aluminum, ceramic tile, wood, and panel options
- ⑤ Available with electric, facial recognition, and fingerprint unlocking options


>>> ENTRANCE DOOR SYSTEM

► Glass Pivot Entrance Door




JNW-CT03-01

frame
Weight : 3.51 kg/m



JNW-CT05-01

offset frame
Weight : 3.17 kg/m




JNW-CT05-02

offset door top frame
Weight : 2.92 kg/m




XY05-005

offset door bottom track
Weight : 1.28 kg/m




XY05-006

offset door bottom track cover
Weight : 0.178 kg/m




JNW-CT05-003

off-axis door glass panel top and bottom
Weight : 3.24 kg/m




JNW-CT05-004

off-axis lock panel
Weight : 3.78 kg/m




JNW-CT05-005

off-axis side panel
Weight : 3.67 kg/m




JNW-CT05-006

off-axis door panel center crossbar
Weight : 2.42 kg/m



XY05-015

off-axis door glass panel clip
Weight : 0.39 kg/m




JNW-CT05-007

off-axis door panel center crossbar
Weight : 1.86 kg/m



XY02-028

fixed clip
Weight : 0.40 kg/m



XY02-026


35 and 24 conversion material
Weight : 0.32 kg/m



XY02-027

24 wide cover
Weight : 0.105 kg/m

► Assembly Diagram



► Accessories



smart lock A1



35 width (mechanical lock body)



24 mechanical lock models



CD202 split handle



CD206 split handle



CD209 split handle



cable guide



offset door seal strip



mechanical center shaft Z02



hydraulic center shaft Z01



86 dual box adapter



hinge (N38 concealed hinge)



S2 smart lock with electric sliding cover



S1 smart lock



S2 smart lock



S3 smart lock



S4 smart lock



motor integrated lock sub-door with electric central control