

FOSHAN KERUIDA PLASTIC PRODUCTS MANUFACTURE CO., LTD
NO. 2, JINKENG ROAD, BAINI TOWN, SANSHUI DISTRICT, FOSHAN CITY

Sample Description : SPC FLOORING
Manufacturer : KERUIDA
Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : Feb 01, 2021
Test Performing Date : Feb 01, 2021 to Mar 08, 2021
Test Performed : Selected test(s) as requested by applicant
Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Peter Zhao
Authorized Signatory

scan to see the report



SDHL2102001868HI



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shunde Branch Harbin

1/F, 1st Building European Industrial Park, No.1 Shunhe South Road, Wusha Section, Daikang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

Test Result Summary

No.	Test item	Test(s) Requested(Method)	Result(s)	Comments
1	Mass deviation per unit area	GB/T 34440-2017 Clause 7.4.1	Refer to next page(s)	/
2	Light fastness	GB/T 34440-2017 Clause 7.4.3	Pass	/
3	Lock strength	GB/T 34440-2017 Clause 7.4.5	Pass	/
4	Effect of a castor chair	GB/T 34440-2017 Clause 7.4.6	Pass	/
5	Resistance to cold liquids	GB/T 34440-2017 Clause 7.4.8	Pass	/
6	Abrasion resistance	GB/T 34440-2017 Clause 7.4.9	Refer to next page(s)	/
7	Dimensional stability resultant to heat	GB/T 34440-2017 Clause 7.4.10	Pass	/
8	Curling resultant to heat	GB/T 34440-2017 Clause 7.4.11	Pass	/
9	Curling resultant to temperature	GB/T 34440-2017 Clause 7.4.12	Pass	/
10	Anti sliding value	GB/T 24508-2017 Clause 6.5.12	Refer to next page(s)	/

For further details, please refer to the following page(s)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Information:

Sample description: See photo

1. Test item: Mass deviation per unit area

Test method: GB/T 34440-2017 Clause 7.4.1

Test condition:

Sample size: 100mm × 100mm

Test result:

Weight per unit	Conclusion
8240 g/m ²	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

2. Test Item: Light fastness

Test Method: GB/T 34440-2017 Section 7.4.3 & GB/T 4085-2015 & GB/T 8427-2008 Method3 & GB/T 250-2008

Test Condition:

Exposure cycle:

ISO 105-B02:2014 Cycle A1

Irradiance: (1.10 ± 0.02)W/(m²·nm)@420nm

Continuous light at (45±3) °C BPT, Approximately 40% effective humidity

Filter: Window-IR

Exposure period: 118h (See note 2)

Test Result:

Sample/blue wool reference	Grey scale	Light fastness degree (Compared with No. 6 blue wool)	Client's requirement	Conclusion
Sample A	4-5	Light fastness degree >6	Light fastness degree ≥6	Pass
No.1 Blue wool	1	/	/	/
No.2 Blue wool	1	/	/	/
No.3 Blue wool	1-2	/	/	/
No.4 Blue wool	2	/	/	/
No.5 Blue wool	2-3	/	/	/
No.6 Blue wool	3	/	/	/
No.7 Blue wool	4	/	/	/
No.8 Blue wool	5	/	/	/

Note:

1. According to GB/T 250-2008, the grey scale was determined under the D65 standard light, with scale 5 as the best and scale 1 as the worst.
2. End the test when the No.6 blue wool faded to grey scale of 3.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shunde) Technical Services Co., Ltd. 1/F, 1st Building European Industrial Park, No.1 Shunde South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

Test Photo:



3. Test item: Lock strength

Test method: GB/T 34440-2017 Clause 7.4.5

Test condition:

Sample size: 40mm × 100mm

Test speed: (100 ± 5) mm/min

Test environment: 23.4°C, 52%RH

Test result:

Lock strength (kN/m)			Requirement of the GB/T 34440-2017 Table 5	Conclusion
Short side	Average value	5.35	Lock strength ≥ 1.5 kN/m	Pass
Long side	Average value	4.93		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4. Test item: Effect of a castor chair

Test method: GB/T 34440-2017 Clause 7.4.6

Test condition:


Before the test, clean the surface of the test piece with a vacuum cleaner, clean the surface of the caster wheel with paper dipped in ethanol and dry it. Slowly lower the casters to contact the test piece to ensure that the running track of the casters passes through the splicing line. Place the vacuum cleaner as close to the specimen as possible, but not touching it. Start the vacuum cleaner, set the counter so that the number of revolutions of the disc is 25,000 and start.

Test environment: 22.7°C , 51%RH

Test result:

Appearance	Requirement of the GB/T 34440-2017 Table 5	Conclusion
No visible damage	≥25000 revolutions, there is no damage such as delamination, cracking, and seam opening.	Pass

Test photo:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/F, 1 Building European Industrial Park, No.1 Shunhe South Road, Wusha Section, Daikang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

5. Test item: Resistance to cold liquids

Test method: GB/T 34440-2017 Clause 7.4.8

Test conditions:


No covered: 2h





Test environment: 22.7°C , 51%RH

Test result:

Test liquid	Appearance	Requirement of the GB/T 34440-2017 Table 5	Conclusion
Acetone	No pollution, no corrosion	No pollution, no corrosion	Pass
Coffee (120g of coffee per litre of water)	No pollution, no corrosion		Pass
Sodium hydroxide (25% solution)	No pollution, no corrosion		Pass
Hydrogen peroxide (30% solution)	No pollution, no corrosion		Pass
Shoe polish simulant	No pollution, no corrosion		Pass

Test photo:



	
<p>Coffee</p>	<p>Sodium hydroxide (25% solution)</p>
	
<p>Hydrogen peroxide (30% solution)</p>	<p>Shoe polish simulant</p>



6. Test item: Abrasion resistance

Test method: GB/T 34440-2017 Clause 7.4.9

Test condition:

Wheel: S-39

Load: 1000g/wheel


Rotating speed: (60±2) r/min

Total revolutions: 5000 cycles (wear resistant layer not worn through)

Test result:

Volume loss (mm ³)	Requirement of the GB/T 34440-2017 Table 5	Conclusion
1.8	Fv≤2.0mm ³	Grade T

Test photo:



7. Test item: Dimensional stability resultant to heat

Test method: GB/T 34440-2017 Clause 7.4.10

Test condition:

Place the test specimens horizontally on to support plates, previously placed in the oven, and allow to come to $(80 \pm 2) ^\circ\text{C}$. Maintain the test specimens at this temperature for 6 h in the oven.

Test environment: 22.7°C , 51%RH

Test result:

Dimensional stability change rate		Requirement of the GB/T 34440-2017 Table 5	Conclusion
Vertical	+0.04%	Dimensional stability change rate $\leq 0.25\%$	Pass
Horizontal	+0.05%		Pass

8. Test item: Curling resultant to heat

Test method: GB/T 34440-2017 Clause 7.4.11

Test condition:

Place the test specimens horizontally on to support plates, previously placed in the oven, and allow to come to $(80 \pm 2) ^\circ\text{C}$. Maintain the test specimens at this temperature for 6 h in the oven.

Test environment: 22.7°C , 51%RH

Test result:

Curling resultant to heat	Requirement of the GB/T 34440-2017 Table 5	Conclusion
0.10mm	Curling resultant to heat $\leq 2.0\text{mm}$	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shunde) Technical Services Co., Ltd. 1/F, 1st Building European Industrial Park, No.1 Shunhe South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

9. Test item: Curling resultant to temperature

Test method: GB/T 34440-2017 Clause 7.4.12

Test condition:

Step 1: Place in an environment with a temperature of $(20 \pm 1) ^\circ\text{C}$ for 24h;

Step 2: Place it in an environment with a temperature of $(5 \pm 1) ^\circ\text{C}$ for 24h;

Step 3: Put it in an environment with a temperature of $(35 \pm 1) ^\circ\text{C}$ for 24h.

Test result:

Curling resultant to temperature	Requirement of the GB/T 34440-2017 Table 5	Conclusion
0.05mm	Curling resultant to temperature $\leq 2.0\text{mm}$	Pass

10. Test item: Anti sliding value

Test method: GB/T 24508-2017 Clause 6.5.12


Test condition: Pendulum friction coefficient tester

Test environment: 22.7°C , 51%RH

Test result:

Anti sliding value	Conclusion
21	/

Photo Appendix:



End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/F, 1 Building European Industrial Park, No.1 Shunhe South Road, Wusha Section, Daikang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com