

Date:

Dec 27, 2021

Applicant: PINGHU CITY XIAO MING XING CHILDREN'S

PRODUCTS CO.,LTD

NO.199 ZHONGHUA SECTION

,XINYA ROAD,XINCANG TOWN,PINGHU CITY,

ZHEJIANG, CHINA

Sample Description:

One (1) Groups Of Submitted Sample Said To Be:

Item Name: CHILDREN CAR.Item No.: XMX602B.

Labelled Age Group : 3+.
Packaging Provided By Applicant : Yes.
Country Of Origin : China.

Tests Conducted:

As Requested By The Applicant, For Details Refer To Attached Page(s).

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.







_				
ι.ν	nc	lusi	n	•
vυ	IIU	ıusı	UI	

Jilciusioii.		
<u>Tested Sample</u> Submitted Sample	Standard U.S. CFR Title 16 (CPSC Regulations) Mechanical And Physical Tests	<u>Result</u> Pass
Submitted Sample	U.S. CFR Title 16 (CPSC Regulations)-Part 1500.3(C)(6)(vi) Flammability Test On Rigid And Pliable Solids	Pass
Tested Components Of Submitted Sample	U.S. Code of Federal Regulations Title 16 Part 1303 For Total Lead Content In Surface Coating	Pass
Submitted Sample	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138-Mechanical and Physical test	Pass
Submitted Sample	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138-Cellulose Nitrate and Celluloid	Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 section 23 and amendments SOR/2016-195 for Toxic Elements Test	Pass
Tested Components (5)-(37),(Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass
Tested Components (3),(4),(38)Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	Pass See Comment
Tested Components Of Submitted Sample	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.







_			
Cor	າ∩lı	101/	٦n·
$\sim$ 01	IUI	มอเง	<i>י</i> ווע

Tested Sample Tested Components Of Submitted Sample	Standard Phthalates content requirement in Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188	<u>Result</u> Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6 (surface coating materials for furniture and other articles for children) for Total Lead Content Test	Pass
Tested Components Of Submitted Sample	California Proposition 65 for Toys Consent Judgment No. RG-356892-Total Lead (Pb) Content	Pass
Tested Components Of Submitted Sample	California Proposition 65 for Toys Consent Judgment No. BG-350969-Phthalate content	Pass
Tested Components Of Submitted Sample	Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019)	Pass
Submitted Sample	U.S. ASTM F963-17 For Physical And Mechanical Tests	Pass
Submitted Sample	U.S. ASTM F963-17 For Flammability Test Of Materials Other Than Textile Materials	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 For Soluble Elements Content In Surface Coating	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 section 4.3.5.2(2)(b) For Soluble Elements Content For Non-Surface Coating Materials	Pass
Tested Components Of Submitted Sample	U.S. ASTM F963-17 For Total Lead Content In Surface Coating	Pass

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.







$\sim$		_	_ 1	١	_	io		
	n	n	rı	ш	C	ın	n	•

Tested Sample Tested Components Of Submitted Sample	Standard U.S. ASTM F963-17 For Total Lead Content In Non-Surface Coating	Result Pass
Submitted Sample	ASTM F963-17 Section 4.25, 5.15, 6.5, 6.6 & 7.2 For Battery-Powered Ride-On Toys	Pass
Tested Components Of Submitted Sample	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
Tested Components Of Submitted Sample	U.S. Code Of Federal Regulations Title 16 CFR 1303 For Total Lead Content In Surface Coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 For Total Lead Content In Surface Coating	Pass
Tested Components Of Submitted Sample	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 For Total Lead Content In Non-Surface Coating Materials (Substrate)	Pass
Submitted Sample	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products	Pass

### Comment:

The Testing Scope Of The Following Standard(Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(A)&(B)) Was Not Applicable To The Submitted Samples. However, The Test Results Of The Samples Met The Related Requirements As Stated In This Report.

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.







Tests Conducted (As Requested By The Applicant)

1 Physical and Mechanical Test

As per U.S. code of Federal Regulations Title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Applicant's specified age group for testing: Over 3 Years.

	No. of sample	Sharp	Sharp	Small
	<u>tested</u>	<u>point</u>	<u>edge</u>	<u>part</u>
		(1500.48)	(1500.49)	(1501)
As received	4	Р	Р	NA
Impact (1500.53 (b))	1	Р	Р	NA
Flexure (1500.53 (d))	0	NA	NA	NA
Torque (1500.53 (e))	1	Р	Р	NA
Tension (1500.53 (f))	1	Р	Р	NA
Compression (1500.53 (g))	1	Р	Р	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 24, 2021

## 2 Flammability Test

As per U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids.

Result: Did Not Ignite

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

3 Total Lead (Pb) Content

As per Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %	<u>Limit in %</u>
(1)	< 0.002	0.009
(2)	< 0.002	0.009

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021



Tests Conducted (As Requested By The Applicant)

4 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: Over 3 Years

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

<u>Test</u> <u>Parameter</u>

Drop test 4 x (0.909±0.005) m

Pull test 42.5 $\pm$ 2 N Push test 42.5 $\pm$ 2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	Р
4	Packaging	
	(a) The opening perimeter is less than 14 inches	Р
	(b) The opening perimeter is more than 14 inches	Р
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	Р
9	Wire frames	NA
10	Plastic edges	Р
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	Р
	Auditory hazards	
19	Noise limit	Р
	Thermal hazards	
20	Heated surfaces, parts or substances	Р



Tests Conducted (As Requested By The Applicant)

No.	Testing Items	Assessment
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	<u>Plant seeds</u>	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass NA = Not Applicable

#= Due to the large size and heavy weight of the sample, the tip over test was conducted according to ISO 8124-1 section 5.24.3 instead of drop test.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

5 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

Requirement <u>Assessment</u> Cellulose Nitrate/Celluloid **Absent Absent** 

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 24, 2021

### 6 **Toxic Elements Analysis**

As per method C02.2, C07 and C03, published in Health Canada Product safety reference manual Book 5 -Laboratory Policies and Procedures Part B: test methods section, by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (	<u>Limit (mg/kg)</u>	
	(1)	(2)	
Tot. Lead (Pb)	<20	<20	90
Tot. Mercury (Hg)	ND	ND	ND
Sol. Cadmium (Cd)	<10	<10	1000
Sol. Antimony (Sb)	<10	<10	1000
Sol. Selenium (Se)	<10	<10	1000
Sol. Arsenic (As)	<10	<10	1000
Sol. Barium (Ba)	<10	<10	1000

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

ND = Not Detected (<0.078 mg/kg)

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

7 Toxic Elements Analysis

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Result (mg/kg)								<u>Limit (mg/kg)</u>		
	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	22	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
				Res	sult (mg/	′kg)				<u>Limit (mg/kg)</u>
	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	<u>-</u>
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	< 5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25
				Res	sult (mg/	<u>'kg)</u>				<u>Limit (mg/kg)</u>
	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	< 5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25





Tests Conducted (As Requested By The Applicant)

Result (mg/kg)						Limit (mg/kg)				
	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	25

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021



Tests Conducted (As Requested By The Applicant)

8 Total Lead (Pb) content

As per method C02.2, C02.3 and C02.4, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: test methods section, acid digestion was used and Total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	Result (mg/kg)	<u>Requirement</u> ( <u>mg/kg)</u>
(1)	ND	<u>(mg/kg/</u> 90
(2)	ND	90
(3)	ND	90
(4)	ND	90
(5+6)	ND	90
(7+8)	ND	90
(9+11+12)	ND	90
(10)	ND	90
(13+15+16)	ND	90
(14)	ND	90
(17+18+19)	ND	90
(20+21)	ND	90
(22+23+24)	ND	90
(25+26+27)	ND	90
(28+29+30)	ND	90
(31+32+33)	ND	90
(34+35)	ND	90
(36+37)	ND	90
(38)	ND	90

Remark: The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

Reporting Limit = 10 mg/kg for substrate, 20 mg/kg for coating ND=Not Detected

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





### **TEST REPORT** WUXH00123517 Number:

Tests Conducted (As Requested By The Applicant)

Phthalate content test

By solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound	Result (mg/kg)					<u>Limit(mg/kg)</u> (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	   	(1) ND ND ND ND ND ND	(2) ND ND ND ND ND ND	(3) ND ND ND ND ND	(4) ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		Result	(mg/kg	)		<u>Limit(mg/kg)</u> (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(5+6) ND ND ND ND ND ND	(7+8) ND ND ND ND ND ND	(9+11- ND ND ND ND ND	)	10) ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		Res	ult (mg/	<u>′kg)</u>		<u>Limit(mg/kg)</u> (Max.)
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	(13+15+16 ND ND ND ND ND ND	N) (14 NE NE NE NE NE	) ) ) )	7+18+19) ND ND ND ND ND ND ND	(20+21) ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000
Tested Compound		Res	sult (mg.	<u>/kg)</u>		<u>Limit(mg/kg)</u> (Max.)
	(22+23+24	(25 + 27)		(28+29+ 30)	(31+32+ 33)	<u> (Iviax.)</u>
Di-butyl phthalate (DBP) Di(2-ethyl hexyl) phthalate(DEHP) Benzyl butyl phthalate (BBP) Di-iso-nonyl phthalate (DINP) Di-n-octyl phthalate (DNOP) Di-iso-decyl phthalate (DIDP)	ND ND ND ND ND ND	N N N N N	D D D D D	ND ND ND ND ND ND	ND ND ND ND ND ND	1000 1000 1000 1000 1000 1000



Tests Conducted (As Requested By The Applicant)

Tested Compound	Result (mg/	<u>'kg)</u>	<u>Limit(mg/kg)</u> (Max.)
	(34+35)	(36+37)	<del></del>
Di-butyl phthalate (DBP)	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	1000

Remark: The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100ppm ppm = Parts per million = mg/kg ND = Not Detected

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 27, 2021

## 10 Total Lead (Pb) Content

(surface coating materials for furniture and other articles for children)

As per Canada Consumer Product Safety Act Surface Coating Regulations SOR/2016-193 Section 6, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	<u>Result (mg/kg)</u>	<u>Limit (mg/kg)</u>
(1)	<20	90
(2)	<20	90

Remark: mg/kg = Milligram per kilogram

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 27, 2021

(N)



Tests Conducted (As Requested By The Applicant)

11 Total Lead (Pb) Content:

With Reference To the California Proposition 65, Acid Digestion Method Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result In ppm	<u>Limit In ppm</u>
(1)	<20	90
(2)	<20	90
(3)	<10	100
(4)	<10	100
(5+6)	<10	100
(7+8)	<10	100
(9+11+12)	<10	100
(10)	<10	100
(13+15+16)	<10	100
(14)	<10	100
(17+18+19)	<10	100
(20+21)	<10	100
(22+23+24)	<10	100
(25+26+27)	<10	100
(28+29+30)	<10	100
(31+32+33)	<10	100
(34+35)	<10	100
(36+37)	<10	100
(38)	<10	100

The above limit was quoted from the Consent Judgement No. RG-356892 settled by Superior Court of the State of California for the County of Alameda, for Toys based on the California Proposition 65.

Remark: ppm = part per million = mg/kg

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

12 Phthalate Content Test:

Test Method: By Solvent Extraction And Gas Chromatographic-Mass Spectrometric (GC-MS) Analysis.

Compounds		Result (	Limit (%, w/w) (max.)		
	(1)	(2)	(3)	(4)	, ,
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Di-Iso-Decyl Phthalate (DIDP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	0.1
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	-

Compounds		Result (	Limit (%, w/w) (max.)		
	(5+6)	(7+8)	(9+11+12)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Di-Iso-Decyl Phthalate (DIDP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	0.1
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	-

Compounds	Re	esult (%	Limit (%, w/w) (max.)		
	(13+15+16)	(14)	(17+1	(20+21	
			8+19)	)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Di-Iso-Decyl Phthalate (DIDP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	0.1
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	-



Tests Conducted (As Requested By The Applicant)

Compounds		Limit (%, w/w) (max.)			
	(22+23+24)	(25+26+27)	(28+29+30)	(31+32+ 33)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Di-Iso-Decyl Phthalate (DIDP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	0.1
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	-

Compounds	Result (%	Limit (%, w/w) (max.)	
	(34+35)	(36+37)	
Dibutyl phthalate (DBP)	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	0.1
Di-Iso-Decyl Phthalate (DIDP)	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	0.1
Di-iso-nonyl phthalate (DINP)	ND	ND	-

The Above Limit Was Quoted From The Consent Judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda , for Toys based on the California Proposition 65.

Remark : ND = Not Detected

Detection Limit = 0.01% (w/w)

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

13 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	Result in %
(1)	< 0.002
(2)	< 0.002
(3)	< 0.001
(4)	< 0.001
(5+6)	< 0.001
(7+8)	< 0.001
(9+11+12)	< 0.001
(10)	< 0.001
(13+15+16)	< 0.001
(14)	< 0.001
(17+18+19)	< 0.001
(20+21)	< 0.001
(22+23+24)	< 0.001
(25+26+27)	< 0.001
(28+29+30)	< 0.001
(31+32+33)	< 0.001
(34+35)	< 0.001
(36+37)	< 0.001
(38)	< 0.001

## Requirement:

The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Remark: < = Less Than

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

14 Physical And Mechanical Tests

As Per The ASTM Standard Consumer Safety Specification For Toy Safety F963-17.

Applicant's Specified Age Group For Testing: Over 3 Years

The Submitted Samples W	ere Undergone The Use And	Abuse Tests In Accordance With T	he Federal
Hazardous Substances Act (F	HSA), Title 16, Code Of Federal R	Regulations : -	
<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>	
Impact Test	Section 1500.53(b)	4 x 3.0 ft	
Tip Over Test	Section 1500.53(b)	3 Times	
Torque Test	Section 1500.53(e)	4 in-lbf	
Tension Test	Section 1500.53(f)	15 lbf	
Compression Test	Section 1500.53(g)	30 lbf	

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.1	Material Quality (Visual Check On Cleanliness)	Р
4.5	Sound-Producing Toys	Р
4.6.1	Toys Intended For Children Under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games For 36 Months To 72 Months (Small Part Warning)	Р
4.7	Accessible Edges	Р
4.8	Projections	Р
4.9	Accessible Points	Р
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	Р
4.12	Plastic Film	Р
4.13	Folding Mechanisms And Hinges	Р
4.14	Cords And Elastics In Toys	NA
4.15	Stability And Over-Load Requirements	Р
4.16	Confined Spaces	NA
4.17	Wheels, Tires And Axles	Р
4.18	Holes, Clearance, And Accessibility Of Mechanisms	Р
4.19	Simulated Protective Devices Such As Helmets, Hats, And Goggles	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers And Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	P#

(1)



Tests Conducted (As Requested By The Applicant)

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.26	Toys Intended To Be Attached To A Crib Or Playpen	NA
4.27	Stuffed And Beanbag-Type Toys	NA
4.28	Stroller And Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys With Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yoyo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment In Handles And Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#
6	Instructional Literature	P#
7.1	Producer's Markings - Name Of Producer/Distributor - Address	Yes Yes
7.3	Toy Chests - Name of Manufacturer/Distributor/Seller (Toy) - Address (City, State And Zip Code) of Manufacturer/Distributor/Seller (Toy) - Date Code (Toy And Package/Shipping Container)	NA

Remark: P = PassNA = Not Applicable

The Submitted Samples Were Undergone The Tests In Accordance With Section 8.5 Through Section 8.18 And 8.20 Through 8.26 On Normal Use, Abuse And Specific Tests For Different Types Of Toys Whichever Is Applicable.

The Results Of Section 4.25, 5.15, 6.5, 6.6, 7.2 For Battery-Powered Ride-On Toys Were Referred To The Next Test Item.

Date Sample Received: Dec 06, 2021



Tests Conducted (As Requested By The Applicant)

15 Flammability Test

As Per Section 4.2 Of The ASTM Standard Consumer Safety Specification For Toy Safety F963-17, The Sample Was Tested According To Annex A5 Flammability Testing Procedure For Solids And Soft Toys.

Results: Did Not Ignite

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 24, 2021

## Soluble Elements Analysis In Surface Coating

As per section 4.3.5.1(2) of the ASTM standard consumer safety specification on toy safety F963-17, acid extraction method was used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)		<u>Limit (ppm)</u>
	(1)	(2)	
Sol. Barium (Ba)	<5	<5	1000
Sol. Lead (Pb)	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	75
Sol. Antimony (Sb)	<5	<5	60
Sol. Selenium (Se)	<5	<5	500
Sol. Chromium (Cr)	<5	<5	60
Sol. Mercury (Hg)	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	25

Remark: Sol. = soluble

ppm = parts per million = mg/kg

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

17 Soluble Elements Analysis In Non-Surface Coating Materials (Substrate Except Modelling Clay)

As per section 4.3.5.2(2)(b) of the ASTM standard consumer safety specification on toy safety F963-17, acid extraction method was used and heavy metal elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

				Res	sult (ppm	)				Limit (ppm)
	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
Sol. Barium (Ba)	22	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	< 2.5	<2.5	<2.5	<2.5	25
				Res	sult (ppm	)				<u>Limit (ppm)</u>
	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
Sol. Barium (Ba)	`<5	`<5	`<5	`<5	`<5 <sup>´</sup>	`<5 <sup>°</sup>	`<5	`<5	`<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	< 2.5	< 2.5	<2.5	<2.5	<2.5	25
				Res	sult (ppm	)				<u>Limit (ppm)</u>
	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	< 2.5	< 2.5	<2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	25





Tests Conducted (As Requested By The Applicant)

		Result (ppm)				Limit (ppm)				
	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	< 2.5	<2.5	<2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	25

Remark: Sol. = soluble

ppm = parts per million = mg/kg

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 27, 2021

## 18 Total Lead (Pb) Content for Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in ppm	<u>Limit (ppm)</u>
(1)	<20	90
(2)	<20	90

Remark: ppm = parts per million = mg/kg

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

19 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in ppm	<u>Limit (ppm)</u>
(3)	<10	100
(4)	<10	100
(5+6)	<10	100
(7+8)	<10	100
(9+11+12)	<10	100
(10)	<10	100
(13+15+16)	<10	100
(14)	<10	100
(17+18+19)	<10	100
(20+21)	<10	100
(22+23+24)	<10	100
(25+26+27)	<10	100
(28+29+30)	<10	100
(31+32+33)	<10	100
(34+35)	<10	100
(36+37)	<10	100
(38)	<10	100

Remark: ppm = parts per million = mg/kg

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)
20 Battery Powered Ride-On Toys

As per ASTM F963-17 consumer safety specification for toy safety section 4.25, 5.15, 6.5, 6.6 and 7.2.

Applicant's specified age group for testing: Over 3 Years

Type of battery: Vehicle: 12 V, 4.5Ah, Lead-acid rechargeable battery x 1pc;

Remote: 3 V, LR 03 size x 2 pcs

Charger type: Input 100-240 V A.C., Output 12 V D.C. (Provided )

Model: GA09-1200500US

Electric operated function: Battery powered motion, sound and LED light.

<u>Section</u>	<u>Testing items</u>	<u>Assessment</u>
4.25.1	Battery marking	Р
4.25.2	Maximum allowable direct current potential	Р
4.25.3	Protection against charging non-rechargeable battery	Р
4.25.4	Accessible batteries	NA
4.25.5	Accessible batteries that can fit completely within small part cylinder	Р
4.25.6	Isolation of batteries of different types or capacities	NA
4.25.7	Temperature of battery surface	Р
4.25.8	Temperature of battery surface or combustion hazard after normal use and abuse test	P
4.25.9	Packaging and Instruction requirement	
	- 5.15 Non-replaceable battery statement in battery operated toys	NA
	- 5.15.2 Button or coin cell batteries	NA
	- 6.5 Instruction on safe usage of battery	Р
4.25.10	Battery-powered ride-on toys	Р
4.25.10.1	The maximum temperature measured on the insulation of any conductor shall not exceed the temperature rating of the material.	P
4.25.10.2	Battery powered ride on toys shall not present a risk of fire in stalled motor test.	Р
4.25.10.3	A battery powered ride on toy designed with a wiring system that has a user replaceable device (fuse type) for the primary circuit protection or a wiring system with user resetable primary circuit protection (manual reset fuse) shall not actuate (open or trip) when tested in accordance with the nuisance tripping test	NA
4.25.10.4	Switches used in battery powered ride on toys.  - Polymeric materials in switches used in battery powered ride on toys that are used to support current carrying parts shall carry a minimum flame rating of UI-94 V-0 or have a glow wire ignition rating of 750°C.	Р

(N)



TEST REPORT WUXH00123517 Number:

Tests Conducted (As Requested By The Applicant)

- The switch body shall not result in a short circuit condition when subjected to the switch endurance test and overload tests.
- The switch shall not fail in a mode that could cause the vehicle to run continuously (switch stuck in the "on" position) when subjected to the endurance test and the overload test.
- 4.25.10.5 User replaceable circuit protection devices in battery powered ride on toys.
  - User replaceable circuit protection devices provided by the manufacturer in battery-powered ride-on toys shall be listed, recognized or certified by a Nationally Recognized Test Laboratory (NRTL) (that is, a laboratory recognized in accordance with 29 CFR 1910) to an appropriate electrical safety standard.
  - All circuit protection devices used in battery powered ride on toys intended to be replaced by the user shall be replaceable only with the use of a tool or by a design which does not easily allow tempering such as a design requiring excessive force to open.
- 4.25.10.6 Batteries and battery chargers.
  - Battery connectors must be constructed of material with a UL94 V-0 flame rating or have a glow wire ignition rating of 750°C.
    - The battery charging system shall not present a risk of fire due to a short circuit condition applied to any point in the length of a charger/battery.
  - During charging, battery-charging voltages shall not exceed the recommended charging voltages.
  - Battery charges must be certified to the appropriate standard body. Reference document of certified body: 5000566
- 4.25.10.7 Wiring connected to the main/motor battery shall be short circuit Ρ protected and shall not present the risk of fire.
- 4.25.10.8 Strain relief shall be provided to prevent mechanical stress on wires Ρ entering a connector block during routine maintenance.
- 4.25.10.9 Battery powered ride on toys shall comply with the requirements for safety labelling, for additional instructional literature, and for required producer's markings.
  - 5.15.1 Safety warnings of battery powered ride on toys
  - 6.6 Instructions
  - 7.2 Producer's marking
- 4.25.11 Toys that contain secondary cells or secondary batteries NA

Remark: P = Pass NA = Not Applicable

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 24, 2021



NA

Ρ

Ρ



Tests Conducted (As Requested By The Applicant)

21 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

<u>Test item</u>		Resul	<u>t (%)</u>		Limit (%) (Max.)
	(1)	(2)	(3)	(4)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1
<u>Test item</u>		Res	sult (%)		Limit (%) (Max.)
	(5+6)	(7+8)	(9+11+12)	(10)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1
<u>Test item</u>		Res	sult (%)		Limit (%) (Max.)
	(13+15+16)	(14)	(17+18+19	(20+21)	)
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1



Tests Conducted (As Requested By The Applicant)

<u>Test item</u>		Result (	<u>%)</u>		Limit (%) (Max.)
	(22+23+24)	(25+26+	(28+29+	(31+32)	
	(22   20   21)	27)	30)	+33)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	0.1
Test item		Result (	<u>%)</u>		Limit (%) (Max.)
	(34+35)		(36+37)	)	
Dibutyl phthalate (DBP)	ND		ND		0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND		ND		0.1
Benzyl butyl phthalate (BBP)	ND		ND		0.1
Diisononyl phthalate (DINP)	ND		ND		0.1
Diisobutyl phthalate (DIBP)	ND		ND		0.1
Di-n-pentyl phthalate (DPENP)	ND		ND		0.1
Di-n-hexyl phthalate (DHEXP)	ND		ND		0.1
Dicyclohexyl phthalate (DCHP)	ND		ND		0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected Detection Limit = 0.01%

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)

Total Lead (Pb) Content In Surface Coating

As Per Standard Operating Procedure For Determining Lead (Pb) In Paint And Other Similar Surface Coatings (April 26, 2009), Test Method CPSC-CH-E1003-09 Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result In ppm	<u>Limit In ppm</u>
(1)	<20	90
(2)	<20	90

Remark: ppm= Parts Per Million = mg/kg

< = Less Than

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 27, 2021

Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate): 23

As Per Standard Operating Procedures For Determining Total Lead (Pb) In Children's Products, Test Methods CPSC-CH-E1002-08.1 And/Or CPSC-CH-E1001-08.1 Were Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result In ppm	<u>Limit In ppm</u>
(3)	<10	100
(4)	<10	100
(5+6)	<10	100
(7+8)	<10	100
(9+11+12)	<10	100
(10)	<10	100
(13+15+16)	<10	100
(14)	<10	100
(17+18+19)	<10	100
(20+21)	<10	100
(22+23+24)	<10	100
(25+26+27)	<10	100
(28+29+30)	<10	100
(31+32+33)	<10	100
(34+35)	<10	100
(36+37)	<10	100
(38)	<10	100





Tests Conducted (As Requested By The Applicant)
Remark: ppm = Parts Per Million=mg/kg

< = Less Than

Tested Component: See Component List In The Last Section Of This Report.

Date Sample Received: Dec 06, 2021

Testing Period: Dec 06, 2021 To Dec 27, 2021

### 24 Tracking Label Assessment

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 tracking labels for children products.

Tracking label found on the packaging:

Manufacturer Name: Pinghu City Xiao Ming Xing Children's Products Co., Ltd

Manufacturer Address: No. 199 Zhonghua Section, Xinya Road, Xincang Town, Pinghu City Zhejiang China

Item No.: XMX602B Date code.:202112

Cohort Information:3307611633/Wj80750

Tracking label found on the label of the product:

Manufacturer Name: Pinghu City Xiao Ming Xing Children's Products Co., Ltd

Manufacturer Address: No. 199 Zhonghua Section, Xinya Road, Xincang Town, Pinghu City Zhejiang China

Item No.: XMX602B Date code.:202112

Cohort Information: 3307611633/Wj80750

Note: The tracking label assessment was based on the submitted sample and the information

provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: Dec 06, 2021





Tests Conducted (As Requested By The Applicant)



The Sample Were Submitted By Client's, Only For Reference.







Tests Conducted (As Requested By The Applicant)



## Components List:

- (1) silver coating on plastic(logo, front fence).
- (2) black coating on metal(chassis).
- (3) white adhesive paper with multi-color printing(warning label).
- (4) silver reflect sticker(rearview mirror).
- (5) white plastic.
- (6) blue plastic.
- (7) black plastic.
- (8) red plastic(body).
- (9) coffee transparent plastic(front window).
- (10) black plastic excluding coating(front fence).
- (11) transparent plastic(front light).
- (12) red transparent plastic(tail light).
- (13) black plastic(instrument panel).
- (14) black plastic with white printing(button).
- (15) black plastic(steering wheel).
- (16) black plastic(door).
- (17) red plastic(door lock).
- (18) black plastic(seat).
- (19) black plastic(safety belt adjuster).
- (20) black plastic(wheel).
- (21) bright grey plastic(wheel hub).
- (22) red plastic(connection).
- (23) white plastic(connection).
- (24) semi-transparent plastic(connection).
- (25) black soft plastic (wire protect).
- (26) red soft plastic (wire covering).
- (27) green soft plastic (wire covering).
- (28) yellow soft plastic (wire covering).
- (29) blue soft plastic (wire covering).
- (30) purple soft plastic (wire covering).
- (31) pink soft plastic (wire covering).





Tests Conducted (As Requested By The Applicant)

- (32) brown soft plastic (wire covering).
- (33) black soft plastic (charger wire covering).
- (34) black plastic(remote control button).
- (35) white plastic(remote control).
- (36) black plastic(charger body).
- (37) dark red transparent plastic(on remote control).
- (38) silver metal(chassis).

End of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-GB/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.