

Date:

27 Apr, 2022

Applicant: PINGHU UNITED VEHICLES CO., LTD

30, XINGPING ROAD, XINCANG TOWN, PINGHU CITY, ZHEJIANG PROVINCE, CHINA

Attn: SHREK L.

Sample Description:

One(1) group of submitted sample said to be:

Item Name: Ride on.Item No.: A036.Labelled Age Group: 3+.

Packaging Provided By Applicant : Yes(Artwork).
Goods Exported To : USA.
Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Peter Chen General Manager








**Test Report** SHAH01432377 Number: Conclusion: **Tested Sample** Standard Result Submitted Sample U.S. ASTM F963-17 For Physical And Mechanical Tests Pass U.S. ASTM F963-17 For Flammability Test of Materials Other Than Textile Submitted Sample **Pass** Materials Submitted Sample ASTM F963-17 Section 4.25, 5.15, 6.5, 6.6 & 7.2 For Battery-Powered Ride-**Pass** On Toys **Tested Components** U.S. ASTM F963-17 for total Lead content in surface coating **Pass** Of Submitted Sample **Tested Components** U.S. ASTM F963-17 for total Lead content in non-surface coating **Pass** Of Submitted Sample **Tested Components** U.S. ASTM F963-17 for heavy metal elements test on surface coating material Pass Of Submitted Sample **Tested Components** U.S. ASTM F963-17 section 4.3.5.2(2)(a)(b) for heavy metal elements test on **Pass** Of Submitted Sample non-surface coating materials U.S. CFR title 16(CPSC regulations) Part 1303 total Lead content Pass **Tested Components** Of Submitted Sample **Tested Components** U.S. Code of Federal Regulations title 16 part 1303 for total Lead content in Pass Of Submitted Sample surface coating U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for **Pass** total Lead content in surface coating **Tested Components** U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for Pass Of Submitted Sample total Lead content in non-surface coating materials (substrate) **Tested Components** US Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & **Pass** Of Submitted Sample (b)(3) and US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates Pass Submitted Sample Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products Submitted Sample U.S. CFR title 16(CPSC Regulations) Mechanical and Physical Tests **Pass** Submitted Sample U.S. CFR title 16(CPSC Regulations) Part 1500.3(c)(6)(vi) Flammability Test **Pass** On Rigid and Pliable Solids

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.









Test Report	Number: SHA	AH01432377
Conclusion: <u>Tested Sample</u> Tested Components  Of Submitted Sample	Standard California Proposition 65 for toys, Consent Judgement No. RG-356892 -Total Lead Content	<u>Result</u> Pass
Tested Components Of Submitted Sample	California Proposition 65 for toys, Consent Judgement No. BG-350969 -Phthalate Content	Pass
Tested Components Of Submitted Sample	Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019)	Pass
Submitted Sample	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test Excluding Section 3,4	Pass
Submitted Sample	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid	on Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 sectio and amendments SOR/2016-195 for toxic elements test	n 23 Pass
Tested Components Of Submitted Sample	Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b) for accessible plastic material in toys for children under 3 years of age	
Tested Components Of Submitted Sample	Phthalates content requirement in Canada Consumer Product Safety Act Phthalates Regulation SOR/2016-188	Pass
Tested Components Of Submitted Sample	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Peter Chen General Manager







# **Tests Conducted**

# 1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's Specified Age Group for Testing: Over 3 Years

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances							
Act (FHSA), Title 16, Code of Federal Regulations: -							
<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>					
Impact Test	Section 1500.53(b)	4 x 3.0 ft					
Tip over Test	Section 1500.53(b)	3 times					
Torque Test	Section 1500.53(e)	4 in-lbf					
Tension Test	Section 1500.53(f)	15 lbf					
Compression Test	Section 1500.53(g)	30 lbf					

<u>Section</u>	Testing Items	<u>Assessment</u>
4.1	Material Quality	Р
4.5	Sound-Producing Toys	Р
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	NA
4.6.2	Mouth-Actuated Toys	NA
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	NA
4.7	Accessible Edges	Р
4.8	Projections	Р
4.9	Accessible Points	Р
4.10	Wires Or Rods	NA
4.11	Nails And Fasteners	Р
4.12	Plastic Film	Р
4.13	Folding Mechanisms and Hinges	Р
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	Р
4.16	Confined Spaces	NA
4.17	Wheels, Tires and Axles	Р
4.18	Holes, Clearance, and Accessibility of Mechanisms	Р
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys	P#
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-Type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA



Tests Conducted		
<u>Section</u>	Testing Items	<u>Assessment</u>
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labelling Requirement	P#
6	Instructional Literature	P#
7	Producer's Markings - Name of Producer/Distributor (Toy / Package) - Address (Toy / Package)	Yes Yes

Remark: The submitted samples were undergone the tests in accordance with Section 8.5 through Section 8.18 and 8.21 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable

# = The results of section 4.25, 5.15.1, 6.5, 6.6, 7.2 for Battery-powered Ride-on Toys were referred to the next test item

Date Sample Received: 14 Feb, 2022 & 22 Apr, 2022 Testing Period: 14 Feb, 2022 to 22 Apr, 2022

# 2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

Result = Did Not Ignite

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 28 Mar, 2022



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



### **Tests Conducted**

# 3 Battery Powered Ride-On Toys

As per ASTM F963-17 consumer safety specification for toy safety section 4.25, 5.15, 6.5, 6.6 and 7.2.

Applicant's specified age group for testing: Over 3 Years

Type of battery: Vehicle: 12 V, 7Ah, Lead-acid rechargeable battery x 1pc;

Remote: 3 V, LR 03 size x 2 pcs

Charger type: Input 120 V A.C., Output 12 V D.C. (Provided)

Model: SL12-07-02

### Electric operated function:

Section	Testing items	Assessment
4.25.1	Battery marking	Р
4.25.2	Maximum allowable direct current potential	Р
4.25.3	Protection against charging non-rechargeable battery	Р
4.25.4	Accessible batteries	NA
4.25.5	Accessible batteries that can fit completely within small part cylinder	Р
4.25.6	Isolation of batteries of different types or capacities	NA
4.25.7	Temperature of battery surface	Р
4.25.8	Temperature of battery surface or combustion hazard after normal use and abuse test	Р
4.25.9	Packaging and Instruction requirement	
	- 5.15 Non-replaceable battery statement in battery operated toys	NA
	- 5.15.2 Button or coin cell batteries	NA
	- 6.5 Instruction on safe usage of battery	Р
4.25.10	Battery-powered ride-on toys	Р
4.25.10.1	The maximum temperature measured on the insulation of any conductor shall not exceed the temperature rating of the material.	Р
4.25.10.2	Battery powered ride on toys shall not present a risk of fire in stalled motor test.	Р
4.25.10.3	A battery powered ride on toy designed with a wiring system that has a user replaceable device (fuse type) for the primary circuit protection or a wiring system with user resetable primary circuit protection (manual reset fuse) shall not actuate (open or trip) when tested in accordance with the nuisance tripping test	NA
4.25.10.4	Switches used in battery powered ride on toys.  - Polymeric materials in switches used in battery powered ride on toys that are used to support current carrying parts shall carry a minimum flame rating of UI-94 V-0 or have a glow wire ignition rating of 750°C.  - The switch body shall not result in a short circuit condition when subjected to the switch endurance test and overload tests.  - The switch shall not fail in a mode that could cause the vehicle to run continuously (switch stuck in the "on" position) when subjected to the endurance test and the overload test.	Р
4.25.10.5	User replaceable circuit protection devices in battery powered ride on toys.  - User replaceable circuit protection devices provided by the manufacturer in battery-powered ride-on toys shall be listed, recognized or certified by a Nationally Recognized Test Laboratory (NRTL) (that is, a laboratory recognized	NA



**Test Report** SHAH01432377 Number: **Tests Conducted** in accordance with 29 CFR 1910) to an appropriate electrical safety standard. - All circuit protection devices used in battery powered ride on toys intended to be replaced by the user shall be replaceable only with the use of a tool or by a design which does not easily allow tempering such as a design requiring excessive force to open. Batteries and battery chargers. 4.25.10.6 - Battery connectors must be constructed of material with a UL94 V-0 flame rating or have a glow wire ignition rating of 750°C. - The battery charging system shall not present a risk of fire due to a short circuit condition applied to any point in the length of a charger/battery. Ρ - During charging, battery-charging voltages shall not exceed the recommended charging voltages. - Battery charges must be certified to the appropriate standard body. Reference document of certified body: E238442 Wiring connected to the main/motor battery shall be short circuit protected and 4.25.10.7 Р shall not present the risk of fire. Strain relief shall be provided to prevent mechanical stress on wires entering a 4.25.10.8 Р connector block during routine maintenance. 4.25.10.9 Battery powered ride on toys shall comply with the requirements for safety labelling, for additional instructional literature, and for required producer's markings. - 5.15.1 Safety warnings of battery powered ride on toys - 6.6 Instructions - 7.2 Producer's marking 4.25.11 Toys that contain secondary cells or secondary batteries NA Remark: P = Pass NA = Not Applicable

Date Sample Received: 14 Feb, 2022 & 22 Apr, 2022

Testing Period: 14 Feb, 2022 to 22 Apr, 2022



### **Tests Conducted**

# 4 Total Lead (Pb) Content for Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1003-09.1 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested component</u> (18) Result in ppm <br/>
<20 <u>Limit (ppm)</u> 90

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022

### 5 Total Lead (Pb) Content for Non-surface Coating

As per section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3, was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested component	Result in ppm	<u>Limit (ppm)</u>
(1+2+3)	<10	100
(4+5+6)	<10	100
(7+8+9)	<10	100
(11+14+15)	<10	100
(12)	<10	100
(13)	<10	100
(16)	<10	100
(17)	<10	100
(19+20+21)	<10	100

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



### **Tests Conducted**

# 6 Heavy Metal Elements Analysis (Surface Coating)

As per section 4.3.5.1 of the ASTM standard consumer safety specification on toy safety F963-17, CPSC-CH-E1003-09.1 and extraction methods were used and heavy metal elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm) (18)	<u>Limit (ppm)</u>
Sol. Barium (Ba)	(16 <i>)</i> <5	1000
Sol. Lead (Pb)	<5	90
Sol. Cadmium (Cd)	<5	75
Sol. Antimony (Sb)	<5	60
Sol. Selenium (Se)	<5	500
Sol. Chromium (Cr)	<5	60
Sol. Mercury (Hg)	<5	60
Sol. Arsenic (As)	<2.5	25

Remark: Sol. = soluble

ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022

# 7 Heavy Metal Elements Analysis In Non-Surface Coating Materials (Substrate Except Modelling Clay)

As Per Section 4.3.5.2(2)(A)(B) Of The Astm Standard Consumer Safety Specification On Toy Safety F963-17, Cpsc-Ch-E1002-08.3 / Cpsc-Ch-E1001-08.3 And Acid Extraction Method Were Used And Heavy Metal Elements Migration Content Were Determined By Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)							Limit (ppm)			
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(11)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25





**Tests Conducted** 

	Result (ppm)							Limit (ppm)		
	(12)	(13)	(14)	(15)	(16)	(17)	(19)	(20)	(21)	
Sol. Barium (Ba)	<5	<5	<5	<5	<5	22	<5	<5	<5	1000
Sol. Lead (Pb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	90
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark: Sol. = soluble

ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022

# 8 Total Lead (Pb) Content

As per U.S. Code of Federal Regulations title 16 part 1303, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

 Tested component
 Result (%)
 Limit (%)

 (18)
 <0.002</td>
 0.009

The limit was quoted according to CPSC Regulation CFR title 16 Part 1303 for Lead (Pb) content.

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022





**Tests Conducted** 

### 9 Total Lead (Pb) Content In Surface Coating

As per standard operating procedure for determining Lead (Pb) in paint and other similar surface coatings (April 26, 2009), test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

 Tested Component
 Result (ppm)
 Limit (ppm)

 (18)
 <20</td>
 90

The limit was quoted according to U.S. Code of Federal Regulations title 16 part 1303 and U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in surface coating.

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022 Testing Period: 14 Feb, 2022 to 26 Apr, 2022

# 10 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per standard operating procedures for determining total Lead (Pb) in children's products, test method(s) CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 was/were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	<u>Limit (ppm)</u>
(1+2+3)	<10	100
(4+5+6)	<10	100
(7+8+9)	<10	100
(11+14+15)	<10	100
(12)	<10	100
(13)	<10	100
(16)	<10	100
(17)	<10	100
(19+20+21)	<10	100

The limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 title I, section 101 for total Lead content in non-surface coating materials (substrate).

Remark: ppm = Parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022

(n)



**Tests Conducted** 

# 11 Phthalate Content

With reference to CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item		Limit (%) (Max.)				
	(1+2+3)	(4+5+6)	(7+8+9)	(11+14 +15)	(12)	
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	0.1
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND	0.1
Di-n-pentyl phthalate (DPENP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DHEXP)	ND	ND	ND	ND	ND	0.1
Dicyclohexyl phthalate (DCHP)	ND	ND	ND	ND	ND	0.1
Test item			Result (%)			Limit (%) (Max.)
<u>Test item</u>	(13)	(16)	Result (%) (17)	(18)	(19+20 +21)	Limit (%) (Max.)
Test item  Dibutyl phthalate (DBP)	(13) ND				•	Limit (%) (Max.) 0.1
		(16)	(17)	(18)	+21)	
Dibutyl phthalate (DBP)	ND	(16) ND	(17) ND	(18) ND	+21) ND	0.1
Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP)	ND ND	(16) ND ND	(17) ND ND	(18) ND ND	+21) ND ND	0.1 0.1
Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP)	ND ND ND	(16) ND ND ND	(17) ND ND ND	(18) ND ND ND	+21) ND ND ND	0.1 0.1 0.1
Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Diisononyl phthalate (DINP)	ND ND ND ND	(16) ND ND ND ND	(17) ND ND ND ND	(18) ND ND ND ND	+21) ND ND ND ND	0.1 0.1 0.1 0.1
Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Diisononyl phthalate (DINP) Diisobutyl phthalate (DIBP)	ND ND ND ND	(16) ND ND ND ND ND	(17) ND ND ND ND ND ND ND	(18) ND ND ND ND ND ND	+21) ND ND ND ND ND	0.1 0.1 0.1 0.1 0.1

The above limit was quoted according to 16 CFR part 1307 approved by U.S. Consumer Product Safety Commission (CPSC) for prohibition of children's toys and child care articles containing specified phthalates.

Remark: ND = Not Detected
Detection Limit = 0.01%

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022 Testing Period: 14 Feb, 2022 to 26 Apr, 2022

(in)



**Test Report** SHAH01432377 Number:

### **Tests Conducted**

#### 12 **Tracking Label Assessment**

As per Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels For Children Products.

Tracking Label Found on the Packaging: Manufacturer: Pinghu United Vehicles Co., Ltd Address:30, Xingping Road, Xincang Town, Pinghu Zhejiang, China City country:Pinghu China Date Code: Feb.2022 Batch No.:YS220019L

Tracking Label Found on the label of the Product: Manufacturer: Pinghu United Vehicles Co., Ltd Address:30, Xingping Road, Xincang Town, Pinghu Zhejiang, China City country: Pinghu China Date Code: Feb.2022 Batch No.:YS220019L

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

Date Sample Received: 14 Feb, 2022 Testing Period: 14 Feb, 2022 to 28 Mar, 2022

#### 13 Physical and Mechanical Test

As Per U.S. Code Of Federal Regulations Title 16 Part 1500.50, The Hazards Of Sharp Points, Sharp Edge And Small Parts Are Assessed Both Before And After Applicable Use And Abuse Tests.

Applicant's Specified Age Group for Testing: Over 3 Years

	No. of SampleTested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As Received	1	Р	Р	NA
Impact (1500.53 (b))	1	Р	Р	NA
Flexure (1500.53 (d))	0	NA	NA	NA
Torque (1500.53 (e))	1	Р	Р	NA
Tension (1500.53 (f))	1	Р	Р	NA
Compression (1500.53 (g))	1	Р	Р	NA

Remark: P = Pass

NA = Not Applicable

Date Sample Received: 14 Feb, 2022 Testing Period: 14 Feb, 2022 to 28 Mar, 2022

Tel: +86 510 8821 4567

Fax: +86 510 8820 0428 www.intertek.com.cn

www.intertek.com



**Tests Conducted** 

# 14 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Did Not Ignite

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 28 Mar, 2022

# 15 Total Lead (Pb) content

With reference to us EPA method 3050B,acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (ppm)	Requirement (ppm)
(18)	<20	90
(1+2+3)	<10	100
(4+5+6)	<10	100
(7+8+9)	<10	100
(11+14+15)	<10	100
(12)	<10	100
(13)	<10	100
(16)	<10	100
(17)	<10	100
(19+20+21)	<10	100

The above limit was quoted from the Consent Judgement No. RG-356892 settled by superior court of the state of California for the county of Alameda, for toys based on the California Proposition 65.

Remark: ppm = parts per million = mg/kg

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022



SHAH01432377 **Test Report** Number:

**Tests Conducted** 

#### 16 **Phthalate Content**

With reference to CPSC-CH-C1001-09.3 and by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Tested Compound		Limit (%,w/w)				
	(1+2+3)	(4+5+6)	(7+8+9)	(11+14+15)	(12)	(Max.)
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	
Tested Compound		R	esult (%,w/	w)		Limit (%,w/w)
<u> </u>	(13)	(16)	(17)	(18)	(19+20+21)	(Max.)
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND	0.1
Diethyl hexyl phthalate (DEHP)	ND	ND	ND	ND	ND	0.1
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	0.1
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	0.1
Di-n-hexyl phthalate (DnHP)	ND	ND	ND	ND	ND	0.1
Diisononyl phthalate (DINP)	ND	ND	ND	ND	ND	

Remark: The above limit was quoted from the Consent Judgment No. BG-350969 settled by

superior court of the State of California for the county of Alameda, for Toys based on the California

Proposition 65.

ND = Not Detected

Detected Limit = 0.01%(w/w)

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022 Testing Period: 14 Feb, 2022 to 26 Apr, 2022





**Tests Conducted** 

# 17 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45 section 6 (Public Act 095-1019), acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %
(18)	<0.001
(1+2+3)	< 0.002
(4+5+6)	< 0.002
(7+8+9)	< 0.002
(11+14+15)	< 0.002
(12)	< 0.002
(13)	< 0.002
(16)	< 0.002
(17)	< 0.002
(19+20+21)	< 0.002

### Requirement:

The total Lead content shall not exceed 0.009% for surface coating and 0.01% for non-surface coating material (substrate) in accordance with the Consumer Product Safety Improvement Act of 2008 (CPSIA).

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022



**Tests Conducted** 

# 18 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: Over 3 Years

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

<u>Test</u> <u>Parameter</u>

Drop test  $4 \times (0.909 \pm 0.005) \text{ m}$ 

 Pull test
 42.5±2 N

 Push test
 42.5±2 N

No.	Testing Items	Assessment
3	General - English and French bilingual statement	NR
4	Packaging	<u>.</u>
	(a) The opening perimeter is less than 14 inches	NA
	(b) The opening perimeter is more than 14 inches	NR
	Electrical hazard	
5	Electrically operated toys	NA
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	Р
9	Wire frames	NA
10	Plastic edges	Р
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	Р
	Thermal hazards	
20	Heated surfaces, parts or substances	Р
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	
	(a) Clean and free from vermin	NA



### **Tests Conducted**

No.	Testing Items	Assessment
	(b) Free from hard and sharp foreign matter	NA
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
39	Finger paints	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	<u> </u>
	(a) Stretchable cords	NA
	(b) Similar product	NA
43	Magnetic force	NA
44	Warning of magnetic toys	NA

Remark: P = Pass NR = Not Request NA = Not Applicable

Remark: Due to the large size and heavy weight of the sample, the tip over test was conducted according to ISO 8124-1 section 5.24.3 instead of drop test.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 28 Mar, 2022

### 19 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

Cellulose Nitrate/Celluloid Absent Requirement
Absent Absent

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 28 Mar, 2022





**Tests Conducted** 

# 20 <u>Toxic Elements Analysis</u>

As per method C02.2, C07 and C03, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: test methods section, by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (mg/kg)	<u>Limit (mg/kg)</u>
	(18)	
Tot. Lead (Pb)	<20	90
Tot. Mercury (Hg)	ND	ND
Sol. Cadmium (Cd)	<10	1000
Sol. Antimony (Sb)	<10	1000
Sol. Selenium (Se)	<10	1000
Sol. Arsenic (As)	<10	1000
Sol. Barium (Ba)	<10	1000

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

ND = Not detected (<0.047 mg/kg)

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022

Testing Period: 14 Feb, 2022 to 26 Apr, 2022

# 21 <u>Toxic Elements Analysis</u>

As per Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 Section 27(3)(a)&(b), by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Result (mg/kg)									<u>Limit (mg/kg)</u>	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

(n)



**Tests Conducted** 

Result (mg/kg)									Limit (mg/kg)		
	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(19)	(20)	(21)	
Tot. Lead (Pb)	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	90
Sol. Barium (Ba)	<5	<5	<5	<5	<5	<5	22	<5	<5	<5	1000
Sol. Mercury (Hg)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Cadmium (Cd)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	75
Sol. Antimony (Sb)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Chromium (Cr)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	60
Sol. Selenium (Se)	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	500
Sol. Arsenic (As)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	25

Remark: mg/kg = Milligram per kilogram

Tot. = Total Sol. = Soluble

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022 Testing Period: 14 Feb, 2022 to 26 Apr, 2022

# 22 Phthalate Content Test

With reference to method CPSC-CH-C1001-09.3 and followed by solvent extraction and Gas Chromatography-Mass Spectrometry (GC-MS) analysis

Tested Compound		Limit(mg/kg) (Max.)				
	(1+2+3)	(4+5+6)	(7+8+9)	(11+14 +15)	(12)	<del></del>
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000
Tested Compound		Limit(mg/kg) (Max.)				
	(13)	(16)	(17)	(18)	(19+20 +21)	
Di-butyl phthalate (DBP)	ND	ND	ND	ND	ND	1000
Di(2-ethyl hexyl) phthalate(DEHP)	ND	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	ND	ND	ND	ND	ND	1000
Di-iso-nonyl phthalate (DINP)	ND	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DNOP)	ND	ND	ND	ND	ND	1000
Di-iso-decyl phthalate (DIDP)	ND	ND	ND	ND	ND	1000





SHAH01432377 **Test Report** Number:

**Tests Conducted** 

The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulation Remark:

SOR/2016-188 for phthalate content on toys and child care articles.

Detection Limit = 100mg/kg

ND = Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022 Testing Period: 14 Feb, 2022 to 26 Apr, 2022

#### 23 Total Lead (Pb) content

As per method C02.2, C02.3 and C02.4, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: test methods section, acid digestion was used and Total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (mg/kg)	Requirement (mg/kg)
(18)	ND	90
(1+2+3)	ND	100
(4+5+6)	ND	100
(7+8+9)	ND	100
(11+14+15)	ND	100
(12)	ND	100
(13)	ND	100
(16)	ND	100
(17)	ND	100
(19+20+21)	ND	100

Remark: The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-

Intertek Testing Services Wuxi Ltd.

无锡天祥质量技术服务有限公司

Reporting Limit = 10 mg/kg for substrate ,20 mg/kg for coating.

ND=Not Detected

Tested Components: See component list in the last section of this report.

Date Sample Received: 14 Feb, 2022 Testing Period: 14 Feb, 2022 to 26 Apr, 2022

Page 21 of 25

Tel: +86 510 8821 4567

Fax: +86 510 8820 0428 www.intertek.com.cn

www.intertek.com



**Tests Conducted** 





**Test Report** SHAH01432377 Number:

**Tests Conducted** 

The Samples Were Submitted By The Client, Only For Reference





**Tests Conducted** 

















Tests Conducted Components List:

- (1) Black Plastic(Body).
- (2) Red Plastic(Body).
- (3) Black Plastic(Front Fence).
- (4) Transparent Plastic(Front Light).
- (5) Red Transparent Plastic(Instrument Panel).
- (6) Black Plastic(Button).
- (7) Black Plastic(Button).
- (8) Black Plastic(Steering Wheel).
- (9) Black Plastic(Seat).
- (10) Black Webbing(Safety Belt).
- (11) Red Plastic(Accelerator Pedal).
- (12) Black Plastic(Wheel).
- (13) Black Soft Plastic(Wheel Antiskid Part).
- (14) Red Plastic(Wheel Hub).
- (15) Dark Grey Plastic(Wheel Hub).
- (16) Red Plastic(Damping Device).
- (17) White Adhesive Paper With Multi-Color Printing Underlying Plastic Film(Body,Licence Plate).
- (18) Black Coating On Metal(Chassis).
- (19) Yellow Soft Plastic (Wire Covering).
- (20) Red Soft Plastic (Wire Covering).
- (21) Black Soft Plastic (Wire Covering).

**End Of Report** 

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.