

1		2		3		4																																																													
A		Technical data/ Datos técnicos:				<table><tr><td>PIN 1</td><td>+24V</td></tr><tr><td>PIN 2</td><td>GND/MASA</td></tr><tr><td>PIN 3</td><td>CAN L</td></tr><tr><td>PIN 4</td><td>CAN H</td></tr><tr><td>PIN 5</td><td>NO FUNCTION/ SIN FUNCIÓN</td></tr></table>		PIN 1	+24V	PIN 2	GND/MASA	PIN 3	CAN L	PIN 4	CAN H	PIN 5	NO FUNCTION/ SIN FUNCIÓN																																																		
PIN 1	+24V																																																																		
PIN 2	GND/MASA																																																																		
PIN 3	CAN L																																																																		
PIN 4	CAN H																																																																		
PIN 5	NO FUNCTION/ SIN FUNCIÓN																																																																		
		<table><tr><td>According to/ En referencia a:</td><td>5801754015</td></tr><tr><td>Operating temperature range/Rango de temperatura:</td><td>-40°C a/to 80°C</td></tr><tr><td>Weight/ Peso</td><td>295,5 gr</td></tr></table>		According to/ En referencia a:	5801754015	Operating temperature range/Rango de temperatura:	-40°C a/to 80°C	Weight/ Peso	295,5 gr																																																										
According to/ En referencia a:	5801754015																																																																		
Operating temperature range/Rango de temperatura:	-40°C a/to 80°C																																																																		
Weight/ Peso	295,5 gr																																																																		
B																																																																			
C																																																																			
D																																																																			
E																																																																			
F		<table><tr><td rowspan="5">Modification</td><td>4</td><td></td><td></td><td></td><td>Drawn</td><td rowspan="5"></td></tr><tr><td>3</td><td></td><td></td><td></td><td>11/09/20 S.F.</td></tr><tr><td>2</td><td></td><td></td><td></td><td>Checked</td></tr><tr><td>1</td><td></td><td></td><td></td><td>11/09/20 E.L.</td></tr><tr><td>nº</td><td>Modified</td><td>Date</td><td>Reason</td><td>Assembly</td><td>-</td></tr><tr><td colspan="5">Comments</td><td>ISO 2768 c-K</td><td>Part name</td><td>NOx sensor/Sensor NOx</td></tr><tr><td colspan="5"></td><td>Material</td><td>ID. Reference</td><td>2269024</td></tr><tr><td colspan="5"></td><td>-</td><td>Scale: 1/3</td><td rowspan="2"></td><td rowspan="2">Sheet 1/1</td></tr><tr><td colspan="5"></td><td></td><td>Review: 0</td></tr></table>				Modification	4				Drawn		3				11/09/20 S.F.	2				Checked	1				11/09/20 E.L.	nº	Modified	Date	Reason	Assembly	-	Comments					ISO 2768 c-K	Part name	NOx sensor/Sensor NOx						Material	ID. Reference	2269024						-	Scale: 1/3		Sheet 1/1							Review: 0		
Modification	4				Drawn																																																														
	3				11/09/20 S.F.																																																														
	2				Checked																																																														
	1				11/09/20 E.L.																																																														
	nº	Modified	Date	Reason	Assembly	-																																																													
Comments					ISO 2768 c-K	Part name	NOx sensor/Sensor NOx																																																												
					Material	ID. Reference	2269024																																																												
					-	Scale: 1/3		Sheet 1/1																																																											
						Review: 0																																																													
PG/18/02 rev.1 1		2		3		4																																																													