

**POJ**<sup>®</sup>

*Guangzhou Visual Lighting Technology Co., Ltd*

# LX9030F Art Shine Long strip strobe (1 meter)



Web: [www.pojlighting.com/](http://www.pojlighting.com/)

Tel: +86 199 2773 1865

Email: [pojlighting@foxmail.com](mailto:pojlighting@foxmail.com)

Add.: No. 28 Hegan East Road, Huadu District,

Guangzhou, China



# Parameters

## OPTICAL

Optics: High efficiency optical system

Light source :

Main: Super bright 90x3W 7000K

Auxiliary: 180x0.5W RGB

Light source average lifespan : 20000H

Luminous flux: strobe 55000lm, static 15000lm

Field of view: 90°

Zones: 5 separate zone control

## FEATURE

Main effect: multi-layer, dynamic pattern, color mixing, strobe

Built-in macro function

## Dimming

Dimmer modes: 8-bit and 16-bit

Dimming curve: 4x

## CONTROL

Channel mode :11, 14, 20CH

Control protocol : DMX, automatic, master-slave

Protocols: DMX, RDM

DMX : 3 pin or 5 pin XLR IN/OUT

## POWER

Voltage : AC 100-240V 50/60Hz

Power : 400W

LED Power : 360w

## OTHERS

IP rate : IP65

Working environment : -30°C~ 50°C

## APPROVALS

Approved certifications : CE、 RoHs